

*Pure Freude
an Wasser*



CATALOGUE 2020

GROHE

TABLE OF CONTENTS

Our brand		8
Bath fittings	SmartControl	SmartControl mixers 14
	Fittings	Allure Brilliant 17
		Allure 26
		Atrio 36
		Grandera 51
		Lineare 59
		Eurocube Joy 66
		Eurocube 72
		GROHE Plus 82
		Europlus 93
		Essence 94
		Eurodisc Joy 105
		Eurodisc Cosmopolitan 108
		Concetto 114
		Eurostyle Cosmopolitan 121
		Eurostyle 127
		Eurosmart Cosmopolitan 137
		Eurosmart 146
		BauEdge 152
		BauLoop 157
		BauFlow 161
		GROHE SilkMove ES 164
	Two Handle fittings	Costa L 169
		Costa S 175
		Atlanta 177
	Universal	Universal tap 178
	Bath sets	Talentofill 179
	Accessories	Selection 182
		Selection Cube 188
		Essentials 191

GROHE

TABLE OF CONTENTS

		Essentials Cube	198
		BauCosmopolitan	202
		Essentials Authentic	205
Thermostats	Grohtherm	Grohtherm SmartControl	223
		Grohtherm 2 handle trim sets	236
		Grohtherm 3000 Cosmopolitan	242
		Grohtherm 2000	243
		Grohtherm Cube	246
		Grohtherm 1000	250
		Grohtherm 1000 Performance	252
		Grohtherm 800 Cosmopolitan	254
		Grohtherm 800	256
Concealed solutions		GROHE Rapido SmartBox	260
		GROHE Rapido	262
		GROHE Rapido C / stop valves	263
Showers	GROHE Digital	F-digital Deluxe	266
		F-digital Controllers	272
	Shower Systems	Rainshower SmartControl System	273
		Rainshower SmartActive System	278
		Rainshower System	282
		Euphoria SmartControl System	285
		Euphoria System	288
		Tempesta System	299
		Shower system accessories	304
	Headshowers	Head and side showers	308
	Showers	Sena	339
		Rainshower SmartActive	340
		Rainshower	353
		Power&Soul	360
		Movario	366
		Relexa	367

GROHE

TABLE OF CONTENTS

		Euphoria	369	
		Tempesta	380	
		Sena trigger sprays	395	
		Tempesta-F trigger sprays	396	
		Trigger sprays	398	
		Shower hoses	399	
		Shower accessories	402	
Kitchen fittings	Water systems	GROHE Blue Professional	416	
		GROHE Blue Home	422	
		GROHE Blue Pure	430	
		GROHE Blue accessories	434	
		GROHE Red	439	
		Waste separation systems	444	
		Premium lines	K7	446
			FootControl	447
			Minta / Minta SmartControl / Minta Touch	448
			Zedra / Zedra SmartControl / Zedra Touch	454
			Atrio	456
			Essence	457
			Eurocube	459
		Competence lines	Ambi	460
			Parkfield	461
	Eurodisc Cosmopolitan		462	
	Eurodisc		463	
	Concetto		464	
	Eurostyle Cosmopolitan		467	
	Eurosmart Cosmopolitan		470	
	Eurosmart		472	
	Euroeco / Euroeco Special		475	
	Costa		476	
	Bau Lines	479		

GROHE

TABLE OF CONTENTS

		Soap dispensers	482
	Kitchen sinks	Stainless steel sinks	483
		Composite sinks	494
Special fittings	Electronic fittings	Eurocube E	504
		Essence E	507
		Bluetooth monitoring	510
		Europlus E	517
		Eurosmart Cosmopolitan E	519
		Euroeco Cosmopolitan E	528
		Bau Cosmopolitan E	533
		Special thermostats	Grohtherm Micro
		Grohtherm Special	536
		Grohtherm XL	541
	Single-lever mixer	Euroeco Special	544
		Hospita	549
		Euroeco Single Sequential	550
	Self-closing fittings	Eurodisc SE	552
		Eurosmart Cosmopolitan T	553
		Euroeco Cosmopolitan T	554
Contromix		555	
Shower toilet	GROHE Sensia IGS	558	
	GROHE Sensia Arena	562	
Ceramics	Essence	570	
	Cube Ceramic	577	
	Euro Ceramic	581	
	Bau Ceramic	588	
	Acrylic shower trays	595	
Installation Systems	Rapid SLX	Rapid SLX	600
	Rapid SL	Rapid SL for WC	603
		Rapid SL for urinal	624
		Rapid SL for wash basin and bidet	626

GROHE

TABLE OF CONTENTS

		Rapid SL for the disabled	630	
		Rapid SL free-standing installation	633	
		Rapid SL fitting supports	635	
		Rapid SL accessories	636	
	Uniset	Uniset frames and accessories	640	
Flushing systems	WC	Flushing cisterns	648	
		Accessories for flushing cisterns	652	
		WC flush valves	663	
		Electronic actuations for WC	668	
		Urinal	Electronic actuations for urinal	672
			Urinal flush valves	678
	Actuations	WC	Wall plates for WC	684
			GROHE Fresh	691
Wall plates for WC flush valves			692	
		Urinal	Wall plates for urinal	693
Connections and Security			Angle valves	698
		WAS valves	703	
		Safety systems	707	
Spare parts		Cartridges	710	
		Thermo elements and thermostatic compact cartridges	713	
		Aquadimmer	715	
		Head parts	716	
		Spare parts for two-handle faucets	719	
		Extension sets	721	
		Unions	722	
		Outlets and spouts	725	
		Flow straighteners	727	
		Waste sets and traps	732	
		Connections and non-return valves	734	
		Spare parts GROHE Sense	735	
		Spare parts for electronics	736	

GROHE

TABLE OF CONTENTS

Diverter	737
Hoses	739
Spare parts for kitchen faucets	740
Spare parts for showers	744
Spare parts for accessories	746
Seals	747
Miscellaneous	748
Special tools	750
Cleaning and care	751
Spare parts for sanitary systems	752
Spare parts for shower toilet	755
Spare parts for Ceramics	757
Survey of contents	759
Discover the World of GROHE	782
LIXIL makes better homes a reality for everyone, everywhere.	784

PURE FREUDE AN WASSER.

Life-giving, universal, joyful – water itself is the source of inspiration for the whole of our distinctive product portfolio.

Each of these products is always based on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do, allows us to deliver unrivalled water enjoyment to our customers.







QUALITY

From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

*"No.1 most trusted brand in the sanitary industry" –
Wirtschaftswoche, 2017*



TECHNOLOGY

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

*"Top 50 companies to change the world" –
Fortune Magazine, 2017*



DESIGN

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

Over 400 design awards won since 2003



SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.


CSR Award winner of the German Government, 2017

GROHE
BATH FITTINGS



GROHE SMARTCONTROL MIXERS


Ref. No. Colour Price netto (€)



29 147 000 chrome 380.00

SmartControl
Concealed mixer with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
cartridge for temperature mixing
without roughing-in-set
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min


35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation



29 148 000 chrome 428.00

SmartControl
Concealed mixer with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
cartridge for temperature mixing
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 23 l/min
outlet C = 25 l/min
outlet B + C = 27 l/min

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation






29 149 000 chrome 459.00

SmartControl
Concealed mixer with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
cartridge for temperature mixing
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 22 l/min
outlet B = 26 l/min
outlet C = 22 l/min
outlet A + B = 31 l/min
outlet A + B + C = 34 l/min


35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE SMARTCONTROL MIXERS


Ref. No.	Colour	Price netto (€)
29 144 000	chrome	364.00
 <p>SmartControl Concealed mixer with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols cartridge for temperature mixing without roughing-in-set flow performance: outlet B = 27 l/min, outlet C = 27 l/min</p>		
35 600 000	chrome	70.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
29 145 000	chrome	431.00
 <p>SmartControl Concealed mixer with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols cartridge for temperature mixing multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 23 l/min outlet C = 25 l/min outlet B + C = 27 l/min</p>		
35 600 000	chrome	70.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
29 146 000	chrome	459.00
 <p>SmartControl Concealed mixer with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols cartridge for temperature mixing multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet A = 22 l/min outlet B = 26 l/min outlet C = 22 l/min outlet A + B = 31 l/min outlet A + B + C = 34 l/min</p>		
35 600 000	chrome	70.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		

GROHE SMARTCONTROL MIXERS

Ref. No. Colour Price netto (€)



34 709 000 **chrome** **1,240.00**
SmartControl Perfect shower set
 consisting of:
 concealed mixer with 3 valves
 SmartControl mixer set for final installation (29 146 000)
 GROHE Rapido SmartBox 35 600 000
 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
 Euphoria Cosmopolitan Stick handshower (27 367 000)
 Rainshower wall holder (27 074 000)
 Rainshower wall union 1/2" (27 057 000)
 Silverflex shower hose 1.500 mm (28 364)




34 712 000 **chrome** **1,200.00**
SmartControl Perfect shower set
 consisting of:
 concealed mixer with 3 valves
 SmartControl mixer set for final installation (29 149 000)
 GROHE Rapido SmartBox 35 600 000
 Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
 hand shower Euphoria Cube Stick (27 698 000)
 Euphoria Cube wall union with integrated shower holder (26 370 000)
 Silverflex shower hose 1.500 mm (28 364)



14 077 XH0 **chrome/frosted granite** **23.00**
SmartControl Caps concealed
 consisting of:
 9 caps with 6 different symbols
 fits Grotherm SmartControl and SmartControl mixer sets for final installation

GROHE ALLURE BRILLIANT

Ref. No. Colour Price netto (€)




23 029 000	chrome	597.00
23 029 DC0	supersteel	709.00
23 029 A00	hard graphite	760.00
23 029 AL0	brushed hard graphite	810.00

Allure Brilliant
Single-lever basin mixer 1/2"
M-Size

single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter, GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

23 033 000	chrome	594.00
23 033 DC0	supersteel	709.00
23 033 A00	hard graphite	760.00
23 033 AL0	brushed hard graphite	810.00

ditto, smooth body




23 109 000	chrome	736.00
23 109 DC0	supersteel	881.00
23 109 A00	hard graphite	944.00
23 109 AL0	brushed hard graphite	1,010.00

Allure Brilliant
Single-lever basin mixer 1/2"
L-Size

single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter, GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

23 112 000	chrome	630.00
23 112 DC0	supersteel	881.00
23 112 A00	hard graphite	944.00
23 112 AL0	brushed hard graphite	1,010.00


ditto, smooth body



23 114 000	chrome	920.00
23 114 DC0	supersteel	1,090.00
23 114 A00	hard graphite	1,170.00
23 114 AL0	brushed hard graphite	1,250.00

Allure Brilliant
Single-lever basin mixer 1/2"
XL-Size

single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar




29 086 000		301.00
------------	--	--------

Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and
3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug


GROHE ALLURE BRILLIANT

Ref. No. Colour Price netto (€)





20 344 000	chrome	825.00
20 344 DC0	supersteel	1,030.00
20 344 A00	hard graphite	1,110.00
20 344 AL0	brushed hard graphite	1,180.00

Allure Brilliant
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar



20 342 000	chrome	621.00
20 342 DC0	supersteel	867.00
20 342 A00	hard graphite	929.00
20 342 AL0	brushed hard graphite	991.00

Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
low spout with integrated mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar




20 346 000	chrome	643.00
20 346 DC0	supersteel	901.00
20 346 A00	hard graphite	965.00
20 346 AL0	brushed hard graphite	1,030.00

Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
wall mounted
without concealed body
set for final installation for
29 025 002
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
projection 161 mm
min. recommended pressure 1.0 bar

20 348 000	chrome	684.00
20 348 DC0	supersteel	958.00
20 348 A00	hard graphite	1,030.00
20 348 AL0	brushed hard graphite	1,090.00

ditto, projection 210 mm




29 025 002		216.00
------------	--	--------

Two-handle basin mixer
concealed body, 1/2"
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE ALLURE BRILLIANT

Ref. No. Colour Price netto (€)

19 781 000	chrome	685.00
19 781 DC0	supersteel	862.00
19 781 A00	hard graphite	924.00
19 781 AL0	brushed hard graphite	985.00




Allure Brilliant
Two-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for
23 200
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
centre distance 110 mm
projection 161 mm
min. recommended pressure 1.0 bar

19 783 000	chrome	772.00
19 783 DC0	supersteel	920.00
19 783 A00	hard graphite	985.00
19 783 AL0	brushed hard graphite	1,050.00


ditto, projection 210 mm

23 200 002 207.00




Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

23 200 000 241.00



Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device


23 117 000	chrome	671.00
23 117 DC0	supersteel	805.00
23 117 A00	hard graphite	862.00
23 117 AL0	brushed hard graphite	920.00



Allure Brilliant
Single-lever bidet mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

GROHE ALLURE BRILLIANT

Ref. No. Colour Price netto (€)




24 071 000	chrome	317.00
24 071 DC0	supersteel	442.00
24 071 A00	hard graphite	474.00
24 071 AL0	brushed hard graphite	505.00

Allure Brilliant

Single-lever shower mixer

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with GROHE QuickFix (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		




24 072 000	chrome	348.00
24 072 DC0	supersteel	486.00
24 072 A00	hard graphite	521.00
24 072 AL0	brushed hard graphite	556.00

Allure Brilliant

Single-lever mixer with 2-way diverter

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with GROHE QuickFix (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



24 099 000	chrome	368.00
24 099 DC0	supersteel	515.00
24 099 A00	hard graphite	552.00
24 099 AL0	brushed hard graphite	589.00

Allure Brilliant


Single-lever mixer with 3-way diverter

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with GROHE QuickFix (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		


GROHE ALLURE BRILLIANT

Ref. No. Colour Price netto (€)



19 787 001	chrome	1,360.00
19 787 DC1	supersteel	1,900.00
19 787 A01	hard graphite	2,030.00
19 787 AL1	brushed hard graphite	2,170.00

Allure Brilliant
4-hole single-lever bath combination
 GROHE SilkMove 46 mm ceramic cartridge
 GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 single lever mixer operating element
 bath spout with integrated mousseur
 diverter bath/shower
 hand shower Euphoria Cube+ 6.6 l/min
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with (29 037 000)




29 037 000		754.00
------------	--	--------

4/5-hole bath combination (optional)
baseframe for installation under tiled surround
 consisting of:
 base frame
 drainage box with integrated outlet for splash water
 caps to cover screw fixations always come in chrome color


45 388 000		122.00
------------	--	--------

Supporting legs for baseframe



23 119 001	chrome	2,270.00
------------	--------	----------

Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
 set for final installation for 45 984
 without roughing-in-set
 GROHE SilkMove 46 mm ceramic cartridge
 GROHE StarLight chrome finish
 automatic diverter: bath/shower
 spout with integrated mousseur
 hand shower Euphoria Cube+ 6.6 l/min
 Silverflex shower hose 1250 mm
 projection 270 mm
 integrated non-return valve in the shower outlet 1/2"
 with shower holder
 protected against backflow




23 119 000	chrome	2,580.00
23 119 DC0	supersteel	3,180.00
23 119 A00	hard graphite	3,410.00
23 119 AL0	brushed hard graphite	3,630.00

Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
 set for final installation for 45 984
 without roughing-in-set
 GROHE SilkMove 46 mm ceramic cartridge
 GROHE StarLight chrome finish
 automatic diverter: bath/shower
 spout with integrated mousseur
 projection 270 mm
 integrated non-return valve in the shower outlet 1/2"
 with shower holder
 hand shower Euphoria Cube+
 metal shower hose 1250 mm
 protected against backflow


GROHE ALLURE BRILLIANT

Ref. No. Colour Price netto (€)




13 301 000	chrome	1,350.00
13 301 DC0	supersteel	*
13 301 A00	hard graphite	*
13 301 AL0	brushed hard graphite	*

Allure Brilliant
Bath spout, floor mounted
set for final installation for 45 984
without roughing-in-set
GROHE StarLight chrome finish
spout with integrated mousseur
Total height 1070 mm
projection 270 mm




45 984 001		452.00
------------	--	--------

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material




13 299 000	chrome	285.00
13 299 DC0	supersteel	399.00
13 299 A00	hard graphite	427.00
13 299 AL0	brushed hard graphite	455.00

Allure Brilliant
Bath spout
wall mounted
GROHE StarLight chrome finish
projection 161 mm
spout with integrated mousseur



19 798 000	chrome	233.00
19 798 DC0	supersteel	326.00
19 798 A00	hard graphite	349.00
19 798 AL0	brushed hard graphite	372.00

Allure Brilliant
5-way diverter
set for final installation for 29 033
without concealed body
GROHE StarLight chrome finish
installation depth infinitely adjustable
66 - 113 mm



29 033 000		230.00
------------	--	--------


5-way diverter
concealed body
wall installation
with ceramic sealing discs
connection cold and hot 1/2"
2 outlets 1/2"
1 bath outlet 3/4"
installation depth infinitely adjustable
66 - 113 mm
DR-brass
min. recommended pressure 1.0 bar

GROHE ALLURE BRILLIANT

Ref. No.

Colour

Price netto (€)



19 796 000
19 796 DC0
19 796 A00
19 796 AL0

chrome
supersteel
hard graphite
brushed hard graphite

167.00
234.00
250.00
267.00

Allure Brilliant

Concealed valve exposed part

set for final installation for

29 032 000 (preassembled headpart 1/2")

29 068 000 (preassembled ceramic headpart 1/2" -

not to be used for the main line shut-off)

35 028 000

GROHE StarLight chrome finish







installation depth infinitely adjustable

43 - 91 mm

GROHE ALLURE BRILLIANT


	Ref. No.	Colour	Price netto (€)	
  	40 494 000 40 494 DC0 40 494 A00 40 494 AL0	chrome supersteel hard graphite brushed hard graphite	349.17 482.50 515.83 557.50	
<p>Allure Brilliant Holder with soap dispenser material: glass / metal filling quantity 150 ml concealed fastening GROHE StarLight chrome finish</p>	  	40 493 000 40 493 DC0 40 493 A00 40 493 AL0	chrome supersteel hard graphite brushed hard graphite	224.17 315.83 340.83 365.83
<p>Allure Brilliant Holder with tumbler material: glass / metal concealed fastening GROHE StarLight chrome finish</p>	  	40 503 000 40 503 DC0 40 503 A00 40 503 AL0	chrome supersteel hard graphite brushed hard graphite	265.83 374.17 399.17 432.50
<p>Allure Brilliant Shelf with tumbler material: glass / metal concealed fastening GROHE StarLight chrome finish</p>	  	40 504 000 40 504 DC0 40 504 A00 40 504 AL0	chrome supersteel hard graphite brushed hard graphite	274.17 382.50 407.50 432.50
<p>Allure Brilliant Shelf with soap dish GROHE StarLight chrome finish</p>	  	40 496 000 40 496 DC0 40 496 A00 40 496 AL0	chrome supersteel hard graphite brushed hard graphite	190.83 265.83 282.50 299.17
<p>Allure Brilliant Towel bar 2 arms, not pivotable length 431 mm concealed fastening GROHE StarLight chrome finish</p>	  	40 497 000 40 497 DC0 40 497 A00 40 497 AL0	chrome supersteel hard graphite brushed hard graphite	215.83 299.17 315.83 340.83
<p>Allure Brilliant Towel rail 650 mm (drilling length 600 mm) material: metal concealed fastening GROHE StarLight chrome finish</p>				

GROHE ALLURE BRILLIANT

	Ref. No.	Colour	Price netto (€)
 	40 498 000	chrome	87.49
	40 498 DC0	supersteel	124.99
	40 498 A00	hard graphite	133.33
	40 498 AL0	brushed hard graphite	141.66
	Allure Brilliant Robe hook material: metal concealed fastening GROHE StarLight chrome finish		
 	40 499 000	chrome	182.50
	40 499 DC0	supersteel	257.50
	40 499 A00	hard graphite	274.17
	40 499 AL0	brushed hard graphite	*
	Allure Brilliant Toilet paper holder without cover material: metal concealed fastening GROHE StarLight chrome finish		
 	40 500 000	chrome	299.17
	40 500 DC0	supersteel	415.83
	40 500 A00	hard graphite	449.17
	40 500 AL0	brushed hard graphite	474.17
	Allure Brilliant Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish		

GROHE ALLURE


Ref. No. Colour Price netto (€)



32 757 000 chrome 422.00

Allure
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses


32 759 000 chrome 411.00
ditto, smooth body



32 146 000 chrome 502.00


Allure
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
U - spout
pop-up waste set 1 1/4"
flexible connection hoses

23 076 000 chrome 455.00
ditto, without pop-up waste set



32 760 000 chrome 677.00

Allure
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
projection 104 mm
min. recommended pressure 1.0 bar




23 403 000 chrome 740.00

Allure
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
GROHE QuickFix Plus installation system
smooth body
projection 180 mm
flexible connection hoses
temperature limiter
min. recommended pressure 1.0 bar


GROHE ALLURE

Ref. No. Colour Price netto (€)




32 249 000 **chrome** **728.00**

Allure
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
 rapid installation system
 mousseur
 U - spout
 pop-up waste set 1 1/4"
 flexible connection hoses




20 143 000 **chrome** **641.00**

Allure
Three-hole basin mixer 1/2"
M-Size
 with metal plate
GROHE StarLight chrome finish
 Carborundum ceramic headpart 1/2", 180°
 flow limiter 8 l/min.
 spout with mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 min. recommended pressure 1.0 bar



20 188 000 **chrome** **754.00**

Allure
Three-hole basin mixer 1/2"
M-Size
 with lever handles
 metal escutcheon
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
 flow limiter 8 l/min.
 spout with mousseur
 pressure-proof, flexible connection hoses
 between spout and side valves
 pop-up waste set 1 1/4"




20 190 000 **chrome** **564.00**

Allure
Three-hole basin mixer 1/2"
S-Size
 wall mounted
 without concealed body
 set for final installation for
 32 706 000
 with metal plate
 valves hot/cold with Carborundum ceramic
 headparts 1/2" - 180°
GROHE StarLight chrome finish
 flow limiter 8 l/min.
 spout with mousseur, centre distance 200 mm
 projection 172 mm,

20 192 000 **chrome** **603.00**



ditto, projection 220 mm



32 706 000 **232.00**

Two-handle basin mixer
concealed body, 1/2"
 for 3-hole wash-basin mixer
 wall installation
 without finishing trim set
 installation depth 30 - 75 mm
 DR-brass
 installation device



Ref. No. Colour Price netto (€)



20 189 000 chrome 564.00


Allure
Three-hole basin mixer 1/2"
S-Size
wall mounted
without concealed body
set for final installation for
29 025 002
with lever handles, with metal plate
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
flow limiter 8 l/min.
spout with mousseur, centre distance 200 mm
projection 172 mm,

20 193 000 chrome 706.00
ditto, projection 220 mm



29 025 002 216.00


Two-handle basin mixer
concealed body, 1/2"
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



19 309 000 chrome 658.00


Allure
Two-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for
33 769 000
with metal plate
GROHE StarLight chrome finish
flow limiter 8 l/min.
spout with mousseur, centre distance 110 mm
projection 172 mm

19 386 000 chrome 709.00
ditto, projection 220 mm



33 769 000 257.00










Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
installation device



32 147 000 chrome 430.00

Allure
Single-lever bidet mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

GROHE ALLURE













	Ref. No.	Colour	Price netto (€)
 	32 846 000	chrome	777.00
<p>Allure Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix system adjustable flow rate limiter shower front outlet 1/2" with integrated non return-valve flat wall installation with covered unions protected against backflow min. recommended pressure 1.0 bar</p>			
 	32 826 000	chrome	838.00
<p>Allure Single-lever bath mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix system adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flat wall installation with covered unions protected against backflow</p>			
 	24 069 000	chrome	298.00
<p>Allure Single-lever shower mixer set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
<p>35 600 000 chrome</p>			70.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			
 	24 070 000	chrome	327.00
<p>Allure Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
<p>35 600 000 chrome</p>			70.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			
	35 016 000		169.00
<p>Grohsafe Pressure Balance Rough-In Valve with built-in diverter handle limit stop diaphragm cartridge check valves built-in diverter service stops universal connection is 1/2" male by copper sweat</p>			

GROHE ALLURE

Ref. No. Colour Price netto (€)


		<p>32 754 002 chrome 1,820.00</p> <p>Allure Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 without roughing-in-set GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish automatic diverter: bath/shower swivel spout with mousseur and stop limiter projection 300 mm integrated non-return valve in the shower outlet 1/2" with shower holder Sena hand shower 6.6 l/min shower hose 1500 mm protected against backflow min. recommended pressure 1.0 bar shower hose 49"</p>
		<p>13 218 000 chrome 1,230.00</p> <p>Allure Bath spout, floor mounted set for final installation for 45 984 without roughing-in-set GROHE StarLight chrome finish spout with mousseur projection 300 mm Total height 910 mm min. recommended pressure 1.0 bar</p>
		<p>45 984 001 452.00</p> <p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug gasket fixing material</p>
		<p>29 086 000 301.00</p> <p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>
		<p>13 317 000 chrome 724.00</p> <p>Allure Cascade spout for bath and shower wall mounted GROHE StarLight chrome finish projection 180 mm min. recommended pressure 1.0 bar</p>

GROHE ALLURE

	Ref. No.	Colour	Price netto (€)
 	13 264 000	chrome	269.00
<p>Allure Bath spout 3/4" wall mounted GROHE StarLight chrome finish projection 172 mm mousseur min. recommended pressure 1.0 bar</p>			
 	19 590 000	chrome	172.00
<p>Allure 5-way diverter set for final installation for 29 033 without concealed body bayonet union escutcheon installation depth infinitely adjustable 66 - 113 mm only for use with concealed body GROHE StarLight chrome finish</p>			
 	29 033 000		230.00
<p>5-way diverter concealed body wall installation with ceramic sealing discs connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth infinitely adjustable 66 - 113 mm DR-brass min. recommended pressure 1.0 bar</p>			
 	19 334 000	chrome	118.00
<p>Allure Concealed valve exposed part set for final installation for 35 028 000 for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20-80 mm escutcheon with screwable wall sealing without concealed body GROHE StarLight chrome finish</p>			
 	29 800 002		20.00
<p>Concealed valve 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve threaded union 1/2", DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
	29 802 002		39.00
<p>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</p>			
	29 805 002		65.00
<p>ditto, 1", pre-assembled headpart 1", thread union 1"</p>			
 	19 384 000	chrome	118.00
<p>Allure Concealed valve exposed part with lever handle set for final installation for 29 032 35 028 000 installation depth infinitely adjustable 43 - 91 mm metal escutcheon without concealed body GROHE StarLight chrome finish</p>			
	35 028 000	chrome	137.00
<p>GROHE Rapido C rough-in box for single volume control</p>			


GROHE ALLURE

Ref. No. Colour Price netto (€)




29 032 000 32.00

Concealed valve
pre-assembled headpart 1/2"
threaded union 1/2"
installation depth infinitely adjustable
43 - 91 mm
DR-brass



27 469 000 chrome 1,130.00

Rainshower F-Series System 254
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function
allows change between:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
with ball joint, rotation angle $\pm 20^\circ$
hand shower Sena (28 341 000)
adjustable in height with gliding element (12 140 000)
metal shower hose 1750 mm
GROHE EcoJoy 9,5 l/min flow limiter
GROHE TurboStat
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.



26 259 000 chrome 465.00


Rainshower F-Series 10" 254 x 254
Head shower set 422 mm, 1 spray
consisting of:
head shower Rainshower F-Series 10" (27 271 000)
1 spray:
Rain
shower arm Rainshower square 422 mm (26 145 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
DropStop no afterdripping from the horizontal
shower head after closing the valve
suitable for instantaneous heater

26 070 000 chrome 471.00

ditto, with GROHE EcoJoy 9.5 l/min flow limiter

26 060 000 chrome 413.00




ditto, with non-restricted flow









26 071 000 chrome 476.00

Rainshower F-Series 10"
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray:
Rain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater
min. recommended pressure 1.0 bar


GROHE ALLURE

	Ref. No.	Colour	Price netto (€)
 	40 363 000	chrome	190.83
<p>Allure Soap dispenser material: glass / metal wall mounted filling quantity 160 ml consisting of holder and tank concealed fastening GROHE StarLight chrome finish</p>			
 	40 278 000	chrome	87.49
<p>Allure Holder for glass or soap dish without glass GROHE StarLight chrome finish</p>			
	40 254 000	chrome	29.58
<p>Glass</p>			
 	40 278 000	chrome	87.49
<p>Allure Holder for glass or soap dish without glass GROHE StarLight chrome finish</p>			
	40 256 000	glass matt	42.08
<p>Soap dish</p>			
 	40 339 000	chrome	116.66
<p>Allure Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>			
 	40 342 000	chrome	174.17
<p>Allure Towel bar 2 arms, not pivotable length 426 mm concealed fastening GROHE StarLight chrome finish</p>			
 	40 341 000	chrome	174.17
<p>Allure Towel rail 640 mm (drilling length 600 mm) material: metal concealed fastening GROHE StarLight chrome finish</p>			

	Ref. No.	Colour	Price netto (€)
 	40 284 000 Allure Robe hook material: metal concealed fastening GROHE StarLight chrome finish	chrome	48.33
 	40 279 000 Allure Toilet paper holder without cover material: metal concealed fastening GROHE StarLight chrome finish	chrome	116.66
 	40 340 000 Allure Toilet brush set wall model GROHE StarLight chrome finish 40 207 000 Spare brush head 40 206 000 Spare brush 40 265 000 Spare glass for brush	chrome	190.83
		chrome	14.00
		chrome	48.00
		chrome	94.00


GROHE ATRIO

Ref. No. Colour Price netto (€)




32 043 003	chrome	269.00
32 043 DC3	supersteel	428.00
32 043 GL3	cool sunrise	459.00
32 043 DA3	warm sunset	459.00
32 043 AL3	brushed hard graphite	489.00

Atrio
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses




32 042 003	chrome	311.00
32 042 DC3	supersteel	505.00
32 042 GL3	cool sunrise	529.00
32 042 DA3	warm sunset	529.00
32 042 AL3	brushed hard graphite	578.00

Atrio
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses



32 647 003	chrome	462.00
32 647 DC3	supersteel	691.00
32 647 GL3	cool sunrise	741.00
32 647 DA3	warm sunset	741.00
32 647 AL3	brushed hard graphite	790.00

Atrio
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses



19 287 003	chrome	354.00
19 287 DC3	supersteel	494.00
19 287 GL3	cool sunrise	529.00
19 287 DA3	warm sunset	529.00
19 287 AL3	brushed hard graphite	564.00


Atrio
Two-hole basin mixer joystick
wall mounted
without concealed body
set for final installation for
23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 110 mm
projection 185 mm

GROHE ATRIO

	Ref. No.	Colour	Price netto (€)
	19 918 003	chrome	409.00
	19 918 DC3	supersteel	560.00
	19 918 GL3	cool sunrise	600.00
	19 918 DA3	warm sunset	600.00
	19 918 AL3	brushed hard graphite	640.00
	<p>Atrio Two-hole basin mixer joystick wall mounted without concealed body set for final installation for 23 429 000 GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur centre distance 110 mm projection 221 mm</p>		
	23 429 000		239.00
	<p>Joystick mixer 1/2", concealed body for 2-hole basin mixers without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>		
	32 108 003	chrome	352.00
	32 108 DC3	supersteel	572.00
	32 108 GL3	cool sunrise	600.00
	32 108 DA3	warm sunset	600.00
	32 108 AL3	brushed hard graphite	654.00
	<p>Atrio Single-lever bidet mixer 1/2" M-Size single hole installation GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish rapid installation system tubular C-spout with ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>		
	32 650 003	chrome	424.00
	32 650 DC3	supersteel	593.00
	32 650 GL3	cool sunrise	635.00
	32 650 DA3	warm sunset	635.00
	32 650 AL3	brushed hard graphite	677.00
	<p>Atrio Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow</p>		
	32 652 003	chrome	462.00
	32 652 DC3	supersteel	691.00
	32 652 GL3	cool sunrise	741.00
	32 652 DA3	warm sunset	741.00
	32 652 AL3	brushed hard graphite	790.00
	<p>Atrio Single-lever bath mixer 1/2" wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower cast spout mousseur shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow</p>		

GROHE ATRIO

Ref. No. Colour Price netto (€)



24 065 003	chrome	276.00
24 065 DC3	supersteel	378.00
24 065 GL3	cool sunrise	405.00
24 065 DA3	warm sunset	405.00
24 065 AL3	brushed hard graphite	432.00

Atrio

Single-lever shower mixer

set for final installation for
GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE QuickFix (covered
escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable


metal lever

flow performance:

outlet B or C = 30 l/min

without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



24 066 003	chrome	303.00
24 066 DC3	supersteel	416.00
24 066 GL3	cool sunrise	445.00
24 066 DA3	warm sunset	445.00
24 066 AL3	brushed hard graphite	475.00

Atrio

Single-lever mixer with 2-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE QuickFix (covered
escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever


automatic 2-way diverter

flow performance:

outlet B = 27 l/min, outlet C = 27 l/min

without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



24 096 003	chrome	319.00
24 096 DC3	supersteel	444.00
24 096 GL3	cool sunrise	476.00
24 096 DA3	warm sunset	476.00
24 096 AL3	brushed hard graphite	508.00

Atrio

Single-lever mixer with 3-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE QuickFix (covered
escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

3-way diverter

flow performance:

outlet A = 27 l/min,

outlet B = 27 l/min,

outlet C = 27 l/min


without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE ATRIO

Ref. No. Colour Price netto (€)

24 134 003	chrome	521.00
24 134 DC3	supersteel	730.00
24 134 GL3	cool sunrise	782.00
24 134 DA3	warm sunset	782.00
24 134 AL3	brushed hard graphite	834.00



Atrio

Thermostatic mixer for 1 outlet with shut off valve

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix** (covered

escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

ceramic stop valve, 120°

metal handles

flow performance:


outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

24 135 003	chrome	557.00
24 135 DC3	supersteel	780.00
24 135 GL3	cool sunrise	836.00
24 135 DA3	warm sunset	836.00
24 135 AL3	brushed hard graphite	892.00



Atrio

Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix** (covered

escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed head and hand shower symbol

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

metal handles

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min


without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE ATRIO

Ref. No. Colour Price netto (€)

24 138 003	chrome	557.00
24 138 DC3	supersteel	780.00
24 138 GL3	cool sunrise	836.00
24 138 DA3	warm sunset	836.00
24 138 AL3	brushed hard graphite	892.00



Atrio

Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix** (covered

escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed shower and bath symbol

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

metal handles


flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



32 653 003	chrome	1,370.00
32 653 DC3	supersteel	1,910.00
32 653 GL3	cool sunrise	2,050.00
32 653 DA3	warm sunset	2,050.00
32 653 AL3	brushed hard graphite	2,180.00

Atrio

Single-lever bath mixer, floor mounted

set for final installation for

45 984

without roughing-in-set

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

automatic diverter: bath/shower

spout with mousseur

projection 301 mm

integrated non-return valve in the shower outlet 1/2"

with shower holder

hand shower Sena Stick (26 465)

Silverflex shower hose 1250 mm

protected against backflow

45 984 001		452.00
------------	--	--------

Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers

without finishing trim set

installation plate with 360° horizontal and

3° vertical adjustment

installation depth 53-157 mm for bath mixers/

spouts, depth compensation 104 mm

installation depth 65-157 mm for shower


mixers, depth compensation 92 mm

two 1/2" female connections (hot/cold supplies)

flushing plug


gasket

fixing material




GROHE ATRIO

Ref. No. Colour Price netto (€)




20 021 003	chrome	235.00
20 021 DC3	supersteel	329.00
20 021 GL3	cool sunrise	353.00
20 021 DA3	warm sunset	353.00
20 021 AL3	brushed hard graphite	376.00

Atrio
Pillar tap 1/2"
XS-Size
Headpart 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
mousseur
fixed spout
flexible connection hoses
with lever handle




21 022 003	chrome	378.00
21 022 DC3	supersteel	527.00
21 022 GL3	cool sunrise	564.00
21 022 DA3	warm sunset	564.00
21 022 AL3	brushed hard graphite	602.00

Atrio
One-hole basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout
with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with lever handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



21 019 003	chrome	331.00
21 019 DC3	supersteel	538.00
21 019 GL3	cool sunrise	564.00
21 019 DA3	warm sunset	564.00
21 019 AL3	brushed hard graphite	616.00

Atrio
One-hole basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout
with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.





21 044 003	chrome	485.00
21 044 DC3	supersteel	724.00
21 044 GL3	cool sunrise	776.00
21 044 DA3	warm sunset	776.00
21 044 AL3	brushed hard graphite	828.00

Atrio
One-hole basin mixer, 1/2"
XL-Size
for free-standing basins
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout
with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.


GROHE ATRIO

Ref. No. Colour Price netto (€)




29 025 002 **216.00**

Two-handle basin mixer concealed body, 1/2"
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve




24 027 003 **chrome** **378.00**
24 027 DC3 **supersteel** **572.00**
24 027 GL3 **cool sunrise** **600.00**
24 027 DA3 **warm sunset** **600.00**
24 027 AL3 **brushed hard graphite** **654.00**

Atrio
Single-hole bidet mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
bow spout
pop-up waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



26 003 003 **chrome** **433.00**
26 003 DC3 **supersteel** **593.00**
26 003 GL3 **cool sunrise** **635.00**
26 003 DA3 **warm sunset** **635.00**
26 003 AL3 **brushed hard graphite** **679.00**

Atrio
Shower mixer 1/2"
wall mounted
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valves in the shower outlet 1/2"
covered S-unions
protected against backflow
without shower set
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.





25 010 003 **chrome** **534.00**
25 010 DC3 **supersteel** **790.00**
25 010 GL3 **cool sunrise** **847.00**
25 010 DA3 **warm sunset** **847.00**
25 010 AL3 **brushed hard graphite** **903.00**

Atrio
Bath mixer 1/2"
wall mounted
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
tubular spout
with stop restriction
mousseur
integrated non-return valves in the shower outlet 1/2"
covered S-unions
protected against backflow
without shower set
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.


GROHE ATRIO

Ref. No. Colour Price netto (€)




25 044 003	chrome	1,760.00
25 044 DC3	supersteel	2,470.00
25 044 GL3	cool sunrise	2,650.00
25 044 DA3	warm sunset	2,650.00
25 044 AL3	brushed hard graphite	2,820.00

Atrio
Bath mixer 1 1/2"
floor-mounted installation
with high pillar unions (765 mm)
set for final installation for
45 984 001
without roughing-in-set
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel tubular spout
with mousseur and stop limiter
projection 301 mm
integrated non-return valve in the shower outlet 1/2"
hand shower Sena Stick (26 465)
with shower holder
Silverflex shower hose 1 250 mm (28 362)
protected against backflow
with cross handles
Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.




45 984 001		452.00
------------	--	--------

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and
3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material



19 088 003	chrome	82.00
19 088 DC3	supersteel	*
19 088 GL3	cool sunrise	123.00
19 088 DA3	warm sunset	123.00
19 088 AL3	brushed hard graphite	132.00

Atrio
Concealed valve exposed part
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
installation depth infinitely adjustable
20-80 mm
escutcheon with screwable wall sealing
with lever handle



19 069 003	chrome	82.00
19 069 DC3	supersteel	115.00
19 069 GL3	cool sunrise	123.00
19 069 DA3	warm sunset	123.00
19 069 AL3	brushed hard graphite	132.00



Atrio
Concealed valve exposed part
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
installation depth infinitely adjustable
20-80 mm
escutcheon with screwable wall sealing
with cross handle

GROHE ATRIO

Ref. No.

Colour

Price netto (€)




35 028 000

137.00

Rapido C

Rough-in for single volume control

for grid installation of Grohtherm Custom Shower system
 built-in box with removable protection cover
 waterproof membrane base for wall sealing
 for masonry and drywall installation
 fixing points for front and back wall
 aramã DR
 pre-assembled ceramic headpart 3/4"
 connection threads 1/2"
 flow rate:
 55 l/min. at 3 bar
 installation depth 70 - 95 mm
 min. recommended pressure 1.0 bar




29 032 000

32.00

Concealed valve

pre-assembled headpart 1/2"
 threaded union 1/2"
 installation depth infinitely adjustable
 43 - 91 mm
 DR-brass



19 922 003

chrome

1,060.00

19 922 DC3

supersteel

1,480.00

19 922 GL3

cool sunrise

1,590.00

19 922 DA3

warm sunset

1,590.00

19 922 AL3


brushed hard graphite

1,690.00

Atrio

5-hole bath combination

ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 with lever handles
 bath spout with mousseur and diverter bath/shower
 Sena hand shower 6.6 l/min
 shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 002
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.



19 923 003

chrome

1,070.00

19 923 DC3

supersteel

1,480.00

19 923 GL3

cool sunrise

1,590.00

19 923 DA3

warm sunset

1,590.00

19 923 AL3

brushed hard graphite

1,690.00

Atrio

5-hole bath combination


ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 with cross handles
 bath spout with mousseur and diverter bath/shower
 Sena hand shower 6.6 l/min
 shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 002
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.

GROHE ATRIO

Ref. No.

Colour

Price netto (€)



29 037 002

682.00

**4/5-hole bath combination (optional)
baseframe for installation under tiled surround**


consisting of:

base frame

drainage box with integrated outlet for splash water

allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

caps to cover screw fixations always come in chrome color



13 139 003

chrome

212.00

13 139 DC3

supersteel

296.00

13 139 GL3

cool sunrise

317.00

13 139 DA3

warm sunset

317.00

13 139 AL3

brushed hard graphite

340.00

Atrio

Bath spout

wall mounted

GROHE StarLight chrome finish

mousseur

projection 171 mm

min. recommended pressure 1.0 bar

29 118 000

chrome

438.00

29 118 DC0

supersteel

593.00

29 118 GL0

cool sunrise

635.00

29 118 DA0


warm sunset

635.00

29 118 AL0

brushed hard graphite

677.00



Grotherm SmartControl

Thermostat for concealed installation with one valve

set for final installation for

GROHE Rapido SmartBox 35 600 000

metal wall escutcheon with **GROHE QuickFix**

(covered escutcheon and shaft sealing, covered

fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow, exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

without roughing-in-set

flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min

35 600 000

chrome


70.00

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE ATRIO

Ref. No. Colour Price netto (€)

29 119 000	chrome	492.00
29 119 DC0	supersteel	645.00
29 119 GL0	cool sunrise	691.00
29 119 DA0	warm sunset	691.00
29 119 AL0	brushed hard graphite	737.00



Grohtherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

29 121 000	chrome	531.00
29 121 DC0	supersteel	698.00
29 121 GL0	cool sunrise	748.00
29 121 DA0	warm sunset	748.00
29 121 AL0	brushed hard graphite	800.00

Grohtherm SmartControl

Thermostat for concealed installation with 3 valves

set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow, exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet A = 23 l/min


outlet B = 27 l/min

outlet C = 23 l/min

outlet A + B = 33 l/min

outlet A + B + C = 36 l/min


35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



GROHE ATRIO

Ref. No. Colour Price netto (€)

29 122 000	chrome	306.00
29 122 DC0	supersteel	426.00
29 122 GL0	cool sunrise	456.00
29 122 DA0	warm sunset	456.00
29 122 AL0	brushed hard graphite	487.00



**Grohtherm SmartControl
Triple volume control trim**


set for final installation for
GROHE Rapido SmartBox 35 600 000/35 601 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
10 mm thin profile escutcheon

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
without roughing-in-set

flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



34 705 000	chrome	1,300.00
------------	--------	----------

**Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310**

consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600 000
Rainshower 310 head shower set (26 475) including head shower
with 2 sprays, horizontal shower arm 400 mm and head shower
rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367 000)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)













14 077 XH0	chrome/frosted granite	23.00
------------	------------------------	-------











**SmartControl
Caps concealed**

consisting of:
9 caps with 6 different symbols
fits Grohtherm SmartControl and SmartControl
mixer sets for final installation

GROHE ATRIO


	Ref. No.	Colour	Price netto (€)
 	40 304 003	chrome	54.58
	40 304 DC3	supersteel	76.24
	40 304 GL3	cool sunrise	81.66
	40 304 DA3	warm sunset	81.66
	40 304 AL3	brushed hard graphite	87.49
<p>Atrio Holder for Atrio glass (40 254 003) or Atrio soap dispenser (40 306 xx3) material: metal concealed fastening GROHE StarLight chrome finish</p>			
 	40 306 003	chrome	54.58
	40 306 DC3	supersteel	76.24
	40 306 GL3	cool sunrise	81.66
	40 306 DA3	warm sunset	81.66
	40 306 AL3	brushed hard graphite	87.49
<p>Atrio Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holder: Atrio (40 304) GROHE StarLight chrome finish</p>			
 	40 254 003	chrome	35.83
	<p>Atrio Glass material: glass fits in the following holder: Atrio (40 304)</p>		
 	40 305 003	chrome	54.58
	40 305 DC3	supersteel	76.24
	40 305 GL3	cool sunrise	81.66
	40 305 DA3	warm sunset	81.66
	40 305 AL3	brushed hard graphite	87.49
<p>Atrio Holder for Atrio soap dish (40 256 003) material: metal concealed fastening GROHE StarLight chrome finish</p>			
 	40 256 003	glass matt	41.24
	<p>Atrio Soap dish material: glass fits in the following holder: Atrio (40 305 xx3)</p>		
 	40 307 003	chrome	73.33
	40 307 DC3	supersteel	104.16
	40 307 GL3	cool sunrise	108.33
	40 307 DA3	warm sunset	108.33
	40 307 AL3	brushed hard graphite	116.66
<p>Atrio Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>			

GROHE ATRIO

	Ref. No.	Colour	Price netto (€)
 	40 308 003	chrome	120.83
	40 308 DC3	supersteel	165.83
	40 308 GL3	cool sunrise	182.50
	40 308 DA3	warm sunset	182.50
	40 308 AL3	brushed hard graphite	190.83
<p>Atrio Towel bar material: metal 2 arms, not pivotable length 489 mm concealed fastening GROHE StarLight chrome finish</p>			
 	40 309 003	chrome	116.66
	40 309 DC3	supersteel	162.49
	40 309 GL3	cool sunrise	*
	40 309 DA3	warm sunset	174.17
	40 309 AL3	brushed hard graphite	182.50
<p>Atrio Towel rail 650 mm (drilling length 600 mm) material: metal concealed fastening GROHE StarLight chrome finish</p>			
 	40 312 003	chrome	37.49
	40 312 DC3	supersteel	52.49
	40 312 GL3	cool sunrise	56.24
	40 312 DA3	warm sunset	56.24
	40 312 AL3	brushed hard graphite	59.99
<p>Atrio Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>			
 	40 313 003	chrome	82.49
	40 313 DC3	supersteel	116.66
	40 313 GL3	cool sunrise	124.99
	40 313 DA3	warm sunset	124.99
	40 313 AL3	brushed hard graphite	133.33
<p>Atrio Toilet paper holder material: metal concealed fastening without cover GROHE StarLight chrome finish</p>			
 	40 314 003	chrome	162.49
	40 314 DC3	supersteel	232.50
	40 314 GL3	cool sunrise	249.17
	40 314 DA3	warm sunset	249.17
	40 314 AL3	brushed hard graphite	265.83
<p>Atrio Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish</p>			
<p>40 791 001 white 5.16 40 791 KS1 velvet black 5.16 Spare brush head</p>			
<p>40 951 000 chrome 50.00 40 951 DC0 supersteel 67.00 40 951 GL0 cool sunrise * 40 951 DA0 warm sunset * 40 951 AL0 brushed hard graphite * Spare brush</p>			


GROHE GRANDERA

Ref. No. Colour Price netto (€)




23 303 000 chrome 360.00
23 303 IGO chrome/gold 466.00

Grandera
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar




23 310 000 chrome 358.00
23 310 IGO chrome/gold 411.00

Grandera
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar




21 107 000 chrome 379.00
21 107 IGO chrome/gold 494.00

Grandera
Two-handle basin mixer, 1/2"
L-Size
single hole installation
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
swivel spout
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar



23 313 000 chrome 475.00
23 313 IGO chrome/gold 545.00

Grandera
Single-lever basin mixer 1/2"
XL-Size
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar




20 417 000 chrome 447.00
20 417 IGO chrome/gold 655.00

Grandera
Three-hole basin mixer 1/2"
S-Size
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar


GROHE GRANDERA

Ref. No. Colour Price netto (€)



20 389 000 chrome 542.00
20 389 IGO chrome/gold 640.00


Grandera
Three-hole basin mixer 1/2"
M-Size
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar



20 414 000 chrome 369.00
20 414 IGO chrome/gold 479.00


Grandera
Three-hole basin mixer 1/2"
S-Size
wall mounted
set for final installation for 29 025 002
without concealed body
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 200 mm
projection 177 mm

20 415 000 chrome 408.00
20 415 IGO chrome/gold 531.00
ditto, projection 234 mm



29 025 002 216.00


Two-handle basin mixer
concealed body, 1/2"
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



19 929 000 chrome 379.00
19 929 IGO chrome/gold 493.00

Grandera
Two-hole basin mixer
S-Size
wall mounted
set for final installation for 23 319 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 110 mm
projection 177 mm

19 930 000 chrome 419.00
19 930 IGO chrome/gold 545.00
ditto, projection 234 mm




23 319 000 203.00

Grandera
Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
installation device
min. recommended pressure 1.0 bar


GROHE GRANDERA

Ref. No. Colour Price netto (€)




23 315 000 chrome 391.00
23 315 IGO chrome/gold 462.00

Grandera
Single-lever bidet mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar




23 316 000 chrome 420.00
23 316 IGO chrome/gold 479.00

Grandera
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar



23 317 000 chrome 518.00
23 317 IGO chrome/gold 678.00

Grandera
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar



24 067 000 chrome 258.00
24 067 IGO chrome/gold 308.00


Grandera
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with GROHE QuickFix (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GRANDERA

Ref. No. Colour Price netto (€)


24 068 000 chrome 283.00
24 068 IGO chrome/gold 339.00



Grandera
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

19 936 000 chrome 1,080.00
19 936 IGO chrome/gold 1,270.00



Grandera
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7,6 l
metal shower hose 1500 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000
min. recommended pressure 1.0 bar


19 919 000 chrome 1,040.00
19 919 IGO chrome/gold 1,350.00



Grandera
5-hole bath combination
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7,6 l
metal shower hose 1500 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000
min. recommended pressure 1.0 bar

19 919 00A chrome *
ditto, with Grandera hand shower 6.6 l/min

29 037 000 754.00




4/5-hole bath combination (optional)
baseframe for installation under tiled surround
consisting of:
base frame
drainage box with integrated outlet for splash water
caps to cover screw fixations always come in chrome color

45 388 000 122.00
Supporting legs for baseframe


GROHE GRANDERA

Ref. No. Colour Price netto (€)




23 318 000 chrome 1,630.00
23 318 IG0 chrome/gold 1,950.00

Grandera
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984
without roughing-in set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 320 mm
with shower holder
Grandera hand shower 7,6 l
Silverflex shower hose 1250 mm
protected against backflow




45 984 001 452.00

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and
3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material




13 341 000 chrome 211.00
13 341 IG0 chrome/gold 274.00

Grandera
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 177 mm
min. recommended pressure 1.0 bar




19 942 000 chrome 132.00
19 942 IG0 chrome/gold 171.00

Grandera
5-way diverter
set for final installation for
29 708 000
without concealed body
GROHE StarLight chrome finish
min. recommended pressure 1.0 bar



19 944 000 chrome 95.00
19 944 IG0 chrome/gold 123.00

Grandera
Volume Control Trim
set for final installation for
35 028 000
29 032 000 (preassembled headpart 1/2")
29 068 000 (preassembled ceramic headpart 1/2" -
not to be used for the main line shut-off)
GROHE StarLight chrome finish
installation depth infinitely adjustable
43 - 91 mm
for use with rough-in valve (35 029)



29 802 002

39.00

Concealed valve 3/4"

pre-assembled headpart 3/4"

short spindle

protection sleeve

thread union 3/4"

DR-brass

allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

26 037 001

chrome

99.00



Grandera Stick

Hand shower 1 spray

spray pattern: Rain

material: metal

GROHE EcoJoy 6.6 l/min flow limiter

GROHE DreamSpray perfect spray pattern

Inner WaterGuide for a longer life

GROHE CoolTouch no risk of scalding

GROHE StarLight chrome finish

SpeedClean anti-lime system

suitable for instantaneous heater

universal mounting system, fitting all standard shower hoses


min. recommended pressure 1.0 bar

max. flow rate 2.0 gpm (7.6 l/min)

26 037 IG0

chrome/gold

128.00



Grandera Stick

Hand shower 1 spray

spray pattern: Rain

material: metal

GROHE EcoJoy 7.6 l/min flow limiter

GROHE DreamSpray perfect spray pattern

Inner WaterGuide for a longer life

GROHE CoolTouch no risk of scalding

GROHE StarLight chrome finish

SpeedClean anti-lime system

suitable for instantaneous heater

universal mounting system, fitting all standard shower hoses


min. recommended pressure 1.0 bar

GROHE GRANDERA

	Ref. No.	Colour	Price netto (€)
	40 627 000	chrome	174.17
	40 627 IGO	chrome/gold	224.17
	Grandera Holder with ceramic soap dispenser material: ceramic/metal filling quantity 110 ml GROHE StarLight chrome finish		
	40 626 000	chrome	133.33
	40 626 IGO	chrome/gold	174.17
	Grandera Holder with ceramic tumbler material: ceramic/metal concealed fastening GROHE StarLight chrome finish		
	40 628 000	chrome	162.49
	40 628 IGO	chrome/gold	215.83
	Grandera Holder with ceramic soap dish material: ceramic/metal concealed fastening GROHE StarLight chrome finish		
	40 630 000	chrome	112.49
	40 630 IGO	chrome/gold	145.83
	40 630 EN0	brushed nickel	182.50
Grandera Towel ring Ø 205 mm material: metal concealed fastening GROHE StarLight chrome finish			
	40 629 000	chrome	182.50
	40 629 IGO	chrome/gold	240.83
	40 629 EN0	brushed nickel	290.83
Grandera Towel rail 600 mm GROHE StarLight chrome finish			
	40 631 000	chrome	53.33
	40 631 IGO	chrome/gold	69.16
	Grandera Robe hook material: metal concealed fastening GROHE StarLight chrome finish		


GROHE GRANDERA

Ref. No. Colour Price netto (€)




40 633 000	chrome	124.99
40 633 IGO	chrome/gold	162.49
40 633 ENO	brushed nickel	199.17

Grandera
Bath grip
material: metal
length 385 mm
concealed fastening
GROHE StarLight chrome finish



40 625 000	chrome	137.49
40 625 IGO	chrome/gold	182.50
40 625 ENO	brushed nickel	224.17

Grandera
Toilet paper holder
without cover
material: metal
concealed fastening
GROHE StarLight chrome finish




40 632 000	chrome	190.83
40 632 IGO	chrome/gold	249.17

Grandera
Toilet brush set
material: ceramic
GROHE StarLight chrome finish


GROHE LINEARE

Ref. No. Colour Price netto (€)




32 109 001 chrome 188.00
 32 109 DC1 supersteel 253.00
 32 109 AL1 brushed hard graphite 289.00

Lineare
Single-lever basin mixer 1/2"
XS-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




23 791 001 chrome 187.00
 23 791 DC1 supersteel 253.00
 23 791 AL1 brushed hard graphite 289.00

Lineare
Single-lever basin mixer 1/2"
XS-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses




32 114 001 chrome 200.00
 32 114 DC1 supersteel 270.00
 32 114 AL1 brushed hard graphite 308.00

Lineare
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses



23 106 001 chrome 200.00
 23 106 DC1 supersteel 271.00
 23 106 AL1 brushed hard graphite 308.00

Lineare
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses




23 296 001 chrome 262.00
 23 296 DC1 supersteel 354.00
 23 296 AL1 brushed hard graphite 405.00

Lineare
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 swivel spout with mousseur and stop limiter
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar


GROHE LINEARE

Ref. No. Colour Price netto (€)




23 405 001	chrome	282.00
23 405 DC1	supersteel	378.00
23 405 AL1	brushed hard graphite	432.00

Lineare
Single-lever basin mixer 1/2"
XL-Size
single hole installation
 metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus rapid installation system
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar





20 304 001	chrome	288.00
------------	--------	--------

Lineare
Three-hole basin mixer 1/2"
M-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 min. recommended pressure 1.0 bar
 union nut 1/2" x 10.5 mm



19 409 001	chrome	229.00
19 409 DC1	supersteel	308.00
19 409 AL1	brushed hard graphite	352.00

Lineare
Two-hole basin mixer
M-Size
 wall mounted
 set for final installation for
 23 571 000
 without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 149 mm
 min. recommended pressure 1.0 bar




23 444 001	chrome	247.00
23 444 DC1	supersteel	333.00
23 444 AL1	brushed hard graphite	381.00

Lineare
Two-hole basin mixer
L-Size
 wall mounted
 set for final installation for
 23 571 000
 without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 207 mm
 min. recommended pressure 1.0 bar


GROHE LINEARE

Ref. No. Colour Price netto (€)




23 571 000 241.00

Single-lever mixer 1/2", universal concealed body
 for 2-hole basin mixers
 wall installation
 without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
 spout can be positioned on the right or left
 DR-brass
 installation device
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve




33 848 001 **chrome** 220.00
 33 848 DC1 **supersteel** 295.00
 33 848 AL1 **brushed hard graphite** 337.00

Lineare
Single-lever bidet mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
 ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar



33 865 001 **chrome** 225.00
 33 865 DC1 **supersteel** 304.00
 33 865 AL1 **brushed hard graphite** 347.00

Lineare
Single-lever shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 shower outlet 1/2"
 integrated non-return valve
covered S-unions
 protected against backflow
 min. recommended pressure 1.0 bar





34 719 000 **chrome** 270.00

Grohtherm SmartControl
Thermostatic shower mixer 1/2"
 wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow
 integrated **GROHE EasyReach** shower tray
 shower bottom outlet 1/2"
 built-in non return valves and dirt strainers
 protected against backflow

GROHE LINEARE


Ref. No. Colour Price netto (€)

33 849 001	chrome	288.00
33 849 DC1	supersteel	388.00
33 849 AL1	brushed hard graphite	443.00




Lineare
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar
pillar installation optional with pillar unions 12 030 000

34 718 000	chrome	333.00
------------	--------	--------




Grotherm SmartControl
Thermostatic bath mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valves and dirt strainers
protected against backflow

33 850 001	chrome	335.00
------------	--------	--------



Lineare
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
with shower set
consisting of:
hand shower Sena Stick (26 465)
wall shower holder Tempesta Cosmopolitan 100
(27 594 000)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.0 bar

24 063 001	chrome	167.00
24 063 DC1	supersteel	228.00
24 063 AL1	brushed hard graphite	261.00




Lineare
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE LINEARE


Ref. No. Colour Price netto (€)



24 064 001	chrome	183.00
24 064 DC1	supersteel	251.00
24 064 AL1	brushed hard graphite	287.00

Lineare
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
 without roughing-in-set


35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



24 095 001	chrome	204.00
24 095 DC1	supersteel	280.00
24 095 AL1	brushed hard graphite	320.00

Lineare
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
 without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		




19 577 001	chrome	765.00
19 577 DC1	supersteel	1,050.00
19 577 EN1	brushed nickel	1,200.00
19 577 AL1	brushed hard graphite	1,200.00

Lineare
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 single lever mixer operating element
 metal lever
 bath inlet with mousseur
 diverter bath/shower
 hand shower Sena Stick (26 465)
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with (29 037 000)
 min. recommended pressure 1.0 bar


Ref. No. Colour Price netto (€)

19 965 001 chrome 607.00




Lineare
Three-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish consisting of:
single lever mixer operating element
diverter bath/shower without spout
hand shower Sena Stick (26 465)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose protected against backflow for use with (29 037 000) for combination with (28 990 / 28 991)

29 037 000 754.00



4/5-hole bath combination (optional) baseframe for installation under tiled surround
consisting of:
base frame
drainage box with integrated outlet for splash water
caps to cover screw fixations always come in chrome color


45 388 000 122.00
Supporting legs for baseframe



23 792 001 chrome 1,430.00
23 792 DC1 supersteel 1,960.00
23 792 EN1 brushed nickel 2,240.00
23 792 AL1 brushed hard graphite 2,240.00


Lineare
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 271 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1 250 mm (28 362)
protected against backflow

45 984 001 452.00



Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

13 383 001 chrome 205.00
13 383 DC1 supersteel 287.00




Lineare
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

Ref. No.

Colour

Price netto (€)



34 705 000

chrome

1,300.00

Grohtherm SmartControl

Perfect shower set with Rainshower SmartActive 310

consisting of:

concealed thermostat with 3 valves

Grohtherm SmartControl set for final installation

(29 121 000)

GROHE Rapido SmartBox 35 600 000

Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)

Euphoria Cosmopolitan Stick handshower (27 367 000)


Rainshower wall holder (27 074 000)

Rainshower wall union 1/2" (27 057 000)

Silverflex shower hose 1.500 mm (28 364)


GROHE EUROCUBE JOY

Ref. No. Colour Price netto (€)




23 654 000 chrome 236.00

Eurocube Joy
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 656 000 chrome 224.00

Eurocube Joy
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses




23 657 000 chrome 250.00

Eurocube Joy
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 658 000 chrome 243.00










Eurocube Joy
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses



23 661 000 chrome 329.00

Eurocube Joy
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses


GROHE EUROCUBE JOY

	Ref. No.	Colour	Price netto (€)	
	19 997 000 Eurocube Joy Two-hole basin mixer M-Size wall mounted set for final installation for 23 429 000 without concealed body GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 170 mm	chrome	262.00	
	19 998 000 ditto, projection 231 mm	chrome	277.00	
	23 429 000 Joystick mixer 1/2", concealed body for 2-hole basin mixers without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve		239.00	
	46 901 000 Extension-set, 25 mm for 23 429 000 Joystick mixer 1/2", concealed body for 2-hole basin mixers wall installation including disassembly-key		63.00	
		23 664 000 Eurocube Joy Single-lever bidet mixer 1/2" single hole installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy ball-joint mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses	chrome	254.00
		23 665 000 Eurocube Joy Single-lever shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish shower bottom outlet 1/2" with integrated non return-valve protected against backflow	chrome	259.00
				

GROHE EUROCUBE JOY


Ref. No. Colour Price netto (€)

34 488 000 chrome 361.00




Grotherm Cube
Thermostatic shower mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton** (economy
 button with individually adjustable economy stop)
 Carborund ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
covered S-unions
 min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

23 666 000 chrome 318.00




Eurocube Joy
Single-lever bath mixer 1/2"
 wall mounted
 metal lever
 GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
 GROHE XL Waterfall
 integrated non-return valve in the shower outlet 1/2"
 S-unions
 protected against backflow

34 497 000 chrome 478.00



Grotherm Cube
Thermostatic bath mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated GROHE EcoButton
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
 GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow

24 061 000 chrome 160.00




Eurocube
Single-lever shower mixer
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
 without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE EUROCUBE JOY


Ref. No. Colour Price netto (€)



24 062 000 chrome 176.00

Eurocube
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
 without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation




24 094 000 chrome 198.00

Eurocube
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
 without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 153 000 chrome 412.00
24 153 DC0 supersteel 576.00
24 153 AL0 brushed hard graphite 658.00




Grotherm Cube
Thermostatic mixer for 1 outlet with shut off valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 ceramic stop valve, 120°
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
 without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE EUROCUBE JOY

Ref. No. Colour Price netto (€)

24 154 000	chrome	469.00
24 154 DC0	supersteel	642.00
24 154 AL0	brushed hard graphite	734.00




Grotherm Cube
Thermostatic shower mixer for 2 outlets
with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermostatic element
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

24 155 000	chrome	469.00
24 155 DC0	supersteel	642.00
24 155 AL0	brushed hard graphite	734.00




Grotherm Cube
Thermostatic bath tub mixer for 2 outlets
with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermostatic element
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

34 741 000	chrome	1,110.00
------------	--------	----------




Grotherm Cube
Perfect shower set with Rainshower Allure 230


consisting of:
Grotherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9,5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1 250 mm (28 362)

GROHE EUROCUBE


Ref. No. Colour Price netto (€)




23 137 000 **chrome** **168.00**
Eurocube
Pillar tap
XS-Size
single hole installation
 metal lever
 ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
 union nut 1/2" x 10.5 mm




23 127 00E **chrome** **220.00**
Eurocube
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
23 127 000 **chrome** **219.00**
23 127 DC0 **supersteel** **260.00**
23 127 AL0 **brushed hard graphite** **297.00**
ditto, with non-restricted flow



23 132 00E **chrome** **213.00**
Eurocube
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body
 flexible connection hoses
23 132 000 **chrome** **208.00**
ditto, with non-restricted flow




23 445 000 **chrome** **233.00**
23 445 DC0 **supersteel** **274.00**
23 445 AL0 **brushed hard graphite** **313.00**
Eurocube
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar




23 446 000 **chrome** **220.00**
Eurocube
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar

GROHE EUROCUBE


Ref. No. Colour Price netto (€)




23 135 00E	chrome	245.00
Eurocube Single-lever basin mixer 1/2" L-Size single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses		
23 135 000	chrome	251.00
23 135 DC0	supersteel	312.00
23 135 AL0	brushed hard graphite	356.00
ditto, with non-restricted flow		



23 406 000	chrome	300.00
23 406 DC0	supersteel	362.00
23 406 AL0	brushed hard graphite	413.00
Eurocube Single-lever basin mixer 1/2" XL-Size single hole installation metal lever for free-standing basins GROHE SilkMove 28 mm ceramic cartridge temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar		



36 441 000	chrome	681.00
Eurocube E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and service purpose 6 V lithium battery, type CR-P2 battery lifetime: approx. 7 years (150 actuations a day) GROHE StarLight chrome finish laminar spray regulator 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs: auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved acoustic group I in accordance with DIN 4109 type of protection faucet IP 59K min. recommended pressure 1.0 bar		




20 351 000	chrome	313.00
20 351 DC0	supersteel	391.00
20 351 AL0	brushed hard graphite	447.00
Eurocube Three-hole basin mixer 1/2" S-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix Plus installation system spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm		

* price upon request

Ref. No. Colour Price netto (€)

19 895 000	chrome	272.00
19 895 DC0	supersteel	322.00
19 895 AL0	brushed hard graphite	368.00




Eurocube
Two-hole basin mixer
S-Size
wall mounted
set for final installation for 23 200
without concealed body
metal escutcheon
metal lever

GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 171 mm
min. recommended pressure 1.0 bar


23 447 000	chrome	285.00
23 447 DC0	supersteel	338.00
23 447 AL0	brushed hard graphite	386.00
ditto, projection 231 mm		

23 200 002		207.00
------------	--	--------




Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

23 200 000		241.00
------------	--	--------




Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device

23 138 000	chrome	219.00
23 138 DC0	supersteel	260.00
23 138 AL0	brushed hard graphite	297.00



Eurocube
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

23 145 000	chrome	246.00
23 145 DC0	supersteel	*
23 145 AL0	brushed hard graphite	*



Eurocube
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
with integrated non return-valve
covered S-unions
protected against backflow
optional temperature limiter ref. no. 46 375 000


GROHE EUROCUBE

Ref. No. Colour Price netto (€)




18 541 000 30.00

Eurocube Shelf
for shower mixer 23 145 000




34 488 000 chrome 361.00

Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermostatic element
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carborundum ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow



23 140 000 chrome 290.00
23 140 DC0 supersteel *
23 140 AL0 brushed hard graphite 392.00


Eurocube
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
covered S-unions
protected against backflow
optional temperature limiter ref. no. 46 375 000



23 141 000 chrome 336.00


Eurocube
Single-lever bath mixer 1/2"
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve in the shower outlet 1/2"
covered S-unions
optional temperature limiter ref. no. 46 375 000
consisting of:
hand shower (27 698 000)
wall shower holder (27 693 000)
shower hose 1500 mm (28 151 000)
min. recommended pressure 1.0 bar

34 497 000 chrome 478.00



Grohtherm Cube
Thermostatic bath mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated GROHE EcoButton
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
 GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow


24 061 000 chrome 160.00
 24 061 DC0 supersteel 220.00
 24 061 AL0 brushed hard graphite 251.00



Eurocube
Single-lever shower mixer
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
 without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 062 000 chrome 176.00
 24 062 DC0 supersteel 242.00
 24 062 AL0 brushed hard graphite 276.00




Eurocube
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
 without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No. Colour Price netto (€)


24 094 000	chrome	198.00
24 094 DC0	supersteel	270.00
24 094 AL0	brushed hard graphite	309.00



Eurocube
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
 without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		


24 153 000	chrome	412.00
24 153 DC0	supersteel	576.00
24 153 AL0	brushed hard graphite	658.00



Grotherm Cube
Thermostatic mixer for 1 outlet with shut off valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 ceramic stop valve, 120°
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
 without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

24 154 000	chrome	469.00
24 154 DC0	supersteel	642.00
24 154 AL0	brushed hard graphite	734.00




Grotherm Cube
Thermostatic shower mixer for 2 outlets
with integrated shut off/diverter valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed head and hand shower symbol
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
 without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE EUROCUBE


Ref. No. Colour Price netto (€)

19 897 001	chrome	924.00
19 897 DC1	supersteel	1,270.00
19 897 AL1	brushed hard graphite	1,450.00




Eurocube
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 single lever mixer operating element
 metal lever
 bath inlet with mousseur
 diverter bath/shower
 hand shower Euphoria Cube+ 6.6 l/min
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with (29 037 000)
 min. recommended pressure 1.0 bar

19 966 000	chrome	641.00
------------	--------	--------



Eurocube
3-hole bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 consisting of:
 single lever mixer operating element
 diverter bath/shower
 without spout
 Euphoria Cube hand shower (27 699 000) 9.4 l/min
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with (29 037 000)
 for combination with (28 990 / 28 991)

29 037 000		754.00
------------	--	--------




4/5-hole bath combination (optional)
baseframe for installation under tiled surround
 consisting of:
 base frame
 drainage box with integrated outlet for splash water
 caps to cover screw fixations always come in chrome color

45 388 000		122.00
------------	--	--------

Supporting legs for baseframe

23 672 001	chrome	1,390.00
23 672 DC1	supersteel	1,950.00
23 672 AL1	brushed hard graphite	2,230.00




Eurocube
Single-lever bath mixer 1/2", floor mounted
 set for final installation for
 45 984 001
 without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 spout with mousseur
 Euphoria Cube+ Stick hand shower 6.6 l/min (26 467)
 Silverflex shower hose 1 250 mm (28 362)
 projection 298 mm
 integrated non-return valve in the shower outlet 1/2"
 protected against backflow
 with shower holder

GROHE EUROCUBE

Ref. No.

Colour

Price netto (€)




45 984 001

452.00

Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 gasket
 fixing material



29 086 000

301.00

Rough-in set 1/2"

for floor-mounted tub spouts and mixers without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 47-151 mm
 depth compensation 104 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug




29 038 001

409.00

Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 acoustic isolation mat
 gasket
 fixing material



13 303 000

13 303 DC0

13 303 AL0

chrome

supersteel

brushed hard graphite

123.00


153.00

175.00

Eurocube

Bath spout

wall mounted
GROHE StarLight chrome finish
 mousseur
 male thread 1/2"
 projection 170 mm
 min. recommended pressure 1.0 bar



13 304 000









chrome


138.00

Bath spout

wall mounted
GROHE StarLight chrome finish
 mousseur
 automatic diverter: bath/shower
 with concealed connection piece
 male thread 1/2"
 projection 170 mm
 min. recommended pressure 1.0 bar


GROHE EUROCUBE

	Ref. No.	Colour	Price netto (€)
 	19 910 000	chrome	52.00
	<p>Eurocube Volume Control Trim for GROHE concealed valves, 1/2", 3/4", 1" without concealed body installation depth infinitely adjustable 16 - 38 mm metal handle sliding escutcheon with wall sealing GROHE StarLight chrome finish for use with rough-in valve 29 273 & 29 274</p>		
 	29 800 002		20.00
	<p>Concealed valve 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve threaded union 1/2", DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>		
	29 802 002		39.00
	ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"		
	29 805 002		65.00
	ditto, 1", pre-assembled headpart 1", thread union 1"		
 	22 012 000 22 012 DC0 22 012 AL0	chrome supersteel brushed hard graphite	48.00 59.00 67.00
	<p>Eurocube Angle valve 1/2" wall connection 1/2" outlet thread 3/8" Cartridge headpart metal handle marking: neutral metal push-on escutcheon</p>		
 	22 013 000	chrome	42.00
	<p>Eurocube Angle valve 1/2" wall connection 1/2" outlet 1/2" Cartridge headpart metal handle marking: neutral metal push-on escutcheon</p>		




23 958 003	chrome	637.00
23 958 DC3	supersteel	*
23 958 AL3	brushed hard graphite	*

GROHE Plus
Single-lever basin mixer 1/2" with LED display M-size
 colour LED water temperature display
 infra-red diverter: mousseur / Eco spray
 automatic return to mousseur
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
SpeedClean mousseur
GROHE AquaGuide adjustable mousseur
 rapid installation system
 swivel spout with easy docking
 swivel area 90°
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses
 1.5 V alkaline mono battery, 4 x mono cell
 external battery
 mains power retrofit possible




23 959 003	chrome	665.00
------------	--------	--------

GROHE Plus
Single-lever basin mixer 1/2" with LED display L-Size
 colour LED water temperature display
 infra-red diverter: mousseur / Eco spray
 automatic return to mousseur
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
SpeedClean mousseur
GROHE AquaGuide adjustable mousseur
 rapid installation system
 swivel spout with easy docking
 swivel area 90°
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses
 1.5 V alkaline mono battery, 4 x mono cell
 external battery
 mains power retrofit possible



32 612 003	chrome	186.00
32 612 DC3	supersteel	253.00
32 612 AL3	brushed hard graphite	289.00

GROHE Plus
Single-lever basin mixer 1/2" S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




33 163 003	chrome	186.00
------------	--------	--------


GROHE Plus
Single-lever basin mixer 1/2" S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses

GROHE PLUS


Ref. No. Colour Price netto (€)




23 870 003 **chrome** **183.00**
GROHE Plus
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
 with energy saving function via cold start
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




23 871 003 **chrome** **234.00**
23 871 DC3 **supersteel** **316.00**
23 871 AL3 **brushed hard graphite** **361.00**
GROHE Plus
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 swivel spout with easy docking
 swivel area 90°
 pop-up waste set 1 1/4"
 flexible connection hoses




23 872 003 **chrome** **234.00**
GROHE Plus
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 swivel spout with easy docking
 swivel area 90°
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses




23 851 003 **chrome** **262.00**
23 851 DC3 **supersteel** **354.00**
23 851 AL3 **brushed hard graphite** **404.00**
GROHE Plus
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 swivel spout with easy docking
 swivel area 90°
 pop-up waste set 1 1/4"
 flexible connection hoses




23 873 003 **chrome** **262.00**
GROHE Plus
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 swivel spout with easy docking
 swivel area 90°
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses



23 843 003 **chrome** **303.00**
23 843 DC3 **supersteel** **411.00**
23 843 AL3 **brushed hard graphite** **469.00**
GROHE Plus
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 pull out spout
GROHE EasyDock guarantees easy retraction and
 smooth docking back to the starting position
 pop-up waste set 1 1/4"
 flexible connection hoses




23 844 003 **chrome** **303.00**
GROHE Plus
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 pull out spout
GROHE EasyDock guarantees easy retraction and
 smooth docking back to the starting position
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses




32 618 003 **chrome** **290.00**
32 618 DC3 **supersteel** **392.00**
32 618 AL3 **brushed hard graphite** **448.00**
GROHE Plus
Single-lever basin mixer 1/2"
XL-Size
single hole installation
 metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 smooth body
 flexible connection hoses

Ref. No. Colour Price netto (€)




20 301 003 **chrome** **280.00**
GROHE Plus
Three-hole basin mixer 1/2"
M-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 pop-up waste set 1 1/4"
GROHE QuickFix installation system
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut 1/2" x 10.5 mm




29 303 003 **chrome** **220.00**
29 303 DC3 **supersteel** **308.00**
29 303 AL3 **brushed hard graphite** **352.00**

GROHE Plus
Two-hole basin mixer
M-Size
 wall mounted
 set for final installation for
 23 200
 without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 147 mm
 min. recommended pressure 1.0 bar


29 306 003 **chrome** **239.00**
ditto, projection 203 mm



23 200 002 **207.00**
Single-lever mixer 1/2", concealed body
 for 2-hole basin mixers
 wall installation
 without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 spout can be positioned on the right or left
 installation depth 45 to 75 mm
 DR-brass
 installation device
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve



23 200 000 **241.00**
Single-lever mixer 1/2", concealed body
 for 2-hole basin mixers
 wall installation
 without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 installation depth 45 to 75 mm
 DR-brass
 installation device




33 241 003 **chrome** **186.00**
33 241 DC3 **supersteel** *****
33 241 AL3 **brushed hard graphite** *****

GROHE Plus
Single-lever bidet mixer 1/2"
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 rapid installation system
 ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar


* price upon request

Ref. No. Colour Price netto (€)




33 577 003 chrome 225.00
33 577 DC3 supersteel 303.00
33 577 AL3 brushed hard graphite 346.00

GROHE Plus
Single-lever shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 shower outlet 1/2"
 integrated non-return valve
covered S-unions
 protected against backflow
 min. recommended pressure 1.0 bar




34 719 000 chrome 270.00

Grotherm SmartControl
Thermostatic shower mixer 1/2"
 wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow
 integrated **GROHE EasyReach** shower tray
 shower bottom outlet 1/2"
 built-in non return valves and dirt strainers
 protected against backflow



33 553 003 chrome 280.00
33 553 DC3 supersteel 379.00
33 553 AL3 brushed hard graphite 433.00

GROHE Plus
Single-lever bath mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 laminar mousseur
 shower outlet 1/2"
 integrated non-return valve
covered S-unions
 protected against backflow
 min. recommended pressure 1.0 bar





34 718 000 chrome 333.00


Grotherm SmartControl
Thermostatic bath mixer 1/2"
 wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow
 integrated **GROHE EasyReach** shower tray
 shower bottom outlet 1/2"
 bath spout with mousseur
 built-in non return valves and dirt strainers
 protected against backflow


GROHE PLUS

Ref. No. Colour Price netto (€)

	<p>33 547 003 chrome 310.00</p> <p>GROHE Plus Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower laminar mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow with shower set consisting of: hand shower Euphoria Cube Stick (27 698 000) wall shower holder (27 693 000) Silverflex shower hose 1.500 mm (28 364) min. recommended pressure 1.0 bar</p>
---	--


	<p>40 954 000 chrome 100.00</p> <p>GROHE Plus Tray suitable for 33 553 003 33 547 003 33 577 003</p>
---	--

	<table border="0"> <tr> <td>24 059 003</td> <td style="text-align: right;">chrome</td> <td style="text-align: right;">177.00</td> </tr> <tr> <td>24 059 DC3</td> <td style="text-align: right;">supersteel</td> <td style="text-align: right;">240.00</td> </tr> <tr> <td>24 059 AL3</td> <td style="text-align: right;">brushed hard graphite</td> <td style="text-align: right;">274.00</td> </tr> </table> <p>GROHE Plus Single-lever shower mixer set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p> <p>35 600 000 chrome 70.00 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>	24 059 003	chrome	177.00	24 059 DC3	supersteel	240.00	24 059 AL3	brushed hard graphite	274.00
24 059 003	chrome	177.00								
24 059 DC3	supersteel	240.00								
24 059 AL3	brushed hard graphite	274.00								

	<table border="0"> <tr> <td>24 060 003</td> <td style="text-align: right;">chrome</td> <td style="text-align: right;">186.00</td> </tr> <tr> <td>24 060 DC3</td> <td style="text-align: right;">supersteel</td> <td style="text-align: right;">253.00</td> </tr> <tr> <td>24 060 AL3</td> <td style="text-align: right;">brushed hard graphite</td> <td style="text-align: right;">289.00</td> </tr> </table> <p>GROHE Plus Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p> <p>35 600 000 chrome 70.00 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>	24 060 003	chrome	186.00	24 060 DC3	supersteel	253.00	24 060 AL3	brushed hard graphite	289.00
24 060 003	chrome	186.00								
24 060 DC3	supersteel	253.00								
24 060 AL3	brushed hard graphite	289.00								


Ref. No. Colour Price netto (€)

24 093 003	chrome	210.00
24 093 DC3	supersteel	284.00
24 093 AL3	brushed hard graphite	325.00



GROHE Plus
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
 without roughing-in-set


35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



29 307 003	chrome	744.00
29 307 DC3	supersteel	1,040.00
29 307 AL3	brushed hard graphite	1,190.00


GROHE Plus
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout laminar mousseur
 single lever mixer operating element
 metal lever
 diverter bath/shower
 hand shower Euphoria Cube 6.6 l/min
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 002
 min. recommended pressure 1.0 bar

23 845 003	chrome	614.00
------------	--------	--------



GROHE Plus
Three-hole single-lever bath combination
 Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 consisting of:
 single lever mixer operating element
 diverter bath/shower
 without spout
 Euphoria Cube hand shower 7.6 l/min
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 002
 for combination with (28 990 / 28 991)
 min. recommended pressure 1.0 bar


29 037 002		682.00
------------	--	--------



4/5-hole bath combination (optional) baseframe for installation under tiled surround
 consisting of:
 base frame
 drainage box with integrated outlet for splash water
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve
 caps to cover screw fixations always come in chrome color


45 388 000		122.00
Supporting legs for baseframe		

Ref. No. Colour Price netto (€)




23 846 003	chrome	1,370.00
23 846 DC3	supersteel	1,920.00
23 846 AL3	brushed hard graphite	2,190.00

GROHE Plus
Single-lever bath mixer 1/2", floor mounted
 set for final installation for 45 984 001
 without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 spout with laminar mousseur
 projection 282 mm
 integrated non-return valve in the shower outlet 1/2"
 with shower holder
 hand shower Euphoria Cube 6.6 l/min
 Silverflex shower hose 1 250 mm (28 362)
 protected against backflow
 min. recommended pressure 1.0 bar




45 984 001		452.00
------------	--	--------

Rough-in set 1/2"
 for floor-mounted bath mixers/spouts and shower mixers
 without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath mixers/
 spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower
 mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 gasket
 fixing material



29 086 000		301.00
------------	--	--------


Rough-in set 1/2"
 for floor-mounted tub spouts and mixers
 without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 47-151 mm
 depth compensation 104 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug



13 404 003	chrome	128.00
13 404 DC3	supersteel	177.00
13 404 AL3	brushed hard graphite	202.00

GROHE Plus
Bath spout
 wall mounted
GROHE StarLight chrome finish
 laminar mousseur
 male thread 1/2"
 projection 168 mm

Ref. No. Colour Price netto (€)



26 507 000	chrome	945.00
26 507 LSO	moon white	1,040.00
26 507 DC0	supersteel	1,390.00
26 507 AL0	brushed hard graphite	1,660.00

Euphoria SmartControl System 310 Duo

Shower system with thermostat for wall mounting

consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310
GROHE PureRain and Centered Jet spray
hand shower Euphoria 110 Massage, spray plate white

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermosteement

GROHE ProGrip with knurl structure

GROHE EcoJoy technology for less water and perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



26 508 000	chrome	945.00
26 508 LSO	moon white	1,090.00
26 508 DC0	supersteel	1,390.00
26 508 AL0	brushed hard graphite	1,660.00

Euphoria SmartControl System 310 Cube Duo

Shower system with thermostat for wall mounting

consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310 Cube

GROHE PureRain and Centered Jet spray

hand shower Euphoria Cube Stick

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermosteement

GROHE ProGrip with knurl structure

GROHE EcoJoy technology for less water and perfect flow

GROHE StarLight chrome finish

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting











suitable for instantaneous heaters

from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE PLUS


	Ref. No.	Colour	Price netto (€)
 	34 705 000	chrome	1,300.00
<p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367 000) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p>			
 	34 706 000	chrome	1,290.00
<p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Cube consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 126 000) GROHE Rapido SmartBox 35 600 000 Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Silverflex shower hose 1.500 mm (28 364)</p>			
 	19 952 000 19 952 DC0 19 952 ALO	chrome supersteel brushed hard graphite	177.00 209.00 239.00
<p>Talentofill Inlet-, pop-up and waste-system set for final installation consisting of: escutcheon, supply part, waste plug, fixing set in combination with Talentofill 28 990/28 991 GROHE StarLight chrome finish</p>			
 	19 025 000	chrome	58.00
<p>Talento Waste and overflow set for bath tubes set for final installation escutcheon, waste plug, fixing set in combination with Talentofill 28 939/28 943 GROHE StarLight chrome finish</p>			
 	40 564 000 40 564 DC0 40 564 ALO	chrome supersteel brushed hard graphite	274.00 314.00 358.00
<p>Bottle trap for wash basin GROHE StarLight chrome finish brass body</p>			

Ref. No. Colour Price netto (€)




28 912 000	chrome	232.00
28 912 DC0	supersteel	202.00
28 912 AL0	brushed hard graphite	231.00

Trap 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish



37 535 000	chrome	69.00
37 535 DC0	supersteel	147.00
37 535 AL0	brushed hard graphite	144.00

Skate Cosmopolitan S
Wall plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder
and fixing brackets included
small shaft 40 911 000 sold separately



37 624 000	chrome	85.00
37 624 DC0	supersteel	144.00
37 624 AL0	brushed hard graphite	144.00

Arena Cosmopolitan S
Wall plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder
and fixing brackets included
small shaft 40 911 000 sold separately

Ref. No.


Colour

Price netto (€)

33 155 002

chrome


267.00



Europlus
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 adjustable minimum flow rate
 approx. 2.5 l/min
 temperature limiter
GROHE StarLight chrome finish
 rapid installation system
 pull out spout with **SpeedClean** mousseur
 integrated non-return valve
 pop-up waste set 1 1/4"
 flexible connection hoses


GROHE ESSENCE

Ref. No. Colour Price netto (€)




23 589 001	chrome	154.00
23 589 DC1	supersteel	199.00
23 589 BE1	polished nickel	213.00
23 589 EN1	brushed nickel	227.00
23 589 GL1	cool sunrise	213.00
23 589 GN1	brushed cool sunrise	227.00
23 589 DA1	warm sunset	213.00
23 589 DL1	brushed warm sunset	227.00
23 589 A01	hard graphite	213.00
23 589 AL1	brushed hard graphite	227.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 590 001	chrome	144.00
23 590 DC1	supersteel	188.00
23 590 BE1	polished nickel	201.00
23 590 EN1	brushed nickel	215.00
23 590 GL1	cool sunrise	201.00
23 590 GN1	brushed cool sunrise	215.00
23 590 DA1	warm sunset	201.00
23 590 DL1	brushed warm sunset	215.00
23 590 A01	hard graphite	201.00
23 590 AL1	brushed hard graphite	219.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses



23 591 001	chrome	152.00
------------	--------	--------


Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 797 001	chrome	140.00
------------	--------	--------


Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
waste set with push-open plug
flexible connection hoses

Ref. No. Colour Price netto (€)




32 898 001 **chrome** **150.00**

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar




32 899 001 **chrome** **144.00**

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 retractable chain
 flexible connection hoses




34 294 001 **chrome** **147.00**

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body
 flexible connection hoses




23 462 001 **chrome** **189.00**
23 462 DC1 **supersteel** **228.00**
23 462 BE1 **polished nickel** **244.00**
23 462 EN1 **brushed nickel** **261.00**
23 462 GL1 **cool sunrise** **249.00**
23 462 GN1 **brushed cool sunrise** **261.00**
23 462 DA1 **warm sunset** **249.00**
23 462 DL1 **brushed warm sunset** **266.00**
23 462 A01 **hard graphite** **245.00**
23 462 AL1 **brushed hard graphite** **266.00**

Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 swivel spout with mousseur and stop limiter
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar




23 480 001 chrome 172.00

Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
retractable chain
flexible connection hoses




23 798 001 chrome 168.00

Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
smooth body
waste set with push-open plug
flexible connection hoses
min. recommended pressure 1.0 bar



23 463 001 chrome 171.00

Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses




32 628 001 chrome 201.00
32 628 DC1 supersteel 256.00
32 628 BE1 polished nickel 273.00
32 628 EN1 brushed nickel 295.00
32 628 GL1 cool sunrise 274.00
32 628 GN1 brushed cool sunrise 286.00
32 628 DA1 warm sunset 273.00
32 628 DL1 brushed warm sunset 285.00
32 628 A01 hard graphite 273.00
32 628 AL1 brushed hard graphite 295.00

Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar


GROHE ESSENCE

Ref. No. Colour Price netto (€)




23 799 001 chrome 182.00

Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 swivel spout with mousseur and stop limiter
 smooth body
 waste set with push-open plug
 flexible connection hoses
 min. recommended pressure 1.0 bar



23 541 001 chrome 198.00

Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 swivel spout with mousseur and stop limiter
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar




32 901 001	chrome	282.00
32 901 DC1	supersteel	339.00
32 901 BE1	polished nickel	363.00
32 901 EN1	brushed nickel	386.00
32 901 GL1	cool sunrise	371.00
32 901 GN1	brushed cool sunrise	388.00
32 901 DA1	warm sunset	363.00
32 901 DL1	brushed warm sunset	388.00
32 901 A01	hard graphite	363.00
32 901 AL1	brushed hard graphite	395.00

Essence
Single-lever basin mixer 1/2"
XL-Size
single hole installation
 metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 GROHE QuickFix Plus rapid installation system
 swivel spout with mousseur and stop limiter
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar

36 445 000

chrome

516.00



Essence E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

20 296 001

chrome

257.00



Essence

Three-hole basin mixer 1/2"

M-Size

metal lever

ceramic headparts 1/2", 90°

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE AquaGuide adjustable mousseur

spout with mousseur

pop-up waste set 1 1/4"

pressure-proof, flexible connection hoses


between spout and side valves

union nut 1/2" x 10.5 mm

20 299 001

chrome

249.00



Essence

3-hole basin mixer

L-Size

metal lever

ceramic headparts 1/2", 90°

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix installation system

GROHE AquaGuide adjustable mousseur

pop-up waste set 1 1/4"


pressure-proof, flexible connection hoses

between spout and side valves

union nut 1/2" x 10.5 mm


Ref. No. Colour Price netto (€)

19 408 001	chrome	208.00
19 408 DC1	supersteel	251.00
19 408 BE1	polished nickel	267.00
19 408 EN1	brushed nickel	286.00
19 408 GL1	cool sunrise	268.00
19 408 GN1	brushed cool sunrise	286.00
19 408 DA1	warm sunset	268.00
19 408 DL1	brushed warm sunset	286.00
19 408 A01	hard graphite	268.00
19 408 AL1	brushed hard graphite	292.00




Essence
Two-hole basin mixer
M-Size
 wall mounted
 set for final installation for 23 571 000
 without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 183 mm

19 967 001	chrome	222.00
19 967 DC1	supersteel	282.00
19 967 BE1	polished nickel	301.00
19 967 EN1	brushed nickel	323.00
19 967 GL1	cool sunrise	308.00
19 967 GN1	brushed cool sunrise	321.00
19 967 DA1	warm sunset	302.00
19 967 DL1	brushed warm sunset	329.00
19 967 A01	hard graphite	302.00
19 967 AL1	brushed hard graphite	329.00
ditto, projection 230 mm		



23 571 000 241.00

Single-lever mixer 1/2", universal concealed body
 for 2-hole basin mixers
 wall installation
 without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
 spout can be positioned on the right or left
 DR-brass
 installation device
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve




32 935 001	chrome	154.00
32 935 DC1	supersteel	227.00
32 935 BE1	polished nickel	213.00
32 935 EN1	brushed nickel	227.00
32 935 GL1	cool sunrise	213.00
32 935 GN1	brushed cool sunrise	227.00
32 935 DA1	warm sunset	213.00
32 935 DL1	brushed warm sunset	227.00
32 935 A01	hard graphite	213.00
32 935 AL1	brushed hard graphite	227.00

Essence
Single-lever bidet mixer 1/2"
S-Size
 single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
 ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar


GROHE ESSENCE

Ref. No. Colour Price netto (€)




32 934 001 **chrome** **134.00**

Essence
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
retractable chain
flexible connection hoses




33 636 001 **chrome** **173.00**
33 636 DC1 **supersteel** **215.00**
33 636 BE1 **polished nickel** **235.00**
33 636 EN1 **brushed nickel** **246.00**
33 636 GL1 **cool sunrise** **230.00**
33 636 GN1 **brushed cool sunrise** **246.00**
33 636 DA1 **warm sunset** **230.00**
33 636 DL1 **brushed warm sunset** **246.00**
33 636 A01 **hard graphite** **230.00**
33 636 AL1 **brushed hard graphite** **247.00**

Essence
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
min. recommended pressure 1.0 bar



34 765 000 **chrome** **178.00**

Grontherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow




33 624 001 **chrome** **215.00**
33 624 DC1 **supersteel** **265.00**
33 624 BE1 **polished nickel** **283.00**
33 624 EN1 **brushed nickel** **302.00**
33 624 GL1 **cool sunrise** **283.00**
33 624 GN1 **brushed cool sunrise** **302.00**
33 624 DA1 **warm sunset** **283.00**
33 624 DL1 **brushed warm sunset** **302.00**
33 624 A01 **hard graphite** **283.00**
33 624 AL1 **brushed hard graphite** **308.00**

Essence
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
min. recommended pressure 1.0 bar


Ref. No. Colour Price netto (€)

33 628 001 **chrome** **257.00**




Essence
Single-lever bath mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 mousseur
 shower outlet 1/2"
 integrated non-return valve
 S-unions
 protected against backflow
 with shower set
 consisting of:
 hand shower Euphoria Cosmopolitan
 Stick (27 400 000) 6.6 l/min
 wall shower holder Tempesta Cosmopolitan 100
 (27 594 000)
 Silverflex shower hose 1.500 mm (28 364)
 min. recommended pressure 1.0 bar

34 766 000 **chrome** **231.00**



Grohtherm 800 Cosmopolitan
Thermostatic bath mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
 GROHE MetalGrip ergonomically shaped metal handles
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 automatic diverter: bath/shower
 volume handle with **GROHE EcoButton** (economy
 button with individually adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE EcoJoy technology for less water and perfect flow


24 057 001	chrome	146.00
24 057 DC1	supersteel	199.00
24 057 BE1	polished nickel	214.00
24 057 EN1	brushed nickel	228.00
24 057 GL1	cool sunrise	214.00
24 057 GN1	brushed cool sunrise	228.00
24 057 DA1	warm sunset	214.00
24 057 DL1	brushed warm sunset	228.00
24 057 A01	hard graphite	214.00
24 057 AL1	brushed hard graphite	228.00



Essence
Single-lever shower mixer
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
 without roughing-in-set

35 600 000 **chrome** **70.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No. Colour Price netto (€)



24 058 001	chrome	160.00
24 058 DC1	supersteel	219.00
24 058 BE1	polished nickel	235.00
24 058 EN1	brushed nickel	251.00
24 058 GL1	cool sunrise	235.00
24 058 GN1	brushed cool sunrise	252.00
24 058 DA1	warm sunset	235.00
24 058 DL1	brushed warm sunset	252.00
24 058 A01	hard graphite	235.00
24 058 AL1	brushed hard graphite	252.00

Essence

Single-lever mixer with 2-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE QuickFix (covered

escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever


automatic 2-way diverter

flow performance:

outlet B = 27 l/min, outlet C = 27 l/min

without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



24 092 001	chrome	181.00
24 092 DC1	supersteel	248.00
24 092 BE1	polished nickel	266.00
24 092 EN1	brushed nickel	284.00
24 092 GL1	cool sunrise	266.00
24 092 GN1	brushed cool sunrise	284.00
24 092 DA1	warm sunset	266.00
24 092 DL1	brushed warm sunset	284.00
24 092 A01	hard graphite	266.00
24 092 AL1	brushed hard graphite	284.00

Essence

Single-lever mixer with 3-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE QuickFix (covered

escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

3-way diverter

flow performance:


outlet A = 27 l/min,

outlet B = 27 l/min,

outlet C = 27 l/min

without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



34 705 000	chrome	1,300.00
------------	--------	----------

Grotherm SmartControl

Perfect shower set with Rainshower SmartActive 310

consisting of:

concealed thermostat with 3 valves

Grotherm SmartControl set for final installation

(29 121 000)

GROHE Rapido SmartBox 35 600 000

Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)


Euphoria Cosmopolitan Stick handshower (27 367 000)

Rainshower wall holder (27 074 000)

Rainshower wall union 1/2" (27 057 000)

Silverflex shower hose 1.500 mm (28 364)

Ref. No. Colour Price netto (€)



19 578 001	chrome	729.00
19 578 DC1	supersteel	900.00
19 578 BE1	polished nickel	965.00
19 578 EN1	brushed nickel	1,030.00
19 578 GL1	cool sunrise	967.00
19 578 GN1	brushed cool sunrise	1,030.00
19 578 DA1	warm sunset	965.00
19 578 DL1	brushed warm sunset	1,030.00
19 578 A01	hard graphite	965.00
19 578 AL1	brushed hard graphite	1,030.00

Essence

4-hole single-lever bath combination

GROHE SilkMove 35 mm ceramic cartridge with temperature limiter

GROHE StarLight chrome finish

pre-assembled spout fixing

single lever mixer operating element

metal lever

bath inlet with mousseur

diverter bath/shower

for chrome: hand shower 27 806, for other colours: hand shower 26 465

metal shower hose 2000 mm


flexible connection hoses

connection for shower hose

protected against backflow

for use with (29 037 000)

19 578 00A	chrome	643.00
ditto, with Euphoria Cosmopolitan hand shower (26 466), 6.6 l/min		



19 976 001	chrome	450.00
------------	--------	--------

Essence

Three-hole single-lever bath combination

Three hole installation

GROHE SilkMove 35 mm ceramic cartridge

GROHE StarLight chrome finish

single lever mixer operating element

diverter bath/shower

hand shower 27 400 000

metal shower hose 2000 mm

flexible connection hoses

connection for shower hose

protected against backflow

for use with (29 037 000)

for combination with (28 990 / 28 991)

29 037 000		754.00
------------	--	--------

4/5-hole bath combination (optional)


baseframe for installation under tiled surround

consisting of:

base frame


drainage box with integrated outlet for splash water

caps to cover screw fixations always come in chrome color



45 388 000		122.00
Supporting legs for baseframe		

Ref. No. Colour Price netto (€)



23 741 001	chrome	1,900.00
23 741 DC1	supersteel	2,670.00

Essence

Single-lever free-standing shower system

floor-mounted

set for final installation for

45 984 001

without roughing-in-set

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

automatic diverter:

head shower/hand shower

360° horizontal swivable shower arm

integrated non-return valve in the shower outlet 1/2"

with shower holder

Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)

with ball joint

rotation angle ± 15°

GROHE DreamSpray perfect spray pattern


SpeedClean anti-lime system

for chrome: hand shower 27 806, for other colours: hand shower 26 465

Silverflex shower hose 1750 mm (28 388 000)

protected against backflow

min. recommended pressure 1.0 bar



23 491 001	chrome	1,280.00
23 491 DC1	supersteel	1,420.00
23 491 BE1	polished nickel	1,520.00
23 491 EN1	brushed nickel	1,620.00
23 491 GL1	cool sunrise	1,520.00
23 491 GN1	brushed cool sunrise	1,620.00
23 491 DA1	warm sunset	1,520.00
23 491 DL1	brushed warm sunset	1,630.00
23 491 A01	hard graphite	1,520.00
23 491 AL1	brushed hard graphite	1,630.00

Essence

Single-lever bath mixer 1/2", floor mounted

set for final installation for

45 984

without roughing-in-set

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

automatic diverter: bath/shower

swivel spout with mousseur and stop limiter

projection 277 mm


integrated non-return valve in the shower outlet 1/2"

with shower holder

for chrome: hand shower 27 806, for other colours: hand shower 26 465

Silverflex shower hose 1 250 mm (28 362)

protected against backflow



45 984 001	452.00
------------	--------

Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers

without finishing trim set

installation plate with 360° horizontal and

3° vertical adjustment

installation depth 53-157 mm for bath mixers/

spouts, depth compensation 104 mm

installation depth 65-157 mm for shower

mixers, depth compensation 92 mm

two 1/2" female connections (hot/cold supplies)


flushing plug

gasket

fixing material


GROHE EURODISC JOY

Ref. No. Colour Price netto (€)




23 425 000 chrome 193.00
23 425 LS0 moon white/chrome 251.00

Eurodisc Joy
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 427 000 chrome 207.00
23 427 LS0 moon white/chrome 274.00

Eurodisc Joy
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 428 000 chrome 283.00
23 428 LS0 moon white/chrome 380.00

Eurodisc Joy
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses



19 968 000 chrome 204.00
19 968 LS0 moon white/chrome 265.00

Eurodisc Joy
Two-hole basin mixer
M-Size
wall mounted
set for final installation for 23 429 000
without concealed body
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 171 mm
min. recommended pressure 1.0 bar




19 969 000 chrome 234.00
19 969 LS0 moon white/chrome 279.00

Eurodisc Joy
Two-hole basin mixer
L-Size
wall mounted
set for final installation for 23 429 000
without concealed body
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 226 mm
min. recommended pressure 1.0 bar

GROHE EURODISC JOY

Ref. No. Colour Price netto (€)



23 429 000 239.00



Joystick mixer 1/2", concealed body

for 2-hole basin mixers
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve


46 901 000 63.00



Extension-set, 25 mm

for 23 429 000 Joystick mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
including disassembly-key


24 036 000 chrome 207.00
24 036 LS0 moon white/chrome 264.00



**Eurodisc Joy
Single-lever bidet mixer 1/2"
S-Size**

single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy ball-joint mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses


23 430 000 chrome 197.00
23 430 LS0 moon white/chrome 279.00



**Eurodisc Joy
Single-lever shower mixer 1/2"**

wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
shower bottom outlet 1/2"
with integrated non return-valve
S-unions
protected against backflow
min. recommended pressure 1.0 bar

23 431 000 chrome 289.00
23 431 LS0 moon white/chrome 390.00




**Eurodisc Joy
Single-lever bath mixer 1/2"**

wall mounted
metal lever
GROHE SilkMove Joystick cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
min. recommended pressure 1.0 bar

GROHE EURODISC JOY

Ref. No. Colour Price netto (€)

24 055 002 chrome 137.00




**Eurodisc Cosmopolitan
Single-lever shower mixer**

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 056 002 chrome 150.00




**Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter**

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation


GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)




23 051 002 **chrome** 95.00

Eurodisc Cosmopolitan
Pillar tap
XS-Size
single hole installation
metal lever
ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
union nut 1/2" x 10.5 mm
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109



23 049 002 **chrome** 168.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFixPlus installation
system with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses




33 190 20E **chrome** 164.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFixPlus installation
system with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109

33 190 002 **chrome** 167.00

ditto, with non-restricted flow



33 178 20E **chrome** 145.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFixPlus installation
system with centering support
mousseur
retractable chain
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
acoustic group I in accordance with DIN 4109

GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)


		<p>32 469 20E chrome 160.00</p> <p>Eurodisc Cosmopolitan Single-lever basin mixer 1/2" S-Size metal lever single hole installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFixPlus installation system with centering support smooth body flexible connection hoses min. recommended pressure 1.0 bar acoustic group I in accordance with DIN 4109</p>
		<p>23 448 002 chrome 180.00</p> <p>Eurodisc Cosmopolitan Single-lever basin mixer 1/2" M-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>
		<p>23 449 002 chrome 180.00</p> <p>Eurodisc Cosmopolitan Single-lever basin mixer 1/2" M-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar</p>
		<p>23 054 003 chrome 188.00</p> <p>Eurodisc Cosmopolitan Single-lever basin mixer 1/2" L-Size single hole installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE Zero separated inner water ways - lead and nickel free GROHE QuickFix Plus installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter ref. no. 46 375 000</p>

GROHE EURODISC COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



23 432 000

chrome

285.00

**Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
XL-Size**

single hole installation
metal lever

for free-standing basins

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

GROHE StarLight chrome finish

GROHE EcoJoy SpeedClean mousseur 5.7 l/min



GROHE QuickFix Plus installation system

smooth body

flexible connection hoses

min. recommended pressure 1.0 bar

optional temperature limiter ref. no. 46 375 000



23 055 002

chrome

228.00

**Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
XL-Size**

single hole installation
metal lever

for free-standing basins

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

GROHE StarLight chrome finish

GROHE QuickFixPlus installation

system with centering support


mousseur

pop-up waste set 1 1/4"

flexible connection hoses

optional temperature limiter ref. no. 46 375 000

acoustic group I in accordance with DIN 4109



19 573 002

chrome

204.00

**Eurodisc Cosmopolitan
Two-hole basin mixer
M-Size**

wall mounted

set for final installation for

23 571 000

without concealed body

metal escutcheon

metal lever

GROHE StarLight chrome finish

GROHE AquaGuide mousseur

centre distance 110 mm

projection 170 mm


min. recommended pressure 1.0 bar

19 974 002

chrome

220.00

ditto, projection 225 mm



23 571 000

241.00

Single-lever mixer 1/2", universal concealed body

for 2-hole basin mixers

wall installation

without finishing trim set

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

with temperature limiter

spout can be positioned on the right or left

DR-brass



installation device



allows for waterproofing of wall construction surrounding the concealed body



with sealing sleeve



GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)

		<p>33 244 002 chrome 163.00</p> <p>Eurodisc Cosmopolitan Single-lever bidet mixer 1/2" S-Size metal lever single hole installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min GROHE StarLight chrome finish GROHE QuickFixPlus installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter ref. no. 46 375 000 acoustic group I in accordance with DIN 4109</p>
---	---	---


		<p>33 569 002 chrome 163.00</p> <p>Eurodisc Cosmopolitan Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min shower bottom outlet 1/2" integrated non-return valve S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109</p>
--	--	--

		<p>34 719 000 chrome 270.00</p> <p>Grohtherm SmartControl Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch no risk of scalding GROHE StarLight chrome finish GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" built-in non return valves and dirt strainers protected against backflow</p>
---	---	--

		<p>33 192 002 chrome 213.00</p> <p>Eurodisc Cosmopolitan Single-lever bath mixer 1/2" single hole installation metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow optional temperature limiter ref. no. 46 308 000</p>
---	---	--


GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)




33 390 002 **chrome** **204.00**

Eurodisc Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
automatic diverter: bath/shower
mousseur, integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter ref. no. 46 308 000
acoustic group I in accordance with DIN 4109




34 718 000 **chrome** **333.00**

Grotherm SmartControl
Thermostatic bath mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valves and dirt strainers
protected against backflow



33 395 002 **chrome** **247.00**

Eurodisc Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter ref. no. 46 308 000
acoustic group I in accordance with DIN 4109
with shower set
consisting of:
hand shower Euphoria 110 Champagne (27 222)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)













24 055 002 **chrome** **137.00**


Eurodisc Cosmopolitan
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **chrome** **70.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE EURODISC COSMOPOLITAN


	Ref. No.	Colour	Price netto (€)
 	24 056 002	chrome	150.00
<p>Eurodisc Cosmopolitan Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
<p>35 600 000 chrome 70.00 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			
 	34 705 000	chrome	1,300.00
<p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367 000) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p>			
 	13 278 002	chrome	91.00
<p>Eurodisc Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm min. recommended pressure 1.0 bar</p>			
 	13 279 002	chrome	116.00
<p>Eurodisc Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur automatic diverter: bath/shower with concealed connection piece male thread 1/2" projection 170 mm</p>			
 	37 624 000	chrome	85.00
<p>Arena Cosmopolitan S Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 GD 2 cistern vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included small shaft 40 911 000 sold separately</p>			

* price upon request



32 207 001 **chrome** **113.00**


Concetto
Pillar tap
XS-Size
single hole installation
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
union nut 1/2" x 10.5 mm
acoustic group I in accordance with DIN 4109



32 204 10E **chrome** **144.00**


Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
acoustic group I in accordance with DIN 4109

32 204 001 **chrome** **144.00**
ditto, with non-restricted flow













23 931 001 **chrome** **113.00**

Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109



23 060 001 **chrome** **148.00**


Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for open water heater
optional temperature limiter ref. no. 46 375 000
acoustic group I in accordance with DIN 4109

	Ref. No.	Colour	Price netto (€)
	32 206 10E	chrome	113.00
	<p>Concetto Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur retractable chain flexible connection hoses acoustic group I in accordance with DIN 4109</p>		
	32 240 10E	chrome	113.00
	<p>Concetto Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support smooth body flexible connection hoses min. recommended pressure 1.0 bar acoustic group I in accordance with DIN 4109</p>		
	23 450 001	chrome	163.00
	<p>Concetto Single-lever basin mixer 1/2" M-Size single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>		
	23 932 001	chrome	130.00
	<p>Concetto Single-lever basin mixer 1/2" M-Size single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>		
	23 451 001	chrome	144.00
	<p>Concetto Single-lever basin mixer 1/2" M-Size single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar</p>		

Ref. No.

Colour

Price netto (€)



23 739 002

chrome

208.00

Concetto
Single-lever basin mixer 1/2"
L-Size

single hole installation

metal lever

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE Zero separated inner water ways - lead and nickel free

GROHE QuickFix installation system

swivel tubular spout


with stop restriction

pop-up waste set 1 1/4"

flexible connection hoses

optional temperature limiter ref. no. 46 375 000

min. recommended pressure 1.0 bar



32 629 002

chrome

176.00

Concetto
Single-lever basin mixer 1/2"
L-Size

single hole installation

metal lever

covered lever fixing

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

GROHE StarLight chrome finish

GROHE Zero separated inner water ways - lead and nickel free

GROHE QuickFix installation system

mousseur

swivel tubular spout


with stop restriction

pop-up waste set 1 1/4"

flexible connection hoses

optional temperature limiter ref. no. 46 375 000

min. recommended pressure 1.0 bar



23 920 001

chrome

*

Concetto
Single-lever basin mixer 1/2"
XL-Size

single hole installation

metal lever

for free-standing basins

GROHE SilkMove 28 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min


GROHE AquaGuide adjustable mousseur

rapid installation system

smooth body

flexible connection hoses

min. recommended pressure 1.0 bar



20 216 001

chrome

268.00

Concetto
Three-hole basin mixer 1/2"
L-Size

ceramic headpart 1/2", 90°

GROHE StarLight chrome finish

GROHE QuickFix installation system

with centering support











spout with mousseur


pop-up waste set 1 1/4"

pressure-proof, flexible connection hoses between middle-body and side valves

union nut with 10.5 mm drilling


GROHE CONCETTO

	Ref. No.	Colour	Price netto (€)	
		19 575 001	chrome	198.00
<p>Concetto Two-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 147 mm</p>				
		23 571 000		241.00
<p>Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>				
		32 208 001	chrome	144.00
<p>Concetto Single-lever bidet mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses acoustic group I in accordance with DIN 4109</p>				
		32 210 001	chrome	144.00
<p>Concetto Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 min. recommended pressure 1.0 bar acoustic group I in accordance with DIN 4109</p>				
		34 765 000	chrome	178.00
<p>Grotherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>				




32 211 001 **chrome** **174.00**

Concetto
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter ref. no. 46 308 000
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109




34 766 000 **chrome** **231.00**

Grotherm 800 Cosmopolitan
Thermostatic bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow



32 212 001 **chrome** **205.00**

Concetto
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter ref. no. 46 308 000
acoustic group I in accordance with DIN 4109
with shower set
consisting of:
Euphoria Cosmopolitan hand shower (27 400)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)




24 053 001 **chrome** **131.00**

Concetto
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **chrome** **70.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE CONCETTO


Ref. No. Colour Price netto (€)



24 054 001 chrome 146.00


Concetto
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
 without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation




19 345 001 chrome 163.00

Concetto
Single-lever shower mixer
 set for final installation for
 35 501 000
 without concealed body
 metal lever
GROHE StarLight chrome finish
 escutcheon- and shaft-sealing
 wall escutcheon
 covered fixing



32 213 001 chrome 148.00


Concetto
Single-lever shower mixer 1/2"
 wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 consisting of:
 set for final installation
 concealed body
 33 964 000
 adjustable flow rate limiter
 adjustable minimum flow rate
 approx. 2.5 l/min
 metal lever
 escutcheon- and shaft-sealing
 metal escutcheon
 screwed
 optional temperature limiter
 min. recommended pressure 1.0 bar



19 346 001 chrome 175.00


Concetto
Single-lever bath mixer
 set for final installation for
 35 501 000
 without concealed body
 metal lever
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 escutcheon- and shaft-sealing
 wall escutcheon
 covered coupling

32 214 001 **chrome** 162.00




Concetto
Single-lever bath mixer 1/2"
 wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 consisting of:
 set for final installation
 concealed body 33 963 000
 adjustable flow rate limiter
 adjustable minimum flow rate
 approx. 2.5 l/min
 metal lever
 escutcheon- and shaft-sealing
 metal escutcheon
 screwed
 optional temperature limiter
 min. recommended pressure 1.0 bar

19 576 002 **chrome** 616.00




Concetto
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 single lever mixer operating element
 bath inlet with mousseur
 diverter bath/shower
 Euphoria Cosmopolitan hand shower 6.6 l/min
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 000
 min. recommended pressure 1.0 bar

13 280 001 **chrome** 101.00











Concetto
Bath spout
 wall mounted
GROHE StarLight chrome finish
 mousseur
 male thread 1/2"
 min. recommended pressure 1.0 bar

13 281 001 **chrome** 134.00



Concetto
Bath spout with diverter
 wall mounted
GROHE StarLight chrome finish
 mousseur
 automatic diverter: bath/shower
 male thread 1/2"

GROHE EUROSTYLE COSMOPOLITAN


	Ref. No.	Colour	Price netto (€)
 	23 039 002	chrome	100.00
<p>Eurostyle Cosmopolitan Pillar tap XS-Size single hole installation metal lever ceramic headpart 1/2", 90° GROHE StarLight chrome finish mousseur min. recommended pressure 1.0 bar acoustic group I in accordance with DIN 4109 union nut 1/2" x 10.5 mm</p>			
 	23 037 002	chrome	130.00
<p>Eurostyle Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
 	33 552 20E	chrome	131.00
<p>Eurostyle Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar acoustic group I in accordance with DIN 4109</p>			
	33 552 002	chrome	134.00
<p>ditto, with non-restricted flow</p>			
 	33 561 002	chrome	160.00
<p>Eurostyle Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support flow straightener pop-up waste set 1 1/4" flexible connection hoses for open water heater optional temperature limiter ref. no. 46 375 000 acoustic group I in accordance with DIN 4109</p>			

GROHE EUROSTYLE COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



33 557 20E

chrome

108.00

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min

temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow

GROHE QuickFix installation system


with centering support

SpeedClean mousseur

retractable chain

flexible connection hoses

acoustic group I in accordance with DIN 4109



32 468 20E

chrome

122.00

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min

temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE QuickFix installation system


with centering support

smooth body

flexible connection hoses

min. recommended pressure 1.0 bar

acoustic group I in accordance with DIN 4109



23 043 003

chrome

161.00

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2"
L-Size

single hole installation
metal lever

covered lever fixing

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter

GROHE StarLight chrome finish

GROHE Zero separated inner water ways - lead and nickel free

GROHE QuickFix installation system

mousseur

swivel tubular spout


with stop restriction

pop-up waste set 1 1/4"

flexible connection hoses

min. recommended pressure 1.0 bar

optional temperature limiter ref. no. 46 375 000



20 208 002

chrome

226.00

Eurostyle Cosmopolitan
Three-hole basin mixer
S-Size

metal lever

ceramic headparts 1/2", 90°

GROHE StarLight chrome finish

GROHE QuickFix installation system

with centering support









spout with mousseur

pop-up waste set 1 1/4"

pressure-proof, flexible connection hoses between middle-body and side valves

union nut with 10.5 mm drilling

GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	19 571 002 Eurostyle Cosmopolitan Two-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 171 mm	chrome	237.00
 	23 571 000 Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve		241.00
 	33 565 002 Eurostyle Cosmopolitan Single-lever bidet mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter ref. no. 46 375 000	chrome	134.00
	33 566 002 ditto, with retractable chain	chrome	108.00
 	33 590 002 Eurostyle Cosmopolitan Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" integrated non-return valve S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109 min. recommended pressure 1.0 bar	chrome	133.00

GROHE EUROSTYLE COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

34 765 000

chrome

178.00



Grotherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE MetalGrip ergonomically shaped metal handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

S-unions


metal escutcheon

GROHE EcoJoy technology for less water and perfect flow

33 591 002

chrome

175.00



Eurostyle Cosmopolitan
Single-lever bath mixer 1/2"

wall mounted

metal lever

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

adjustable flow rate limiter

automatic diverter: bath/shower

mousseur

integrated non-return valve in the shower outlet 1/2"

S-unions

protected against backflow

optional temperature limiter ref. no. 46 308 000


acoustic group I in accordance with DIN 4109

min. recommended pressure 1.0 bar

34 766 000

chrome

231.00



Grotherm 800 Cosmopolitan
Thermostatic bath mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE MetalGrip ergonomically shaped metal handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

automatic diverter: bath/shower

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

mousseur

built-in non return valves

dirt strainers

protected against backflow

S-unions


metal escutcheon

GROHE EcoJoy technology for less water and perfect flow

33 592 20A

chrome

167.00



Eurostyle Cosmopolitan
Single-lever bath mixer 1/2"

wall mounted

metal lever

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

adjustable flow rate limiter

automatic diverter: bath/shower

mousseur

integrated non-return valve in the shower outlet 1/2"

S-unions

protected against backflow

acoustic group I in accordance with DIN 4109

with shower set


hand shower Tempesta Cosmopolitan 100, 2 sprays (27 571)

wall shower holder (27 056)

Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)

GROHE EUROSTYLE COSMOPOLITAN


Ref. No. Colour Price netto (€)



24 051 002 chrome 131.00

Eurostyle Cosmopolitan
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 052 002 chrome 144.00


Eurostyle Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation



33 635 002 chrome 145.00

Eurostyle Cosmopolitan
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
set for final installation
concealed body
33 964 000
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter



33 637 002 chrome 157.00


Eurostyle Cosmopolitan
Single-lever bath mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
set for final installation
concealed body
33 963 000
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter

GROHE EUROSTYLE

Ref. No.

Colour

Price netto (€)




23 374 003
23 374 LS3

chrome
moon white/chrome

121.00
154.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 709 003
23 709 LS3

chrome
moon white/chrome

103.00
134.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 930 003

chrome

109.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses




33 561 003

chrome

153.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for open water heater




23 710 003

chrome

146.00


Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for open water heater

Ref. No. Colour Price netto (€)




33 557 003 **chrome** **103.00**

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
retractable chain
flexible connection hoses




23 713 003 **chrome** **98.00**

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
retractable chain
flexible connection hoses




23 714 003 **chrome** **103.00**

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix rapid installation system
retractable chain
flexible connection hoses



32 468 003 **chrome** **116.00**

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses




23 715 003 **chrome** **110.00**

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses


GROHE EUROSTYLE

Ref. No. Colour Price netto (€)




23 567 003 **chrome** **108.00**

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses




23 716 003 **chrome** **106.00**

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses




23 717 30L **chrome** **98.00**

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
mousseur for low pressure
smooth body
flexible connection hoses
min. recommended pressure 0.2 bar



23 569 003 **chrome** **189.00**
23 569 LS3 **moon white/chrome** **246.00**


Eurostyle
Single-lever basin mixer 1/2"
L-Size
single hole installation
loop metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4"
flexible connection hoses



23 718 003 **chrome** **179.00**
23 718 LS3 **moon white/chrome** **233.00**


Eurostyle
Single-lever basin mixer 1/2"
L-Size
single hole installation
solid metal lever
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4"

Ref. No. Colour Price netto (€)




23 570 003 chrome 236.00
23 570 LS3 moon white/chrome 305.00

Eurostyle
Single-lever basin mixer 1/2"
XL-Size
single hole installation
loop metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses




23 719 003 chrome 222.00
23 719 LS3 moon white/chrome 289.00

Eurostyle
Single-lever basin mixer 1/2"
XL-Size
single hole installation
solid metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses




19 571 003 chrome 204.00
19 571 LS3 moon white/chrome 293.00

Eurostyle
Two-hole basin mixer
M-Size
wall mounted
without concealed body
set for final installation for
23 571 000
metal escutcheon
loop metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 203 mm



29 097 003 chrome 208.00
29 097 LS3 moon white/chrome 253.00

Eurostyle
Two-hole basin mixer
M-Size
wall mounted
without concealed body
set for final installation for
23 571 000
metal escutcheon
solid metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 203 mm




23 571 000 241.00

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve


GROHE EUROSTYLE

Ref. No. Colour Price netto (€)




33 565 003 chrome 119.00
33 565 LS3 moon white/chrome 154.00

Eurostyle
Single-lever bidet mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses




23 720 003 chrome 116.00
23 720 LS3 moon white/chrome 149.00

Eurostyle
Single-lever bidet mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses



33 590 003 chrome 132.00
33 590 LS3 moon white/chrome 169.00









Eurostyle
Single-lever shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow



23 722 003 chrome 127.00
23 722 LS3 moon white/chrome 161.00



Eurostyle
Single-lever shower mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow



GROHE EUROSTYLE



	Ref. No.	Colour	Price netto (€)	
	34 143 003 Grotherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1.0 bar GROHE EcoJoy technology for less water and perfect flow	chrome	237.00	
	33 591 003 33 591 LS3 Eurostyle Single-lever bath mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow	chrome moon white/chrome	166.00 215.00	
		23 726 003 23 726 LS3 Eurostyle Single-lever bath mixer 1/2" wall mounted solid metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions protected against backflow	chrome moon white/chrome	155.00 202.00
		34 155 003 Grotherm 1000 Thermostatic bath mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1.0 bar GROHE EcoJoy technology for less water and perfect flow	chrome	301.00
				



GROHE EUROSTYLE

Ref. No. Colour Price netto (€)

		<p>33 592 30A chrome 160.00</p> <p>Eurostyle Single-lever bath mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow with shower set Tempesta consisting of: hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161) wall shower holder (28 605) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>
---	---	--

		<p>23 729 30A chrome 131.00</p> <p>Eurostyle Single-lever bath mixer 1/2" wall mounted solid metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons with shower set Tempesta consisting of: hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161) wall shower holder (28 605) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>
--	--	--


		<p>24 048 003 chrome 118.00 24 048 LS3 moon white 153.00</p> <p>Eurostyle Single-lever shower mixer set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p> <p>35 600 000 chrome 70.00 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>
---	---	---

		<p>24 046 003 chrome 115.00 24 046 LS3 moon white 146.00</p> <p>Eurostyle Single-lever shower mixer set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p> <p>35 600 000 chrome 70.00 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>
---	---	---

GROHE EUROSTYLE

Ref. No. Colour Price netto (€)


24 049 003 chrome 132.00
24 049 LS3 moon white 168.00



Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation


24 047 003 chrome 124.00
24 047 LS3 moon white 161.00



Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

33 635 003 chrome 140.00




Eurostyle
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix covered fixation
consisting of:
set for final installation
(19 507 003)
with concealed body
adjustable flow rate limiter
loop metal lever
escutcheon- and shaft-sealing
metal wall escutcheon
optional temperature limiter ref. no. 46 308 000

23 725 003 chrome 133.00



Eurostyle
Single-lever shower mixer 1/2"
wall installation
consisting of:
set for final installation
(19 507 003)
with concealed body
solid metal lever
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
metal wall escutcheon
escutcheon- and shaft-sealing
GROHE QuickFix covered fixation
optional temperature limiter ref. no. 46 308 000



33 637 003

chrome

151.00

Eurostyle

Single-lever bath mixer 1/2"

wall installation

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

GROHE QuickFix covered fixation

consisting of:

set for final installation

(19 506 003)

with concealed body

adjustable flow rate limiter


automatic diverter: bath/shower

loop metal lever

escutcheon- and shaft-sealing

metal wall escutcheon

optional temperature limiter ref. no. 46 308 000



23 730 003

chrome

143.00

Eurostyle

Single-lever bath mixer 1/2"

wall installation

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

GROHE QuickFix covered fixation

consisting of:

set for final installation

(19 506 003)

with concealed body

adjustable flow rate limiter









automatic diverter: bath/shower

solid metal lever

optional temperature limiter ref. no. 46 308 000

metal wall escutcheons

GROHE EUROSMART COSMOPOLITAN


	Ref. No.	Colour	Price netto (€)
	32 825 00E	chrome	114.00
	<p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar acoustic group I in accordance with DIN 4109</p>		
	32 825 000	chrome	113.00
	<p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter ref. no. 46 375 000 acoustic group I in accordance with DIN 4109</p>		
	23 925 000	chrome	84.00
	<p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support GROHE EcoJoy mousseur 5.7 l/min smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter ref. no. 46 375 000 acoustic group I in accordance with DIN 4109</p>		
	32 827 00E	chrome	83.00
	<p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support retractable chain flexible connection hoses acoustic group I in accordance with DIN 4109</p>		

GROHE EUROSMART COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



23 125 000


chrome

181.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
optional temperature limiter ref. no. 46 375 000
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 4.0 l/min
GROHE QuickFix installation system
retractable chain
flexible connection hoses
optional temperature limiter
with shower set consisting of:
hand shower with integrated diverter
wall shower holder
shower hose
recommended pressure 1.0 - 5.0 bar



32 824 000


chrome

108.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
mousseur
smooth body
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
acoustic group I in accordance with DIN 4109



23 927 000


chrome

84.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses



23 325 000

chrome









130.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size

single hole installation
metal lever

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
		<p>23 926 000</p> <p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" M-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter ref. no. 46 375 000</p>	<p>chrome</p> <p>97.00</p>
		<p>23 326 000</p> <p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" M-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system retractable chain flexible connection hoses optional temperature limiter ref. no. 46 375 000</p>	<p>chrome</p> <p>120.00</p>
		<p>23 327 000 23 327 KW0</p> <p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" M-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter ref. no. 46 375 000</p>	<p>chrome supermatt black</p> <p>122.00 134.00</p>
		<p>23 928 000</p> <p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" M-Size single hole installation metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system with centering support smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>	<p>chrome</p> <p>96.00</p>
		<p>23 398 00E ditto, smooth body</p>	<p>chrome</p> <p>96.00</p>

GROHE EUROSMART COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

32 830 001

chrome

132.00



**Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
L-Size**

single hole installation

metal lever

covered lever fixing

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

GROHE StarLight chrome finish

GROHE Zero separated inner water ways - lead and nickel free

GROHE QuickFix installation system

mousseur

swivel tubular spout with stop limiter

pop-up waste set 1 1/4"

flexible connection hoses


optional temperature limiter ref. no. 46 375 000

23 933 001

chrome

130.00

ditto, with push-open pop-up waste set 1 1/4"



23 921 000

chrome

*

**Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
XL-Size**

single hole installation

metal lever

for free-standing basins

GROHE SilkMove 28 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE AquaGuide adjustable mousseur

rapid installation system

smooth body


flexible connection hoses

min. recommended pressure 1.0 bar

36 327 001

chrome

367.00



**Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter**

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

20 187 000

chrome

177.00



**Eurosmart Cosmopolitan
Three-hole basin mixer 1/2"
S-Size**

metal lever

ceramic headparts 1/2", 90°

GROHE StarLight chrome finish

GROHE QuickFix installation system

with centering support

spout with mousseur











pop-up waste set 1 1/4"

pressure-proof, flexible connection hoses

between spout and side valves

union nut with 10.5 mm drilling

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	19 381 000 Eurosmart Cosmopolitan Two-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 170 mm	chrome	208.00
 	23 571 000 Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve		241.00
 	32 839 000 Eurosmart Cosmopolitan Single-lever bidet mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter ref. no. 46 375 000 acoustic group I in accordance with DIN 4109	chrome	110.00
 	32 840 000 ditto, with retractable chain	chrome	83.00
 	32 837 000 Eurosmart Cosmopolitan Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min shower bottom outlet 1/2" with integrated non return-valve S-unions optional temperature limiter ref. no. 46 308 000 protected against backflow acoustic group I in accordance with DIN 4109	chrome	112.00

GROHE EUROSMART COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

32 838 000

chrome

87.00





**Eurosmart Cosmopolitan
Single-lever shower mixer 1/2"**

wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge with Eco-Override-Stop
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
shower bottom outlet 1/2"
with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
optional temperature limiter
Qualitel E1C2A2U3 applied for

18 349 000

31.00




**Eurosmart Cosmopolitan
Plastic tray**
for 32 837 000

34 765 000

chrome

178.00




**Grotherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"**

wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

32 831 000

chrome









135.00



**Eurosmart Cosmopolitan
Single-lever bath mixer 1/2"**

wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter ref. no. 46 308 000
acoustic group I in accordance with DIN 4109

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
	34 766 000	chrome	231.00
	<p>Growtherm 800 Cosmopolitan Thermostatic bath mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>		
	32 832 000	chrome	167.00
	<p>Eurosmart Cosmopolitan Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 with shower set consisting of: Euphoria Cosmopolitan hand shower (27 367) wall shower holder (27 056) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>		
	32 847 000	chrome	244.00
	<p>Eurosmart Cosmopolitan Solid basin mixer, 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min automatic diverter: bath/shower swivel tubular spout projection 400 mm S-unions</p>		
	24 044 000	chrome	119.00
	<p>Eurosmart Cosmopolitan Single-lever shower mixer set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>		
	35 600 000	chrome	70.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE EUROSMART COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

24 045 000

chrome

131.00



Eurosmart Cosmopolitan

Single-lever mixer with 2-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE QuickFix (covered

escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

automatic 2-way diverter

flow performance:

outlet B = 27 l/min, outlet C = 27 l/min

without roughing-in-set

35 600 000

chrome


70.00

GROHE Rapido SmartBox universal rough-in box for concealed installation

25 219 001

chrome

390.00



Eurosmart Cosmopolitan

Perfect shower set with Tempesta 210

consisting of:

Eurosmart Cosmopolitan set for final installation with automatic diverter bath / shower (24 045)

GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)

head shower Tempesta 210 9.5 l/min (26 410)

Shower arm Rainshower 286 mm (28 576 000)

hand shower Tempesta 100 II 9.5 l/min (27 597)


shower outlet elbow (28 628 000)

Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)

32 880 000

chrome

133.00



Eurosmart Cosmopolitan

Single-lever shower mixer 1/2"

wall installation

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

consisting of:

set for final installation

concealed body 33 962 000

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

metal lever

escutcheon- and shaft-sealing

metal escutcheon


screwed

optional temperature limiter

32 879 000

chrome

149.00



Eurosmart Cosmopolitan

Single-lever bath mixer 1/2"

wall installation

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

consisting of:

set for final installation

concealed body

33 961 000

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

automatic diverter: bath/shower





metal lever


metal wall escutcheon

screwed

optional temperature limiter ref. no. 46 308 000

GROHE EUROSMART COSMOPOLITAN


	Ref. No.	Colour	Price netto (€)
 	13 261 000 Eurosmart Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm min. recommended pressure 1.0 bar	chrome	97.00
 	13 262 000 Eurosmart Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur automatic diverter: bath/shower male thread 1/2" projection 170 mm	chrome	114.00



23 788 002 chrome 81.00


Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 3.8 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

33 265 002 chrome 97.00
ditto, with GROHE EcoJoy mousseur 5.7 l/min




23 588 000 chrome 91.00

Eurosmart
Single-lever basin mixer with angle valves, 1/2"
consisting of:
Eurosmart single-lever basin mixer, 1/2" (33 265 002)
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses
angle valve, 1/2" (2 x 22 037 000)




23 922 002 chrome 73.00

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses




23 456 002 chrome 73.00

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
hybrid pop-up waste set 1 1/4"
flexible connection hoses




33 188 002 chrome 90.00

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
retractable chain
flexible connection hoses



23 324 001 chrome 103.00


Eurosmart
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses



23 537 002 chrome 157.00

Eurosmart
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
swivel tubular spout
swivel area 360°
pop-up waste set 1 1/4"
flexible connection hoses


23 743 002 ditto, with retractable chain chrome 119.00



23 789 002 chrome 81.00









Eurosmart
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 3.8 l/min
GROHE QuickFix rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses


32 929 002 ditto, with GROHE EcoJoy mousseur 5.7 l/min chrome 97.00



32 927 002 chrome 70.00


Eurosmart
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
with ball joint
retractable chain
flexible connection hoses

	Ref. No.	Colour	Price netto (€)
 	33 555 002	chrome	101.00
<p>Eurosmart Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow</p>			
 	34 558 000	chrome	192.00
<p>Grotherm 800 Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" dirt strainers built-in non return valves protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
 	33 300 002	chrome	122.00
<p>Eurosmart Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow</p>			
 	34 567 000	chrome	250.00
<p>Grotherm 800 Thermostatic bath mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1.0 bar GROHE EcoJoy technology for less water and perfect flow</p>			



33 302 20A **chrome** **116.00**


Eurosmart
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
with shower set
consisting of:
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)



24 042 002 **chrome** **110.00**

Eurosmart
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 600 000 **chrome** **70.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 043 002 **chrome** **120.00**

Eurosmart
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 600 000 **chrome** **70.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation



33 556 002 **chrome** **131.00**


Eurosmart
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix covered fixation
consisting of:
set for final installation (19 451 002)
with concealed body
adjustable flow rate limiter
metal lever
escutcheon- and shaft-sealing
metal wall escutcheon
optional temperature limiter ref. no. 46 308 000

Ref. No. Colour Price netto (€)




33 305 002 **chrome** **151.00**

Eurosmart
Single-lever bath mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix covered fixation
consisting of:
set for final installation (19 450 002)
with concealed body
adjustable flow rate limiter
automatic diverter: bath/shower
metal lever
metal escutcheon
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308 000




19 970 002 **chrome** **52.00**
19 970 EN2 **brushed nickel** **71.00**

Eurosmart
3-way diverter
for use with diverter rough-in valve
29 712 000 and 29 706 000
without concealed body
GROHE StarLight chrome finish




29 706 000 **371.00**

3-way diverter
concealed body, 1/2"
without finishing trim set
wall installation
DR-brass
ceramic discs
connection mixed water 1/2"
2 outlets 1/2"
protection sleeve
installation depth infinitely adjustable
24-60 mm




19 972 002 **chrome** **44.00**
19 972 EN2 **brushed nickel** **71.00**

Eurosmart
5-way diverter
for use with diverter rough-in valve
29 708 000
without concealed body
GROHE StarLight chrome finish




29 708 000 **237.00**


5-way diverter
concealed body, 1/2"
without finishing trim set
wall installation
with ceramic sealing discs
connection cold and hot 1/2"
2 outlets 1/2"
bath outlet 3/4"
protection sleeve
installation depth infinitely adjustable
24-60 mm
DR-brass



20 421 000 **chrome** **64.00**
BauEdge
Pillar tap 1/2"
XS-Size
single hole installation
 metal lever
 ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 fixation nut G 1/2"




23 356 000 **chrome** **85.00**
BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 metal pop up waste set
 flexible connection hoses




23 328 000 **chrome** **82.00**
BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 plastic pop-up waste set 1 1/4"
 flexible connection hoses

23 802 000 **chrome** **62.00**
ditto, with temperature limiter











23 329 000 **chrome** **74.00**
BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 retractable chain
 flexible connection hoses




23 330 000 **chrome** **76.00**
BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 smooth body
 flexible connection hoses

GROHE BAUEDGE

Ref. No. Colour Price netto (€)

		<p>23 757 000 chrome 94.00</p> <p>BauEdge Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE Longlife 35 mm ceramic cartridge adjustable flow rate limiter optional temperature limiter ref. no. 46 375 000 GROHE StarLight chrome finish GROHE EcoJoy mousseur 4.0 l/min rapid installation system retractable chain flexible connection hoses with shower set consisting of: hand shower with integrated diverter wall shower holder shower hose recommended pressure 1.0 - 5.0 bar</p>
		<p>23 758 000 chrome 83.00</p> <p>BauEdge Single-lever basin mixer 1/2" M-Size single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p> <p>23 822 000 chrome 77.00 ditto, with temperature limiter</p>
		<p>23 759 000 chrome 83.00</p> <p>BauEdge Single-lever basin mixer 1/2" M-Size single hole installation metal lever GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p>
		<p>23 760 000 chrome 96.00</p> <p>BauEdge Single-lever basin mixer 1/2" L-Size single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses</p>



23 761 000


chrome

112.00

BauEdge
Single-lever basin mixer 1/2"
XL-Size

single hole installation
for free-standing basins
metal lever

GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses



36 451 000


chrome

201.00

Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109



20 474 000


chrome

165.00

BauEdge
Two-hole basin mixer

wall mounted
consisting of:
set for final installation and concealed body
metal lever

GROHE Longlife 35 mm ceramic cartridge
GROHE StarLight chrome finish
mousseur
centre distance 110 mm
projection 171 mm



23 331 000

chrome

80.00

BauEdge
Single-lever bidet mixer 1/2"
single hole installation

metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses





23 332 000

chrome

59.00

ditto, with retractable chain


Ref. No. Colour Price netto (€)

	<p>23 333 000 chrome 80.00</p> <p>BauEdge Single-lever shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheon protected against backflow optional temperature limiter ref. no. 46 375 000</p>
	<p>34 558 000 chrome 192.00</p> <p>Grotherm 800 Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" dirt strainers built-in non return valves protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>
	<p>23 334 000 chrome 100.00</p> <p>BauEdge Single-lever bath mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheon protected against backflow optional temperature limiter ref. no. 46 375 000</p>
	<p>34 567 000 chrome 250.00</p> <p>Grotherm 800 Thermostatic bath mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1.0 bar GROHE EcoJoy technology for less water and perfect flow</p>

Ref. No.

Colour

Price netto (€)




29 078 000

chrome

126.00

BauEdge
Single-lever shower mixer 1/2"

concealed installation
consisting of:
set for final installation
concealed body (33 964)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308 000




29 079 000

chrome

135.00

BauEdge
Single-lever bath mixer 1/2"

concealed installation
consisting of:
set for final installation
concealed body (33 963)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308 000




13 257 000

chrome

98.00

BauCosmopolitan

Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
projection 140 mm
male thread 1/2"



13 390 000











chrome


50.00

BauContemporary
Bath spout with diverter

wall mounted
GROHE StarLight chrome finish
mousseur
non-return valve
automatic diverter: bath/shower
projection 170 mm
male thread 1/2"

GROHE BAULOOP

	Ref. No.	Colour	Price netto (€)
 	20 422 000	chrome	63.00
<p>BauLoop Pillar tap 1/2" XS-Size single hole installation metal lever ceramic headpart 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min fixation nut G 1/2"</p>			
 	23 335 000	chrome	82.00
<p>BauLoop Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 803 000	chrome	63.00
<p>ditto, with temperature limiter</p>			
 	23 336 000	chrome	77.00
<p>BauLoop Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system retractable chain flexible connection hoses</p>			
 	23 337 000	chrome	74.00
<p>BauLoop Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE EcoJoy mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses</p>			
 	23 762 000	chrome	85.00
<p>BauLoop Single-lever basin mixer 1/2" M-Size single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p>			



23 763 000


chrome

95.00

BauLoop
Single-lever basin mixer 1/2"
L-Size

single hole installation
metal lever

GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses



23 764 000


chrome

115.00

BauLoop
Single-lever basin mixer 1/2"
XL-Size

single hole installation
for free-standing basins

metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses




20 289 000

chrome

142.00

BauLoop
Two-hole basin mixer

wall mounted
consisting of:
set for final installation and concealed body
metal lever
GROHE Longlife 35 mm ceramic cartridge
GROHE StarLight chrome finish
mousseur
centre distance 110 mm
projection 171 mm




23 338 000

chrome

82.00

BauLoop
Single-lever bidet mixer 1/2"
single hole installation

metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses



23 340 000

chrome

79.00


BauLoop
Single-lever shower mixer 1/2"

wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
with integrated non return-valve
S-unions
metal wall escutcheon
protected against backflow
optional temperature limiter ref. no. 46 308 000

GROHE BAULOOP


Ref. No. Colour Price netto (€)

34 558 000 **chrome** 192.00




Grotherm 800
Thermostatic shower mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton** (economy
 button with individually adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 dirt strainers
 built-in non return valves
 protected against backflow
 S-unions
 metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

23 341 000 **chrome** 100.00




BauLoop
Single-lever bath mixer 1/2"
 wall mounted
 metal lever
 GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
 adjustable flow rate limiter
 automatic diverter: bath/shower
 spout with mousseur
 shower bottom outlet 1/2"
 with integrated non return-valve
 S-unions
 metal wall escutcheon
 protected against backflow
 optional temperature limiter ref. no. 46 308 000

34 567 000 **chrome** 250.00













Grotherm 800
Thermostatic bath mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 automatic diverter: bath/shower
 volume handle with **GROHE EcoButton** (economy
 button with individually adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
 min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow


29 080 000 **chrome** 124.00



BauLoop
Single-lever shower mixer 1/2"
 concealed installation
 consisting of:
 set for final installation
 concealed body (33 964)
 metal lever
 GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
 adjustable flow rate limiter
 escutcheon- and shaft-sealing
 optional temperature limiter ref. no. 46 308 000


GROHE BAUFLOW

	Ref. No.	Colour	Price netto (€)
 	20 575 000	chrome	49.00
	<p>BauFlow Pillar tap 1/2" XS-Size single hole installation metal lever ceramic headpart 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min fixation nut G 1/2"</p>		
 	23 751 000	chrome	78.00
	<p>BauFlow Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p>		
	23 801 000	chrome	63.00
	ditto, with temperature limiter		
 	23 752 000	chrome	65.00
	<p>BauFlow Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses</p>		
 	23 753 000	chrome	96.00
	<p>BauFlow Single-lever basin mixer 1/2" L-Size single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses</p>		
 	23 754 000	chrome	78.00
	<p>BauFlow Single-lever bidet mixer 1/2" single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p>		





23 755 000 chrome 69.00

BauFlow
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow




34 558 000 chrome 192.00

Grohtherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
dirt strainers
built-in non return valves
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow



23 756 000 chrome 84.00


BauFlow
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2"
with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow



34 567 000 chrome 250.00


Grohtherm 800
Thermostatic bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

Ref. No. Colour Price netto (€)




29 112 000 chrome 116.00

BauFlow
Single-lever shower mixer
concealed installation
consisting of:
set for final installation
concealed body (33 964)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
metal wall escutcheon




29 113 000 chrome 128.00

BauFlow
Single-lever bath mixer
concealed installation
consisting of:
set for final installation
concealed body (33 963)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal wall escutcheon




13 390 000 chrome 50.00

BauContemporary
Bath spout with diverter
wall mounted
GROHE StarLight chrome finish
mousseur
non-return valve
automatic diverter: bath/shower
projection 170 mm
male thread 1/2"



13 252 000 chrome *

BauContemporary
Bath spout
wall mounted
chrome finish
mousseur
projection 140 mm
female thread 1/2"



13 254 000 chrome *


BauContemporary
Bath spout
wall mounted
chrome finish
mousseur
automatic diverter: bath/shower
projection 140 mm
female thread 1/2"
flexible connection hoses

GROHE SILKMOVE ES

Ref. No.

Colour

Price netto (€)




23 790 001

chrome

187.00

Lineare
Single-lever basin mixer 1/2"
XS-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 870 003

chrome

183.00

GROHE Plus
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 390 00E

chrome

186.00


Eurocube
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

23 392 00E

chrome

181.00

ditto, smooth body




23 591 001

chrome

152.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 379 001


chrome

153.00


Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

GROHE SILKMOVE ES

Ref. No. Colour Price netto (€)




23 389 20E **chrome** **145.00**
Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
 with energy saving function via cold start
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 GROHE QuickFix Plus rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar



23 384 20E **chrome** **150.00**
Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
 with energy saving function via cold start
 adjustable flow rate limiter
 adjustable minimum flow rate
 approx. 2.5 l/min
 temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFixPlus installation
 system with centering support
 pop-up waste set 1 1/4"
 flexible connection hoses


23 382 20E **chrome** **145.00**
ditto, smooth body



23 380 10E **chrome** **140.00**
Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
 with energy saving function via cold start
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar

23 381 10E **chrome** **113.00**
ditto, with retractable chain


23 385 10E **chrome** **113.00**
ditto, smooth body



23 387 20E **chrome** **114.00**
Eurostyle Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
 with energy saving function via cold start
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar

GROHE SILKMOVE ES

Ref. No. Colour Price netto (€)



23 374 20E chrome 114.00


Eurostyle Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter

GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

23 373 20E chrome 108.00
ditto, smooth body




23 374 003 chrome 121.00
23 374 LS3 moon white/chrome 154.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size

single hole installation
loop metal lever

GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter

GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 709 003 chrome 103.00
23 709 LS3 moon white/chrome 134.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size

single hole installation
solid metal lever

GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter

GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 377 00E chrome 114.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter


GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

23 378 00E chrome 83.00
ditto, with retractable chain

23 376 00E chrome 83.00
ditto, smooth body

GROHE SILKMOVE ES

Ref. No. Colour Price netto (€)



23 396 00E **chrome** **100.00**


Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
 with energy saving function via cold start
 adjustable flow rate limiter
 adjustable minimum flow rate
 approx. 2.5 l/min
GROHE StarLight chrome finish
 temperature limiter
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
 with centering support
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar

23 397 00E **chrome** **97.00**

ditto, with retractable chain


23 398 00E **chrome** **96.00**

ditto, smooth body




32 926 002 **chrome** **95.00**

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
 with energy saving function via cold start
 adjustable flow rate limiter
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses



23 372 002 **chrome** **92.00**

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
 with energy saving function via cold start
 adjustable flow rate limiter
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 retractable chain
 flexible connection hoses



32 154 002 **chrome** **73.00**


Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
 with energy saving function via cold start
 adjustable flow rate limiter
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 smooth body
 flexible connection hoses

GROHE SILKMOVE ES

Ref. No.

Colour

Price netto (€)



23 393 10E

chrome

113.00

Eurosmart
Single-lever basin mixer 1/2"
M-Size

single hole installation

metal lever

GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter


GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix rapid installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 394 10E

chrome

106.00

Eurosmart
Single-lever basin mixer 1/2"
M-Size

single hole installation

metal lever

GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter


GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix rapid installation system

retractable chain

flexible connection hoses



23 395 10E

chrome

89.00

Eurosmart
Single-lever basin mixer 1/2"
M-Size

single hole installation

metal lever

GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter

GROHE StarLight chrome finish











GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix rapid installation system

smooth body


flexible connection hoses

GROHE COSTA L

	Ref. No.	Colour	Price netto (€)
 	20 404 001	chrome	39.00
<p>Costa L Pillar tap 1/2" metal handle heat-insulated screwable marking: blue Longlife-headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish</p>			
 	20 186 001	chrome	65.00
<p>Costa L Pillar tap 1/2" metal handle heat-insulated screwable marking: blue Longlife-headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish</p>			
 	20 393 001	chrome	67.00
<p>Costa L Pillar tap 1/2" metal handle heat-insulated screwable marking: blue Longlife-headpart swivel tubular spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish</p>			
 	21 390 001	chrome	158.00
<p>Costa L One-hole basin mixer, 1/2" metal handles heat-insulated screwable Longlife-headpart cast spout with mousseur pop-up waste set 1 1/4" flexible connection hoses GROHE StarLight chrome finish</p>			
 	21 375 001	chrome	112.00
<p>Costa L One-hole basin mixer, 1/2" metal handles heat-insulated screwable Longlife-headpart swivel tubular spout with mousseur pop-up waste set 1 1/4" flexible connection hoses GROHE StarLight chrome finish</p>			



GROHE COSTA L

Ref. No. Colour Price netto (€)




21 094 001 **chrome** 102.00

Costa L
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
swivel tubular spout
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish
NF approval




21 100 001 **chrome** 123.00

Costa L
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
cast spout with mousseur
chain ring
flexible connection hoses
GROHE StarLight chrome finish




21 337 001 **chrome** 75.00

Costa L
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
swivel tubular spout with mousseur
retractable chain
flexible connection hoses
GROHE StarLight chrome finish




18 904 001 **chrome** 54.00

Costa L
Pillar taps 1/2" for bidet
GROHE StarLight chrome finish
in units of 2



26 330 001 **chrome** 77.00











Costa L
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
shower connection 1/2"
S-unions
GROHE StarLight chrome finish



26 009 001 **chrome** 81.00


Costa L
Shower mixer 1/2"
wall mounted
heat-insulated
metal handles
screwable
Longlife-headpart
shower top outlet 3/4"
S-unions
GROHE StarLight chrome finish

GROHE COSTA L

	Ref. No.	Colour	Price netto (€)
 	25 450 001	chrome	127.00
<p>Costa L Bath mixer 1/2" wall mounted metal handles heat-insulated screwable Longlife-headpart automatic diverter: bath/shower mousseur S-unions GROHE StarLight chrome finish</p>			
 	25 452 001	chrome	117.00
<p>Costa L Bath mixer 1/2" wall mounted metal handles heat-insulated screwable Longlife-headpart shower top outlet 3/4" automatic diverter: bath/shower mousseur S-unions GROHE StarLight chrome finish</p>			
 	25 460 10A	chrome	135.00
<p>Costa L Bath mixer 1/2" wall mounted metal handles heat-insulated screwable Longlife-headpart automatic diverter: bath/shower mousseur S-unions with shower set consisting of: hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923) wall shower holder (28 605) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE StarLight chrome finish</p>			
 	13 540 000	chrome	154.00
<p>Bath spout 3/4" wall mounted flow straightener sliding escutcheon female thread 3/4" projection 140 mm GROHE StarLight chrome finish</p>			
 	26 015 001	chrome	*
<p>Costa L Solid basin mixer, 1/2" wall mounted metal handles heat-insulated screwable Longlife-headpart S-unions GROHE StarLight chrome finish</p>			


GROHE COSTA L

Ref. No. Colour Price netto (€)




26 790 10A chrome 222.00

Costa L
Solid basin mixer, 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
diverter bath/shower
S-unions
connection angle 3/4" x 3/4" (12 419)
spout 300 mm (13 017)
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)
wall shower holder (28 605)
GROHE StarLight chrome finish




26 781 001 chrome 82.00

Costa L
Solid basin mixer, 3/8"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
diverter
S-outlet
projection 150 mm
without connection unions
centre distance 120 mm
GROHE StarLight chrome finish




30 098 001 chrome 34.00

Costa L
Bibtap 1/2"
wall mounted
metal handle
heat-insulated
marking: blue
GROHE StarLight finish
mousseur
Longlife-headparts



30 484 001 chrome 54.00











Costa L
Bibtap 1/2"
wall mounted
metal handle
heat-insulated
marking: blue
GROHE StarLight finish
mousseur
Longlife-headparts
swivel tubular spout
swivel area 360°
projection 200 mm



26 010 001 chrome 33.00


Costa L
Shower Bibtap, 1/2"
wall mounted
metal handle
heat-insulated
marking: blue
Longlife-headpart
shower outlet 3/4"
GROHE StarLight chrome finish

GROHE COSTA L

		Ref. No.	Colour	Price netto (€)
		30 008 001	chrome	28.00
		19 854 001	chrome	16.50
		19 855 001 ditto, marking red	chrome	17.00
		19 808 001	chrome	29.00
		19 809 001 ditto, marking red	chrome	29.00
		19 806 001	chrome	39.00
		19 807 001 ditto, marking red	chrome	39.00
		35 028 000	chrome	137.00

GROHE COSTA L


Ref. No. Colour Price netto (€)



Ref. No.	Colour	Price netto (€)
29 800 002	chrome	20.00
Concealed valve 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve threaded union 1/2", DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve		
29 802 002	chrome	39.00
ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"		
29 805 002	chrome	65.00
ditto, 1", pre-assembled headpart 1", thread union 1"		

GROHE COSTA S


Ref. No. Colour Price netto (€)




20 405 001 **chrome** **51.00**
Costa S
Pillar tap 1/2"
 metal handle
 heat-insulated
 screwable
 marking: blue
 Carbodur headpart
 cast spout with mousseur
 union nut 1/2" x 10.5 mm
GROHE StarLight chrome finish




20 179 001 **chrome** **101.00**
Costa S
Pillar tap
 metal handle
 heat-insulated
 screwable
GROHE StarLight finish
 ceramic headpart 1/2", 90°
 flow straightener
 swivel tubular spout
 swivel area 360°
 union nut 1/2" with 10.5 mm drilling



21 255 001 **chrome** **156.00**
Costa S
One-hole basin mixer, 1/2"
 metal handles
 heat-insulated
 screwable
 Carbodur headpart
 cast spout with mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
GROHE StarLight chrome finish



21 257 001 **chrome** **123.00**
Costa S
One-hole basin mixer, 1/2"
 heat-insulated
 metal handles
 screwable
 Carbodur headpart
 swivel tubular spout with mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
GROHE StarLight chrome finish




21 338 001 **chrome** **99.00**
Costa S
One-hole basin mixer, 1/2"
 metal handles
 heat-insulated
 screwable
 Carbodur headpart
 swivel tubular spout with mousseur
 retractable chain
 flexible connection hoses
GROHE StarLight chrome finish

GROHE COSTA S

Ref. No.

Colour

Price netto (€)




26 317 001

chrome

93.00

Costa S
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
shower connection 1/2"
S-unions
GROHE StarLight chrome finish




25 483 001

chrome

138.00

Costa S
Bath mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
automatic diverter: bath/shower
mousseur
S-unions
GROHE StarLight chrome finish




26 792 10A

chrome

166.00

Costa S
Solid basin mixer, 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
diverter bath/shower
S-unions
connection angle 3/4" x 3/4" (12 419)
spout 300 mm (13 017)
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)
wall shower holder (28 605)
GROHE StarLight chrome finish







26 788 001

chrome









107.00

Costa S
50 mm extension
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
diverter
without connection unions
swivel tubular spout
centre distance 120 mm
GROHE StarLight chrome finish

GROHE ATLANTA

	Ref. No.	Colour	Price netto (€)
	30 034 000 Atlanta Bibtap 1/2" wall mounted Longlife-headpart Treflor handle marking: blue/red mousseur hose union	chrome	*
	30 036 000 Atlanta Bibtap 1/2" wall mounted Longlife-headpart Treflor handle marking: blue/red mousseur socket spanner headpart hose union	chrome	*
	30 037 000 Atlanta Bibtap 1/2" wall mounted Longlife-headpart Treflor handle marking: blue/red mousseur non-return valve hose union	chrome	*
	30 038 000 Atlanta Bibtap 1/2" wall mounted Longlife-headpart Treflor handle marking: blue/red mousseur socket spanner headpart non-return valve hose union	chrome	*

GROHE UNIVERSAL TAP

		Ref. No.	Colour	Price netto (€)
		20 201 000 20 201 DC0 20 201 ALO	chrome supersteel brushed hard graphite	104.00 126.00 144.00
<p>Universal pillar tap DN15 C-spout Flow rate: 6l/min at 3 bar flow pressure Flow-Stop mousseur ceramic headpart union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish projection 113 mm</p>				
		20 202 000	chrome	116.00
<p>Universal pillar tap DN15 7°-spout Flow rate: 6l/min at 3 bar flow pressure Flow-Stop mousseur ceramic headpart union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish projection 114 mm</p>				
		20 205 000	chrome	93.00
<p>Universal wall-mounted tap DN15 Flow rate: 6l/min at 3 bar flow pressure Flow-Stop mousseur ceramic headpart connection thread 1/2" GROHE StarLight chrome finish projection 106 mm</p>				
		20 203 000	chrome	94.00
<p>Universal wall-mounted tap DN15 Flow rate: 6l/min at 3 bar flow pressure Flow-Stop mousseur ceramic headpart connection thread 1/2" GROHE StarLight chrome finish projection 185 mm</p>				

GROHE TALENTOFILL

	Ref. No.	Colour	Price netto (€)			
 	19 952 000	chrome	177.00			
	19 952 DC0	supersteel	209.00			
	19 952 BE0	polished nickel	224.00			
	19 952 EN0	brushed nickel	239.00			
	19 952 GL0	cool sunrise	224.00			
	19 952 GN0	brushed cool sunrise	239.00			
	19 952 DA0	warm sunset	224.00			
	19 952 DL0	brushed warm sunset	239.00			
	19 952 A00	hard graphite	224.00			
	19 952 AL0	brushed hard graphite	239.00			
	Talentofill Inlet-, pop-up and waste-system set for final installation consisting of: escutcheon, supply part, waste plug, fixing set in combination with Talentofill 28 990/28 991 GROHE StarLight chrome finish					
	 	28 990 000	chrome	176.00		
		28 990 DC0	supersteel	228.00		
28 990 BE0		polished nickel	244.00			
28 990 EN0		brushed nickel	261.00			
28 990 GL0		cool sunrise	244.00			
28 990 GN0		brushed cool sunrise	261.00			
28 990 DA0		warm sunset	244.00			
28 990 DL0		brushed warm sunset	261.00			
28 990 A00		hard graphite	244.00			
28 990 AL0		brushed hard graphite	261.00			
Talentofill Inlet-, pop-up and waste-system for normal bath tubs without finishing trim set with bottle trap and 45°-outlet-bend without anti-vacuum device installation acc. to DIN 1988 only with anti-vacuum device A2 type or Talentofill connection set (28 995)						
 		28 991 000		157.00		
		Talentofill Inlet-, pop-up and waste-system for body formed bath tubs without finishing trim set with bottle trap and 45°-outlet-bend without anti-vacuum device installation acc. to DIN 1988 only with anti-vacuum device A2 type or Talentofill connection set (28 995)				
	 	28 993 000		105.00		
		Talentofill Connection set 3/4" with 1.5 m-flexible connection pipe without finishing trim set				
		 	28 995 000		382.00	
			Talentofill Connection set 3/4" with concealed anti-vacuum device consisting of: -concealed-pipe-interrupter (A2 type, DIN 1988, part IV) - 3.5 m-flexible connection pipe (in 2 parts) without escutcheon (19 954)			


GROHE TALENTOFILL

	Ref. No.	Colour	Price netto (€)
 	19 954 000	chrome	18.00
	Talentofill Escutcheon for connection set 28 995 GROHE StarLight chrome finish		
	28 963 000		49.00
	Inlet part with mousseur suitable for Talentofill 28 990/28 991 production before 03/2007		
	29 009 000		54.00
	Inlet part with mousseur suitable for Talentofill 28 990/28 991 production after 03/2007		
 	14 055 000		141.00
	Backflow protection combination (DIN-EN1717) retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers		
 	19 025 000	chrome	58.00
	Talento Waste and overflow set for bath tubes set for final installation escutcheon, waste plug, fixing set in combination with Talentofill 28 939/28 943 GROHE StarLight chrome finish		
 	28 939 000		82.00
	Talento Pop-up bath waste and overflow set for normal bath and deep shower trays with bowden cable without finishing trim set bottle trap 45° waste elbow		

Ref. No.

Colour

Price netto (€)




28 943 000

121.00

Talento
Pop-up bath waste and overflow
 set for special baths
 with bowden cable
 without finishing trim set
 bottle trap
 45° waste elbow

GROHE SELECTION

Ref. No. Colour Price netto (€)




41 027 000	chrome	44.99
41 027 DC0	supersteel	62.91
41 027 BE0	polished nickel	67.49
41 027 EN0	brushed nickel	72.08
41 027 GL0	cool sunrise	67.49
41 027 GN0	brushed cool sunrise	72.08
41 027 DA0	warm sunset	67.49
41 027 DL0	brushed warm sunset	72.08
41 027 A00	hard graphite	67.49
41 027 AL0	brushed hard graphite	72.08

Selection

Holder

material: metal
for Selection soap dispenser (41 028) or Selection glass (41 029 000)
concealed fastening

GROHE StarLight chrome finish




41 028 000	chrome	44.99
41 028 DC0	supersteel	62.91
41 028 BE0	polished nickel	67.49
41 028 EN0	brushed nickel	72.08
41 028 GL0	cool sunrise	67.49
41 028 GN0	brushed cool sunrise	72.08
41 028 DA0	warm sunset	67.49
41 028 DL0	brushed warm sunset	72.08
41 028 A00	hard graphite	67.49
41 028 AL0	brushed hard graphite	72.08

Selection

Soap dispenser

material: glass / metal
filling quantity 130 ml
fits in the following holder:
41 027

GROHE StarLight chrome finish




41 029 000	chrome	21.66
------------	--------	-------

Selection

White glass

material: glass
fits in the following holder:
41 027




41 035 000	chrome	50.41
41 035 DC0	supersteel	70.41
41 035 BE0	polished nickel	75.41
41 035 EN0	brushed nickel	80.83
41 035 GL0	cool sunrise	75.41
41 035 GN0	brushed cool sunrise	80.83
41 035 DA0	warm sunset	75.41
41 035 DL0	brushed warm sunset	80.83
41 035 A00	hard graphite	75.41
41 035 AL0	brushed hard graphite	80.83

Selection

Towel ring

material: metal
holder for soap dish (41 036) and shower tray (41 037)
length 200 mm
concealed fastening

GROHE StarLight chrome finish





41 036 000	glass clear	28.74
------------	-------------	-------

Selection








Soap dish without holder

material: glass
for use with towel ring (41 035)









GROHE SELECTION

	Ref. No.	Colour	Price netto (€)
 	41 037 000 Selection Shower tray without holder material: glass for use with towel ring (41 035)	chrome	12.49
 	41 038 000 41 038 DC0 41 038 BE0 41 038 EN0 41 038 GL0 41 038 GN0 41 038 DA0 41 038 DL0 41 038 A00 41 038 AL0 Selection Corner shower tray with holder material: glass / metal consisting of holder and soap dish concealed fastening GROHE StarLight chrome finish	chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite	59.58 83.33 87.49 95.83 87.49 95.83 87.49 95.83 87.49 95.83
 	40 994 000 Spare shower tray	chrome	38.00
 	41 039 000 41 039 DC0 41 039 BE0 41 039 EN0 41 039 GL0 41 039 GN0 41 039 DA0 41 039 DL0 41 039 A00 41 039 AL0 Selection Single robe hook material: metal concealed fastening GROHE StarLight chrome finish	chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite	16.24 22.49 24.16 25.83 24.16 25.83 24.16 25.83 24.16 25.83
 	41 049 000 41 049 DC0 41 049 BE0 41 049 EN0 41 049 GL0 41 049 GN0 41 049 DA0 41 049 DL0 41 049 A00 41 049 AL0 Selection Double robe hook material: metal concealed fastening GROHE StarLight chrome finish	chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite	27.08 37.91 40.41 43.33 40.41 43.33 40.41 43.33 40.41 43.33

GROHE SELECTION


	Ref. No.	Colour	Price netto (€)
	41 056 000	chrome	72.08
	41 056 DC0	supersteel	99.99
	41 056 BE0	polished nickel	108.33
	41 056 EN0	brushed nickel	116.66
	41 056 GL0	cool sunrise	108.33
	41 056 GN0	brushed cool sunrise	116.66
	41 056 DA0	warm sunset	108.33
	41 056 DL0	brushed warm sunset	116.66
	41 056 A00	hard graphite	108.33
	41 056 AL0	brushed hard graphite	116.66
		Selection Towel rail material: metal length 600 mm concealed fastening for use with glass shelf (41 057) GROHE StarLight chrome finish	
	41 057 000	chrome	83.33
	Selection Glass shelf material: glass durable surface for use with towel rail (41 056)		
	41 058 000	chrome	91.66
	41 058 DC0	supersteel	129.16
	41 058 BE0	polished nickel	141.66
	41 058 EN0	brushed nickel	149.99
	41 058 GL0	cool sunrise	141.66
	41 058 GN0	brushed cool sunrise	149.99
	41 058 DA0	warm sunset	141.66
	41 058 DL0	brushed warm sunset	149.99
	41 058 A00	hard graphite	141.66
	41 058 AL0	brushed hard graphite	149.99
		Selection Towel rail material: metal length 800 mm concealed fastening GROHE StarLight chrome finish	
	41 059 000	chrome	99.99
	41 059 DC0	supersteel	137.49
	41 059 BE0	polished nickel	149.99
	41 059 EN0	brushed nickel	158.33
	41 059 GL0	cool sunrise	149.99
	41 059 GN0	brushed cool sunrise	158.33
	41 059 DA0	warm sunset	149.99
	41 059 DL0	brushed warm sunset	158.33
	41 059 A00	hard graphite	149.99
	41 059 AL0	brushed hard graphite	158.33
		Selection Towel holder, non pivotable material: metal depth 411 mm (functional depth 360 mm) two arms concealed fastening GROHE StarLight chrome finish	

GROHE SELECTION

	Ref. No.	Colour	Price netto (€)
 	41 063 000	chrome	80.83
	41 063 DC0	supersteel	112.49
	41 063 BE0	polished nickel	120.83
	41 063 EN0	brushed nickel	129.16
	41 063 GL0	cool sunrise	120.83
	41 063 GN0	brushed cool sunrise	129.16
	41 063 DA0	warm sunset	120.83
	41 063 DL0	brushed warm sunset	129.16
	41 063 A00	hard graphite	120.83
	41 063 AL0	brushed hard graphite	129.16
	Selection Towel holder, pivotable material: metal depth 441 mm (functional depth 400 mm) two arms concealed fastening GROHE StarLight chrome finish		
 	41 064 000	chrome	55.83
	41 064 DC0	supersteel	77.91
	41 064 BE0	polished nickel	83.33
	41 064 EN0	brushed nickel	87.49
	41 064 GL0	cool sunrise	83.33
	41 064 GN0	brushed cool sunrise	87.49
	41 064 DA0	warm sunset	83.33
	41 064 DL0	brushed warm sunset	87.49
	41 064 A00	hard graphite	83.33
	41 064 AL0	brushed hard graphite	87.49
	Selection Grip bar material: metal length 336 mm (functional length 300 mm) concealed fastening GROHE StarLight chrome finish		
 	41 066 000	chrome	199.17
	41 066 DC0	supersteel	274.17
	41 066 BE0	polished nickel	299.17
	41 066 EN0	brushed nickel	315.83
	41 066 GL0	cool sunrise	299.17
	41 066 GN0	brushed cool sunrise	315.83
	41 066 DA0	warm sunset	299.17
	41 066 DL0	brushed warm sunset	315.83
	41 066 A00	hard graphite	299.17
	41 066 AL0	brushed hard graphite	315.83
	Selection Multi-towel rack material: metal length 596 mm concealed fastening GROHE StarLight chrome finish		
 	41 067 000	chrome	44.99
	41 067 DC0	supersteel	62.91
	41 067 BE0	polished nickel	67.49
	41 067 EN0	brushed nickel	72.08
	41 067 GL0	cool sunrise	67.49
	41 067 GN0	brushed cool sunrise	72.08
	41 067 DA0	warm sunset	67.49
	41 067 DL0	brushed warm sunset	72.08
	41 067 A00	hard graphite	67.49
	41 067 AL0	brushed hard graphite	72.08
	Selection Spare toilet paper holder (2 rolls) material: metal wall mounted concealed fastening GROHE StarLight chrome finish		


GROHE SELECTION

Ref. No. Colour Price netto (€)




41 068 000	chrome	35.83
41 068 DC0	supersteel	50.41
41 068 BE0	polished nickel	54.16
41 068 EN0	brushed nickel	57.49
41 068 GL0	cool sunrise	54.16
41 068 GN0	brushed cool sunrise	57.49
41 068 DA0	warm sunset	54.16
41 068 DL0	brushed warm sunset	57.49
41 068 A00	hard graphite	54.16
41 068 AL0	brushed hard graphite	57.49

Selection
Toilet paper holder
without cover
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish



41 069 000	chrome	72.08
41 069 DC0	supersteel	99.99
41 069 BE0	polished nickel	108.33
41 069 EN0	brushed nickel	116.66
41 069 GL0	cool sunrise	108.33
41 069 GN0	brushed cool sunrise	116.66
41 069 DA0	warm sunset	108.33
41 069 DL0	brushed warm sunset	116.66
41 069 A00	hard graphite	108.33
41 069 AL0	brushed hard graphite	116.66

Selection
Toilet paper holder
with cover
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish



41 076 000	chrome	91.66
41 076 DC0	supersteel	124.99
41 076 BE0	polished nickel	133.33
41 076 EN0	brushed nickel	145.83
41 076 GL0	cool sunrise	133.33
41 076 GN0	brushed cool sunrise	145.83
41 076 DA0	warm sunset	133.33
41 076 DL0	brushed warm sunset	145.83
41 076 A00	hard graphite	133.33
41 076 AL0	brushed hard graphite	145.83

Selection
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 951 000	chrome	50.00
40 951 DC0	supersteel	67.00
40 951 BE0	polished nickel	*
40 951 EN0	brushed nickel	66.00
40 951 GL0	cool sunrise	*
40 951 GN0	brushed cool sunrise	*
40 951 DA0	warm sunset	*
40 951 DL0	brushed warm sunset	*
40 951 A00	hard graphite	*
40 951 AL0	brushed hard graphite	*

Spare brush


40 791 001	white	5.16
40 791 KS1	velvet black	5.16

Spare brush head

40 993 000	glass matt	43.00
------------	------------	-------

Spare glass for brush

Ref. No. Colour Price netto (€)



41 077 000	chrome	133.33
41 077 DC0	supersteel	190.83
41 077 BE0	polished nickel	199.17
41 077 EN0	brushed nickel	215.83
41 077 GL0	cool sunrise	199.17
41 077 GN0	brushed cool sunrise	215.83
41 077 DA0	warm sunset	199.17
41 077 DL0	brushed warm sunset	215.83
41 077 A00	hard graphite	199.17
41 077 AL0	brushed hard graphite	215.83

Selection

Shaving mirror

material: glass / metal

without lights

magnification: x 7













concealed fastening

GROHE StarLight chrome finish









GROHE SELECTION CUBE

	Ref. No.	Colour	Price netto (€)
 	40 865 000	chrome	37.08
<p>Selection Cube Holder material: metal for Selection Cube glass (40 783 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000) concealed fastening GROHE StarLight chrome finish</p>			
 	40 805 000	chrome	46.24
<p>Selection Cube Soap dispenser material: glass / metal filling quantity 300 ml fits in the following holder: Selection Cube (40 865 000) GROHE StarLight finish</p>			
 	40 806 000	glass matt	30.83
<p>Selection Cube Soap dish material: glass fits in the following holder: Selection Cube (40 865 000)</p>			
 	40 783 000	chrome	24.58
<p>Selection Cube Glass material: glass fits in the following holder: Selection Cube (40 865 000)</p>			
 	40 766 000	chrome	52.49
<p>Selection Cube Towel ring material: metal concealed fastening GROHE StarLight finish</p>			
 	40 768 000	chrome	149.99
<p>Selection Cube Double towel bar material: metal 2 arms, pivotable 400 mm concealed fastening GROHE StarLight finish</p>			


GROHE SELECTION CUBE

	Ref. No.	Colour	Price netto (€)
 	40 767 000 Selection Cube Towel rail 500 mm (functional length 459 mm) material: metal concealed fastening GROHE StarLight chrome finish	chrome	99.99
 	40 804 000 Selection Cube Multi bath towel rack material: metal 600 mm (functional length 575 mm) concealed fastening GROHE StarLight finish	chrome	274.17
 	40 782 000 Selection Cube Robe hook material: metal concealed fastening GROHE StarLight finish	chrome	27.91
 	40 807 000 Selection Cube Grip bar/towel bar material: metal 600 mm (functional length 548 mm) concealed fastening GROHE StarLight finish	chrome	154.16
 	40 781 000 Selection Cube Toilet paper holder material: metal concealed fastening with cover GROHE StarLight finish	chrome	80.41
 	40 784 000 Selection Cube Spare toilet paper holder material: metal wall mounted concealed fastening GROHE StarLight finish	chrome	37.08

GROHE SELECTION CUBE

	Ref. No.	Colour	Price netto (€)
 	40 857 000	chrome	108.33
	Selection Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight finish		
	40 870 000	chrome	9.99
	Spare brush head		
	40 868 000	chrome	33.33
Spare brush			
40 867 000			*
Spare glass			
 	40 809 000	chrome	108.33
	Selection Cube Soap wire basket material: metal for corner installation large GROHE StarLight finish		
 	40 918 000	chrome	*
	Flat shelf		
 	40 808 000	chrome	137.49
	Selection Cube Shaving mirror material: glass / metal wall mounted concealed fastening magnification: x 3 GROHE StarLight finish		

Ref. No. Colour Price netto (€)



40 369 001	chrome	21.24
40 369 DC1	supersteel	29.58
40 369 BE1	polished nickel	31.66
40 369 EN1	brushed nickel	33.74
40 369 GL1	cool sunrise	31.66
40 369 GN1	brushed cool sunrise	33.74
40 369 DA1	warm sunset	31.66
40 369 DL1	brushed warm sunset	33.74
40 369 A01	hard graphite	31.66
40 369 AL1	brushed hard graphite	33.74


Essentials

Holder

material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening

GROHE StarLight chrome finish

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)



40 394 001	chrome	17.08
40 394 DC1	supersteel	24.16
40 394 BE1	polished nickel	25.83
40 394 EN1	brushed nickel	27.49
40 394 GL1	cool sunrise	25.83
40 394 GN1	brushed cool sunrise	27.49
40 394 DA1	warm sunset	25.83
40 394 DL1	brushed warm sunset	27.49
40 394 A01	hard graphite	25.83
40 394 AL1	brushed hard graphite	27.49

Essentials


Soap dispenser

material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)

Bau Cosmopolitan (40 585)

Essentials Authentic (40 652)

GROHE StarLight chrome finish




40 368 001	glass clear	5.74
------------	-------------	------

Essentials

Soap dish

material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)




40 372 001		6.99
------------	--	------

Essentials

Crystal glass

material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)



40 448 001	chrome	39.16
40 448 DC1	supersteel	54.58
40 448 EN1	brushed nickel	62.49

Essentials

Soap dispenser with holder


material: glass / metal
filling quantity 160 ml
consisting of:
holder (40 369 001)
soap dispenser (40 394 001)
concealed fastening

GROHE StarLight chrome finish

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

GROHE ESSENTIALS

Ref. No. Colour Price netto (€)



40 444 001	chrome	26.66
40 444 DC1	supersteel	37.49
40 444 EN1	brushed nickel	42.91


Essentials

Soap dish with holder

material: glass / metal
consisting of:
holder (40 369 001)
soap dish (40 368 001)
concealed fastening

GROHE StarLight chrome finish

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)



40 447 001	chrome	26.24
40 447 DC1	supersteel	36.66
40 447 EN1	brushed nickel	41.66


Essentials

Crystal glass with holder

material: glass / metal
consisting of:
holder (40 369 001)
Glass cup (40 372 001)
concealed fastening

GROHE StarLight chrome finish

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)



40 365 001	chrome	21.24
40 365 DC1	supersteel	29.58
40 365 BE1	polished nickel	31.66
40 365 EN1	brushed nickel	33.74
40 365 GL1	cool sunrise	31.66
40 365 GN1	brushed cool sunrise	33.74
40 365 DA1	warm sunset	31.66
40 365 DL1	brushed warm sunset	33.74
40 365 A01	hard graphite	31.66
40 365 AL1	brushed hard graphite	33.74


Essentials

Towel ring

material: metal
concealed fastening

GROHE StarLight chrome finish

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)



40 371 001	chrome	37.49
40 371 DC1	supersteel	52.08
40 371 BE1	polished nickel	55.83
40 371 EN1	brushed nickel	59.58
40 371 GL1	cool sunrise	55.83
40 371 GN1	brushed cool sunrise	59.58
40 371 DA1	warm sunset	55.83
40 371 DL1	brushed warm sunset	59.58
40 371 A01	hard graphite	55.83
40 371 AL1	brushed hard graphite	59.58

Essentials









Towel bar

material: metal
2 arms, pivotable
439 mm

concealed fastening


GROHE StarLight chrome finish

suitable for screwing (including screws and dowels)

	Ref. No.	Colour	Price netto (€)
 	40 688 001	chrome	30.83
	40 688 DC1	supersteel	42.91
	40 688 BE1	polished nickel	45.83
	40 688 EN1	brushed nickel	49.16
	40 688 GL1	cool sunrise	45.83
	40 688 GN1	brushed cool sunrise	49.16
	40 688 DA1	warm sunset	45.83
	40 688 DL1	brushed warm sunset	49.16
	40 688 A01	hard graphite	45.83
	40 688 AL1	brushed hard graphite	49.16
<p>Essentials Towel rail material: metal 504 mm (functional length 450 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>			
 	40 366 001	chrome	33.33
	40 366 DC1	supersteel	47.08
	40 366 BE1	polished nickel	50.41
	40 366 EN1	brushed nickel	53.74
	40 366 GL1	cool sunrise	50.41
	40 366 GN1	brushed cool sunrise	53.74
	40 366 DA1	warm sunset	50.41
	40 366 DL1	brushed warm sunset	53.74
	40 366 A01	hard graphite	50.41
	40 366 AL1	brushed hard graphite	53.74
<p>Essentials Towel rail material: metal 654 mm (functional length 600 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>			
 	40 386 001	chrome	42.08
	40 386 DC1	supersteel	58.74
	40 386 BE1	polished nickel	63.33
	40 386 EN1	brushed nickel	67.49
	40 386 GL1	cool sunrise	63.33
	40 386 GN1	brushed cool sunrise	67.49
	40 386 DA1	warm sunset	63.33
	40 386 DL1	brushed warm sunset	67.49
	40 386 A01	hard graphite	63.33
	40 386 AL1	brushed hard graphite	67.49
<p>Essentials Towel rail material: metal 854 mm (functional length 800 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>			
 	40 802 001	chrome	57.49
	40 802 DC1	supersteel	80.41
	40 802 BE1	polished nickel	87.49
	40 802 EN1	brushed nickel	91.66
	40 802 GL1	cool sunrise	87.49
	40 802 GN1	brushed cool sunrise	91.66
	40 802 DA1	warm sunset	87.49
	40 802 DL1	brushed warm sunset	91.66
	40 802 A01	hard graphite	87.49
	40 802 AL1	brushed hard graphite	91.66
<p>Essentials Double towel rail material: metal 654 mm (functional length 600 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels)</p>			


GROHE ESSENTIALS

Ref. No. Colour Price netto (€)




40 800 001	chrome	112.49
40 800 DC1	supersteel	158.33
40 800 BE1	polished nickel	170.83
40 800 EN1	brushed nickel	182.50
40 800 GL1	cool sunrise	170.83
40 800 GN1	brushed cool sunrise	182.50
40 800 DA1	warm sunset	170.83
40 800 DL1	brushed warm sunset	182.50
40 800 A01	hard graphite	170.83
40 800 AL1	brushed hard graphite	182.50

Essentials
Multi bath towel rack
material: metal
604 mm (functional length 550 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)




40 364 001	chrome	11.66
40 364 DC1	supersteel	16.24
40 364 BE1	polished nickel	17.08
40 364 EN1	brushed nickel	18.33
40 364 GL1	cool sunrise	17.08
40 364 GN1	brushed cool sunrise	18.33
40 364 DA1	warm sunset	17.08
40 364 DL1	brushed warm sunset	18.33
40 364 A01	hard graphite	17.08
40 364 AL1	brushed hard graphite	18.33

Essentials
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)




40 421 001	chrome	33.33
40 421 DC1	supersteel	47.08
40 421 BE1	polished nickel	50.41
40 421 EN1	brushed nickel	53.74
40 421 GL1	cool sunrise	50.41
40 421 GN1	brushed cool sunrise	53.74
40 421 DA1	warm sunset	50.41
40 421 DL1	brushed warm sunset	53.74
40 421 A01	hard graphite	50.41
40 421 AL1	brushed hard graphite	53.74

Essentials
Grip bar
material: metal
349 mm (functional length 295 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)











40 793 001	chrome	47.91
40 793 DC1	supersteel	67.08

Essentials
Grip bar
material: metal
507 mm (functional length 450 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)




40 794 001	chrome	57.49
40 794 DC1	supersteel	80.41

Essentials
Grip bar
material: metal
657 mm (functional length 600 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

	Ref. No.	Colour	Price netto (€)		
		40 797 001	chrome	149.99	
		<p>Essentials Grip bar material: metal 737 x 997 mm (functional length 680 x 940 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels)</p>			
		40 799 001	chrome	38.33	
		40 799 DC1	supersteel	53.74	
<p>Essentials Glass shelf material: glass / metal 530 mm (functional length 380 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>					
		40 689 001	chrome	24.99	
		40 689 DC1	supersteel	34.99	
		40 689 BE1	polished nickel	37.49	
		40 689 EN1	brushed nickel	39.99	
		40 689 GL1	cool sunrise	37.49	
		40 689 GN1	brushed cool sunrise	39.99	
		40 689 DA1	warm sunset	37.49	
		40 689 DL1	brushed warm sunset	39.99	
		40 689 A01	hard graphite	37.49	
		40 689 AL1	brushed hard graphite	39.99	
		<p>Essentials Toilet paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>			
				40 367 001	chrome
40 367 DC1	supersteel			38.74	
40 367 BE1	polished nickel			41.66	
40 367 EN1	brushed nickel			44.58	
40 367 GL1	cool sunrise			41.66	
40 367 GN1	brushed cool sunrise			44.58	
40 367 DA1	warm sunset			41.66	
40 367 DL1	brushed warm sunset			44.58	
40 367 A01	hard graphite			41.66	
40 367 AL1	brushed hard graphite			44.58	
<p>Essentials Toilet paper holder material: metal with cover concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>					

GROHE ESSENTIALS


Ref. No. Colour Price netto (€)



40 385 001	chrome	21.24
40 385 DC1	supersteel	29.58
40 385 BE1	polished nickel	31.66
40 385 EN1	brushed nickel	33.74
40 385 GL1	cool sunrise	31.66
40 385 GN1	brushed cool sunrise	33.74
40 385 DA1	warm sunset	31.66
40 385 DL1	brushed warm sunset	33.74
40 385 A01	hard graphite	31.66
40 385 AL1	brushed hard graphite	33.74

Essentials
Spare toilet paper holder

material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)



40 374 001	chrome	34.58
40 374 DC1	supersteel	48.33
40 374 BE1	polished nickel	51.66
40 374 EN1	brushed nickel	54.99
40 374 GL1	cool sunrise	51.66
40 374 GN1	brushed cool sunrise	54.99
40 374 DA1	warm sunset	51.66
40 374 DL1	brushed warm sunset	54.99
40 374 A01	hard graphite	51.66
40 374 AL1	brushed hard graphite	54.99

Essentials
Toilet brush set

material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 791 001	white	5.16
40 791 KS1	velvet black	5.16


Spare brush head

40 392 000	chrome	26.00
40 392 DC0	supersteel	36.00

Spare brush

40 393 000	daVinci satin white	21.00
------------	---------------------	-------


Spare glass



40 407 001	chrome	66.24
40 407 DC1	supersteel	91.66

Essentials
City restroom accessories set 3-in-1

material: glass / metal
consisting of:
toilet brush set (40 374 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)






40 775 001	chrome	65.41
40 775 DC1	supersteel	91.66
40 775 EN1	brushed nickel	104.16

Essentials
Guest bathroom accessories set 3-in-1



material: metal
consisting of:
towel rail, 600 mm (40 366 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

GROHE ESSENTIALS

	Ref. No.	Colour	Price netto (€)
	40 776 001 40 776 DC1	chrome supersteel	83.33 116.66
	<p>Essentials Master bathroom accessories set 4-in-1 material: metal consisting of: towel ring (40 365 001) robe hook (40 364 001) toilet paper holder (40 367 001) towel rail, 600 mm (40 366 001) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>		
	40 846 001	chrome	104.16
	<p>Essentials Master bathroom accessories set 4-in-1 material: metal consisting of: soap dispenser with holder (40 448 001) crystal glass with holder (40 447 001) double towel bar (40 371 001), suitable for screwing only (including screws and dowels) robe hook (40 364 001) concealed fastening GROHE StarLight finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>		
	40 344 001 40 344 DC1	chrome supersteel	108.33 149.99
	<p>Essentials Master bathroom accessories set 5-in-1 material: glass / metal consisting of: towel ring (40 365 001) towel rail, 600 mm (40 366 001) robe hook (40 364 001) paper holder with cover (40 367 001) soap dish with holder (40 444 001) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>		

GROHE ESSENTIALS CUBE


Ref. No. Colour Price netto (€)



40 508 001 chrome 27.91
40 508 DC1 supersteel 38.74
40 508 AL1 brushed hard graphite 44.58

Essentials Cube Holder


material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish



40 394 001 chrome 17.08
40 394 DC1 supersteel 24.16
40 394 AL1 brushed hard graphite 27.49

Essentials Soap dispenser


material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish



40 368 001 glass clear 5.74

Essentials Soap dish


material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)



40 372 001 6.99

Essentials Crystal glass


material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)



40 756 001 chrome 44.99

Essentials Cube Soap dispenser with holder

material: glass / metal
filling quantity 160 ml
consisting of:
holder (40 508 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish















40 755 001 chrome 33.33














Essentials Cube Crystal glass with holder

material: glass / metal
consisting of:
holder (40 508 001)
crystal glass (40 372 001)
concealed fastening
GROHE StarLight chrome finish

GROHE ESSENTIALS CUBE



	Ref. No.	Colour	Price netto (€)
 	40 754 001 Essentials Cube Soap dish with holder material: glass / metal consisting of: holder (40 508 001) soap dish (40 368 001) concealed fastening GROHE StarLight chrome finish	chrome	33.74
 	40 510 001 40 510 DC1 40 510 AL1 Essentials Cube Towel ring material: metal concealed fastening GROHE StarLight chrome finish	chrome supersteel brushed hard graphite	38.33 53.74 61.24
 	40 624 001 40 624 DC1 40 624 AL1 Essentials Cube Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE StarLight chrome finish	chrome supersteel brushed hard graphite	53.74 75.41 87.49
 	40 509 001 40 509 DC1 40 509 AL1 Essentials Cube Towel rail material: metal 600 mm (functional length 558 mm) concealed fastening GROHE StarLight chrome finish	chrome supersteel brushed hard graphite	42.49 59.58 68.33
 	40 512 001 40 512 DC1 40 512 AL1 Essentials Cube Multi-towel rack material: metal 600 mm (functional length 558 mm) concealed fastening GROHE StarLight chrome finish	chrome supersteel brushed hard graphite	141.66 199.17 224.17
 	40 511 001 40 511 DC1 40 511 AL1 Essentials Cube Robe hook material: metal concealed fastening GROHE StarLight chrome finish	chrome supersteel brushed hard graphite	16.24 22.49 25.83

GROHE ESSENTIALS CUBE

	Ref. No.	Colour	Price netto (€)
	40 514 001	chrome	57.49
	40 514 DC1	supersteel	80.41
	40 514 AL1	brushed hard graphite	91.66
	Essentials Cube Grip bar material: metal 392 mm (functional length 340 mm) concealed fastening GROHE StarLight chrome finish		
	40 507 001	chrome	32.08
	40 507 DC1	supersteel	44.99
	40 507 AL1	brushed hard graphite	51.66
	Essentials Cube Toilet paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish		
	40 623 001	chrome	26.66
	40 623 DC1	supersteel	37.49
	40 623 AL1	brushed hard graphite	42.91
	Essentials Cube Spare toilet paper holder material: metal wall mounted concealed fastening GROHE StarLight chrome finish		
	40 513 001	chrome	55.41
	40 513 DC1	supersteel	77.91
	40 513 AL1	brushed hard graphite	87.49
	Essentials Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish		
	40 791 001	white	5.16
	40 791 KS1	velvet black	5.16
	40 392 000	chrome	26.00
	40 392 DC0	supersteel	36.00
	40 392 AL0	brushed hard graphite	*
	40 393 000	daVinci satin white	21.00
	Essentials Cube Spare glass		
	40 757 001	chrome	91.66
	Essentials Cube City restroom accessories set 3-in-1 material: glass / metal consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening GROHE StarLight chrome finish		
			



GROHE ESSENTIALS CUBE

Ref. No. Colour Price netto (€)




40 777 001 **chrome** **81.66**

Essentials Cube
Guest bathroom accessories set 3-in-1
 material: metal
 consisting of:
 robe hook (40 511 001)
 toilet paper holder (40 507 001)
 towel rail, 558 mm (40 509 001)
 concealed fastening
GROHE StarLight chrome finish




40 778 001 **chrome** **116.66**

Essentials Cube
Master bathroom accessories set 4-in-1
 material: metal
 consisting of:
 robe hook (40 511 001)
 towel ring (40 510 001)
 toilet paper holder (40 507 001)
 towel rail, 558 mm (40 509 001)
 concealed fastening
GROHE StarLight chrome finish



40 847 001 **chrome** **133.33**

Essentials Cube
Bathroom accessories set 4-in-1
 material: glass / metal
 consisting of:
 soap dispenser with holder (40 756 001)
 crystal glass with holder (40 755 001)
 double towel bar (40 624 001)
 robe hook (40 511 001)
 concealed fastening
GROHE StarLight finish




40 758 001 **chrome** **145.83**

Essentials Cube
Master bathroom accessories set 5-in-1
 material: glass / metal
 consisting of:
 soap dish with holder (40 754 001)
 towel rail, 558 mm (40 509 001)
 toilet paper holder (40 507 001)
 robe hook (40 511 001)
 towel ring (40 510 001)
 concealed fastening
GROHE StarLight chrome finish

GROHE BAUCOSMOPOLITAN


Ref. No. Colour Price netto (€)



40 585 001 **chrome** **16.66**

BauCosmopolitan Holder


material: metal
for crystal glass (40 372 001),
soap dish (40 368 001) or
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000
sold separately)



40 394 001 **chrome** **17.08**

Essentials Soap dispenser


material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish



40 368 001 **glass clear** **5.74**

Essentials Soap dish


material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)



40 372 001 **6.99**

Essentials Crystal glass


material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)



40 460 001 **chrome** **16.66**

BauCosmopolitan Towel ring

material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000
sold separately)













40 459 001 **chrome** **24.16**

BauCosmopolitan Towel rail

material: metal
522 mm (functional length 430 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000
sold separately)

GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	40 462 001	chrome	87.49
	BauCosmopolitan Multi-towel rack material: metal 564 mm (functional length 510 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels)		
 	40 461 001	chrome	9.99
	BauCosmopolitan Robe hook material: metal concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)		
 	40 457 001	chrome	20.83
	BauCosmopolitan Paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)		
 	40 463 001	chrome	27.08
	BauCosmopolitan Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)		
	40 791 001	white	5.16
	40 791 KS1	velvet black	5.16
	Spare brush head		
	40 392 000	chrome	26.00
	Spare brush		
	40 393 000	daVinci satin white	21.00
	Spare glass		
 	40 663 001	chrome	47.08
	BauCosmopolitan Soap wire basket material: metal for corner installation large suitable for screwing (including screws and dowels)		

GROHE BAUCOSMOPOLITAN

Ref. No.


Colour

Price netto (€)

40 664 001

chrome

37.49



**BauCosmopolitan
Soap wire basket**

material: metal

for corner installation











small

suitable for screwing (including screws and dowels)

GROHE ESSENTIALS AUTHENTIC

	Ref. No.	Colour	Price netto (€)
 	40 652 001 40 652 EN1	chrome brushed nickel	21.24 33.74
Essentials Authentic Holder material: metal for crystal glass (40 372 001), soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish			
 	40 394 001 40 394 EN1	chrome brushed nickel	17.08 27.49
Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish			
 	40 368 001	glass clear	5.74
Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	40 372 001		6.99
Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	40 655 001 40 655 EN1	chrome brushed nickel	21.24 33.74
Essentials Authentic Towel ring material: metal concealed fastening GROHE StarLight chrome finish			
 	40 653 001 40 653 EN1	chrome brushed nickel	33.33 53.74
Essentials Authentic Towel rail material: metal 626 mm (functional length 582 mm) concealed fastening GROHE StarLight chrome finish			

GROHE ESSENTIALS AUTHENTIC



	Ref. No.	Colour	Price netto (€)
 	40 654 001 40 654 EN1	chrome brushed nickel	57.49 91.66
Essentials Authentic Double towel rail material: metal 626 mm (functional length 582 mm) concealed fastening GROHE StarLight chrome finish			
 	40 660 001 40 660 EN1	chrome brushed nickel	112.49 182.50
Essentials Authentic Multi-towel rack material: metal 586 mm (functional length 542 mm) concealed fastening GROHE StarLight chrome finish			
 	40 656 001 40 656 EN1	chrome brushed nickel	11.66 18.33
Essentials Authentic Robe hook material: metal concealed fastening GROHE StarLight chrome finish			
 	40 657 001 40 657 EN1	chrome brushed nickel	24.99 39.99
Essentials Authentic Toilet paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish			
 	40 658 001 40 658 EN1	chrome brushed nickel	34.58 54.99
Essentials Authentic Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish			
	40 791 001 40 791 KS1	white velvet black	5.16 5.16
Spare brush head			
	40 392 000	chrome	26.00
Spare brush			
	40 393 000	daVinci satin white	21.00
Spare glass			

GROHE ESSENTIALS AUTHENTIC

Ref. No.

Colour

Price netto (€)



40 659 001
40 659 EN1

chrome
brushed nickel

37.49
59.99

Essentials Authentic
Filling basket, small
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHTHERM THERMOSTATS





CONTENTS

Grotherm SmartControl	223
Grotherm 2 handle trim sets	236
Grotherm 3000 Cosmopolitan	242
Grotherm 2000	243
Grotherm Cube	246
Grotherm 1000	250
Grotherm 1000 Performance	252
Grotherm 800 Cosmopolitan	254
Grotherm 800	256

SAFETY NOTE

Avoiding scalding

For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremely important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grotherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grotherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.


GROHE TURBOSTAT



Always the right temperature, for ultimate convenience and safety.


GROHE TurboStat technology lies at the heart of our Grohtherm thermostats. The thermo-element's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower. No more time and water wasted getting the temperature right. And if the cold water supply fails, it reacts instantly: hot water will shut off automatically to avoid the risk of scalding.

Compensating precisely for fluctuations in temperature and pressure results in a consistent and comfortable shower throughout.



Exceptionally swift reaction to water-pressure fluctuations.

- **without** GROHE TurboStat
- **with** GROHE TurboStat



The GROHE TurboStat thermo-element at the heart of GROHE thermostats.



GROHE COOLTOUCH





Safety first with 100% GROHE CoolTouch.


GROHE's CoolTouch technology ensures that the entire outer surface never exceeds your preferred shower temperature. By designing our thermostats to include an innovative cooling channel, we have created a barrier between the hot water and the chrome surface - so it's never too hot to handle. This safety measure is especially useful for children, who can not always judge whether something they touch is dangerously hot.



Safety surround = 100% GROHE CoolTouch No risk of scalding



Thermal image
without GROHE CoolTouch



Thermal image
with GROHE CoolTouch

Safety housing with water cooling

THE NOT-SO-HIDDEN BENEFITS: GROHE SMARTCONTROL CONCEALED

Space – we’d all like to have more of it, especially in the shower area where it is often in short supply. So when you have the luxury of planning your shower from scratch, GROHE SmartControl Concealed is a wonderful option. With its concealed installation and exceedingly slim design, GROHE SmartControl Concealed offers more space under the shower and an uncluttered, clean look.

Of course, GROHE SmartControl Concealed also offers the many features shared by GROHE SmartControl Exposed and the GROHE Combi shower system: from precise and intuitive volume and temperature control to your choice of shower sprays at the touch of a button.



Wall plates adjustable by six degrees

One rough-in runs up to three shower/bath filler functions with just one trim

Easy job-side mounting, no bench vice needed

Only 75 mm minimum installation depth

Optional service stops for retrofit

Always compliant with retrofit backflow protection

Efficient piping thanks to bottom inlets

Control up to three shower functions for a better shower experience


Intuitive operation and perfect control of water volume through SmartControl

Concealed technology and elegant super slim design – 43 mm – for more space under the shower

NEW GROHE TWO-HANDLE THERMOSTATS: ROUND, SQUARE OR CUBE?

Our new thermostats with conventional operation are anything but conventional. We have designed them to be as user-friendly and intuitive as possible. Turn on the hand shower by rotating the upper control button slightly to the left. To switch over to the head shower, turn the control button towards the right. Also available as 1-function model to operate a single shower. The exceedingly narrow plates, with a height of just 10 mm and the slim design of the controls, ensure that the overall outreach is a mere 43mm. Offering the choice between round, square and cube shapes, our thermostats appeal not only to lovers of geometry. Representing the perfect balance between form and function, our two-handle thermostats provide a beautiful centrepiece for every shower.

All Grohtherm Concealed thermostats are made to fit our new universal solution: the GROHE Rapido SmartBox system.



THE BEST OF BOTH WORLDS: **GROHE SMARTCONTROL** COMBI SHOWER SYSTEM

Flexibility best describes the reason for choosing the GROHE SmartControl combi shower system, which offers a range of different installation options and possible combinations.

This means for example, that you are free to position the thermostat either vertically under the showerhead or, if you choose, away from the central axis – or even on one of the side walls of the shower. Flexibility also extends to the way you can combine the thermostat with other GROHE head, hand or body showers, creating your own personal shower experience. You also have the option of turning your bath into a shower – by combining the SmartControl thermostat with a bathtub inlet and a hand shower.



Easy cleaning
Flush to wall mounting

SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow

Integrated GROHE EasyReach tray
Easily accessible storage by optional shelf. Easy to clean.

100% GROHE CoolTouch
No risk of scalding on hot metal surfaces

SafeStop
Temperature stop protects against scalding.

GROHE TurboStat
For a perfect water temperature at all times.

DISCOVER THE NEW STANDARD IN EXPOSED THERMOSTATS: **GROHTHERM SMARTCONTROL EXPOSED**

We are proud to present our Grohtherm SmartControl: a major new development in exposed thermostats. Available as separate units, Grohtherm SmartControl exposed thermostats combine the design of GROHE and the comfort of SmartControl. We've given it a compact shape to offer more space under the shower and its EasyReach tray makes plenty of room on top for shower accessories. A forward-facing thermostat button makes operation from the front most convenient. And like all GROHE thermostats, Grohtherm SmartControl comes equipped with TurboStat for precise temperature control and 100 % CoolTouch to keep thermostat surfaces at a safe temperature and avoid scalding.



Integrated GROHE EasyReach tray
Easily accessible storage by optional shelf. Easy to clean.

SmartControl push for ON-OFF,
turn for volume adjustment from EcoJoy to Full Flow

SafeStop
Temperature stop protects against scalding.

GROHE TurboStat
For a perfect water temperature at all times.


100% GROHE CoolTouch
No risk of scalding on hot surfaces

GROHTHERM 3000 COSMOPOLITAN

Minimalist & 100% GROHE CoolTouch.

Grotherm 3000 Cosmopolitan thermostats are based on an aesthetic philosophy based on simple cylinders in perfect proportions, creating balance and harmony enhanced by GROHE StarLight chrome, a deep luxurious finish.

While GROHE TurboStat maintains your perfect water temperature, GROHE CoolTouch eliminates the risk of scalding from hot chrome surfaces, while the EcoButton enables you to reduce your water consumption up to 50%.



GROHTHERM 2000

100% GROHE CoolTouch, advanced ergonomics & EasyReach tray.

The elegant design of Grohtherm 2000 ensures it will complement any bathroom design. Experience the beauty of the XL WaterFall from our exposed bath/shower thermostat. Enjoy the convenience of the GROHE EasyReach shower tray, with easy-to-clean integrated storage for your shampoo or soap.

Featuring 100% GROHE CoolTouch, the solid metal housing of Grohtherm 2000 remains cool and safe at all times. With GROHE TurboStat you will always enjoy your perfect water temperature, independent of any fluctuations in water pressure. Grohtherm 2000 thermostats are available with and without the metal made GROHE EasyReach storage.



GROHE TurboStat
For a perfect water temperature at all times.

GROHE EasyReach
Easily accessible storage by optional shelf. Easy to clean.

GROHE Aqua Paddle
Beautiful ergonomics for ease of use and precise water control.

GROHE Aquadimmer Eco
The water-saving system for bath and shower.

GROHE XL Waterfall
Wide bath spout with XL-size silent water flow.

100% GROHE CoolTouch
No scalding from hot surfaces; the child-friendly solution.

GROHTHERM CUBE

100% Cube.

For years, GROHE has been synonymous with thermostats for the bathroom, with over 30 million sold worldwide. With the launch of this pure Cubist thermostat range, GROHE offers innovative design combined with the highest quality standards. From its Cubist design and its water-saving options to the smart EasyReach soap tray – Grohtherm Cube thermostats and shower systems offer full enjoyment to the last detail, perfectly matching several GROHE cubic faucet and shower designs.



GROHE EasyReach
Easily accessible storage by optional shelf. Easy to clean.

GROHE Aquadimmer Eco
The water-saving system for bath and shower.


GROHE TurboStat
For a perfect water temperature at all times.

GROHE XL Waterfall
Wide bath spout with XL-size silent water flow.

GROHTHERM 1000

ULTIMATE COMFORT WITH GROHE COOLTOUCH.

Enjoy taking a refreshing shower more than ever before. The Grohtherm 1000 with contemporary design offers a GROHE CoolTouch compact body, ergonomically shaped metal handles, GROHE TurboStat technology and water-saving eco functions.



GROHE TurboStat
For a perfect water temperature at all times.

GROHE CoolTouch compact body
No risk of scalding on the body.

MetalGrip
ergonomic metal handle with paddle for enhanced grip

EasyLogic
improved intuitive graphics on body

SafeStop
Safety lock protects against scalding.

Organic shaped spout
extruding from body

GROHE AquaDimmer Eco
Switch between spout and shower with water saving function for shower.

GROHTHERM 1000 PERFORMANCE

new

COOLTOUCH THERMOSTAT WITH PROGRIP.


Transform your shower into a smart comfort zone. GROHE TurboStat provides you with a constant water temperature without the hot or cold surprises during your shower. The smart designed ProGrip gives you precise control on waterflow and temperature and thanks to the internal cooling channel of GROHE CoolTouch, the complete shower body never exceeds your showering temperature.



GROHE TurboStat
For a perfect water temperature at all times.

GROHE CoolTouch compact body
No risk of scalding on the body.

Smart Ergonomics
GROHE ProGrip with knurl structure combines ergonomic grip with amazing shape



SafeStop
Safety lock protects against scalding.

EasyLogic
improved intuitive graphics on body

GROHE AquaDimmer Eco
Switch between spout and shower with water saving function for shower.

GROHTHERM 800 COSMOPOLITAN

new

THERMOSTATS

Minimalistic design with ergonomic metal handle.

Offering quality, technology and design at a competitive price, Grohtherm 800 Cosmopolitan is our most compact thermostat. Crafted from a series of perfect cylinders, its slender design is the preferred choice for modern, architectural-style spaces.



GROHTHERM 800

SAFE AND ERGONOMIC.

Experience the benefits of a thermostatically controlled shower at an attractive price. Finished in sparkling GROHE StarLight chrome, Grohtherm 800 benefits from GROHE TurboStat technology, ensuring luxurious showering at a constant temperature. The SafeStop button, set at 38°C, prevents children from turning up the temperature, while the EcoButton allows you to reduce water usage.



SafeStop
Temperature stop
protects against
scalding.

Eco Button
Saving up to 50% water


GROHE TurboStat
For a perfect water
temperature at all times.

EasyLogic
improved intuitive
graphics on body

GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)

29 123 000	chrome	450.00
29 123 DC0	supersteel	593.00
29 123 GN0	brushed cool sunrise	677.00
29 123 DL0	brushed warm sunset	677.00
29 123 A00	hard graphite	635.00
29 123 AL0	brushed hard graphite	677.00



Grotherm SmartControl

Thermostat for concealed installation with one valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols

GROHE TurboStat compact cartridge
with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

without roughing-in-set

flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

29 124 000	chrome	492.00
29 124 DC0	supersteel	645.00
29 124 GN0	brushed cool sunrise	737.00
29 124 DL0	brushed warm sunset	737.00
29 124 A00	hard graphite	691.00
29 124 AL0	brushed hard graphite	737.00

Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols

GROHE TurboStat compact cartridge
with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set


flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min


35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)

29 125 000 chrome 585.00



**Grotherm SmartControl
Thermostat for concealed installation
with 2 valves and integrated shower holder**

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min
outlet B + hand shower = 27 l/min


35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

29 126 000 chrome 531.00
29 126 DC0 supersteel 698.00
29 126 GN0 brushed cool sunrise 798.00
29 126 DL0 brushed warm sunset 798.00
29 126 A00 hard graphite 748.00
29 126 AL0 brushed hard graphite 798.00

**Grotherm SmartControl
Thermostat for concealed installation with 3 valves**

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min


35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation



GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)


29 127 000	chrome	324.00
29 127 DC0	supersteel	426.00
29 127 GN0	brushed cool sunrise	487.00
29 127 DL0	brushed warm sunset	487.00
29 127 A00	hard graphite	456.00
29 127 AL0	brushed hard graphite	487.00



Grotherm SmartControl Triple volume control trim
set for final installation for GROHE Rapido SmartBox 35 600 000/35 601 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		


29 153 LS0	moon white	546.00
------------	------------	--------



Grotherm SmartControl Thermostat for concealed installation with one valve
set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

29 156 LS0	moon white	621.00
------------	------------	--------



Grotherm SmartControl Thermostat for concealed installation with 2 valves
set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE GROHTHERM SMARTCONTROL

Ref. No.


Colour

Price netto (€)

29 157 LS0

moon white

660.00



Grotherm SmartControl

Thermostat for concealed installation with 3 valves

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet A = 23 l/min

outlet B = 27 l/min

outlet C = 23 l/min

outlet A + B = 33 l/min

outlet A + B + C = 36 l/min

35 600 000

chrome


70.00

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 158 LS0

moon white

385.00



Grotherm SmartControl

Triple volume control trim

set for final installation for

GROHE Rapido SmartBox 35 600 000/35 601 000

metal wall escutcheon with **GROHE QuickFix**

(covered escutcheon and shaft sealing, covered

fixing), retroactively 6° adjustable

10 mm thin profile escutcheon

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

exchangeable symbols

GROHE ProGrip with knurl structure

multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min

outlet D+E+A = 65 l/min

optional flow reducer for CALGreen compliance included

35 600 000


chrome

70.00

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	Price netto (€)
29 118 000	chrome	438.00
29 118 DC0	supersteel	593.00
29 118 BE0	polished nickel	635.00
29 118 EN0	brushed nickel	677.00
29 118 GL0	cool sunrise	635.00
29 118 GN0	brushed cool sunrise	677.00
29 118 DA0	warm sunset	635.00
29 118 DL0	brushed warm sunset	677.00
29 118 A00	hard graphite	635.00
29 118 AL0	brushed hard graphite	677.00



Grotherm SmartControl

Thermostat for concealed installation with one valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow, exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

without roughing-in-set

flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

29 119 000	chrome	492.00
29 119 DC0	supersteel	645.00
29 119 BE0	polished nickel	691.00
29 119 EN0	brushed nickel	737.00
29 119 GL0	cool sunrise	691.00
29 119 GN0	brushed cool sunrise	737.00
29 119 DA0	warm sunset	691.00
29 119 DL0	brushed warm sunset	737.00
29 119 A00	hard graphite	691.00
29 119 AL0	brushed hard graphite	737.00

Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set


flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min


35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)

29 120 000 chrome 573.00




Grohtherm SmartControl
Thermostat for concealed installation
with 2 valves and integrated shower holder
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE ProGrip with knurl structure
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 integrated shower union with shower outlet 1/2"
 without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 hand shower = 12 l/min
 outlet B + hand shower = 27 l/min

35 600 000 chrome 70.00
 GROHE Rapido SmartBox universal rough-in box for concealed installation

29 121 000 chrome 531.00
 29 121 DC0 supersteel 698.00
 29 121 BE0 polished nickel 748.00
 29 121 EN0 brushed nickel 798.00
 29 121 GL0 cool sunrise 748.00
 29 121 GN0 brushed cool sunrise 798.00
 29 121 DA0 warm sunset 748.00
 29 121 DL0 brushed warm sunset 798.00
 29 121 A00 hard graphite 748.00
 29 121 AL0 brushed hard graphite 800.00

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE ProGrip with knurl structure
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min


35 600 000 chrome 70.00
 GROHE Rapido SmartBox universal rough-in box for concealed installation



GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)

29 122 000	chrome	306.00
29 122 DC0	supersteel	426.00
29 122 BE0	polished nickel	456.00
29 122 EN0	brushed nickel	487.00
29 122 GL0	cool sunrise	456.00
29 122 GN0	brushed cool sunrise	487.00
29 122 DA0	warm sunset	456.00
29 122 DL0	brushed warm sunset	487.00
29 122 A00	hard graphite	456.00
29 122 AL0	brushed hard graphite	487.00



Grotherm SmartControl Triple volume control trim

set for final installation for
GROHE Rapido SmartBox 35 600 000/35 601 000

metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
10 mm thin profile escutcheon

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
without roughing-in-set

flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

29 150 LS0	moon white	546.00
------------	------------	--------

Grotherm SmartControl Thermostat for concealed installation with one valve

set for final installation for
GROHE Rapido SmartBox 35 600 000

metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols


GROHE TurboStat compact cartridge
with wax thermoelement

GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
cover plate in moon white acrylic glass
without roughing-in-set

flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min


35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)


29 151 LS0 moon white 622.00



Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation


29 904 LS0 moon white 649.00



Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

29 152 LS0 moon white 385.00



Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000/35 601 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	Price netto (€)
	34 742 000	chrome	1,110.00
<p>Grohtherm SmartControl Perfect shower set consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grohtherm SmartControl set for final installation (29 125 000) GROHE Rapido SmartBox 35 600 000 Rainshower F-Series 10" head shower set (26 070 000) including horizontal shower arm 286 mm Hand shower Power&Soul Cosmopolitan 115 (27 661 000) Silverflex shower hose 1 250 mm (28 362)</p>			
	34 706 000	chrome	1,290.00
<p>Grohtherm SmartControl Perfect shower set with Rainshower SmartActive 310 Cube consisting of: concealed thermostat with 3 valves Grohtherm SmartControl set for final installation (29 126 000) GROHE Rapido SmartBox 35 600 000 Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Silverflex shower hose 1.500 mm (28 364)</p>			
	34 743 000	chrome	1,020.00
<p>Grohtherm SmartControl Perfect shower set consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grohtherm SmartControl set for final installation (29 120 000) GROHE Rapido SmartBox 35 600 000 Rainshower Cosmopolitan 210 head shower set (26 062 000) including horizontal shower arm 286 mm Hand shower Power&Soul Cosmopolitan 115 (27 661 000) Silverflex shower hose 1 250 mm (28 362)</p>			
	34 744 000	chrome	873.00
<p>Grohtherm SmartControl Perfect shower set consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grohtherm SmartControl set for final installation (29 120 000) GROHE Rapido SmartBox 35 600 000 Euphoria 260 head shower set 3 sprays (26 458 000) including horizontal shower arm 380 mm hand shower Euphoria Cosmopolitan Stick (27 400 000) Silverflex shower hose 1 250 mm (28 362)</p>			
	34 705 000	chrome	1,300.00
<p>Grohtherm SmartControl Perfect shower set with Rainshower SmartActive 310 consisting of: concealed thermostat with 3 valves Grohtherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367 000) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p>			

GROHE GROHTHERM SMARTCONTROL

Ref. No.

Colour

Price netto (€)



14 077 XH0


chrome/frosted granite

23.00

SmartControl
Caps concealed
consisting of:
9 caps with 6 different symbols
fits Grohtherm SmartControl and SmartControl
mixer sets for final installation

GROHE GROHTHERM SMARTCONTROL


Ref. No. Colour Price netto (€)



34 713 000 chrome 740.00

Grotherm SmartControl
Combi thermostatic shower mixer with 3 valves, exposed/concealed
 wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 exchangeable symbols
GROHE EasyReach shower tray shower bottom outlet 1/2"
 multiple outlets can be run simultaneously
 protected against backflow


requires concealed body 26 449 000 – to be ordered separately



34 714 000 chrome 704.00

Grotherm SmartControl
Combi thermostatic shower mixer with 2 valves, exposed/concealed
 wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE EasyReach shower tray shower bottom outlet 1/2"
 multiple outlets can be run simultaneously
 protected against backflow

requires concealed body 26 449 000 – to be ordered separately



26 449 000 chrome 125.00

Concealed body for exposed/concealed variants
 wall mounted
 2 outlets 1/2"
 installation depth 75-105 mm
 flushing plug
 wall sealing
 installation device

GROHE GROHTHERM SMARTCONTROL

Ref. No.


Colour

Price netto (€)

34 719 000

chrome

270.00



Grotherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted

GROHE CoolTouch no risk of scalding

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

shower bottom outlet 1/2"


built-in non return valves and dirt strainers

protected against backflow

34 718 000

chrome

333.00



Grotherm SmartControl
Thermostatic bath mixer 1/2"
wall mounted

GROHE CoolTouch no risk of scalding

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

shower bottom outlet 1/2"

bath spout with mousseur


built-in non return valves and dirt strainers

protected against backflow

34 721 000

chrome

351.00



Grotherm SmartControl
Thermostatic shower mixer 1/2" with shower set

consisting of:


Grotherm SmartControl thermostatic shower mixer (34 719 000)

Euphoria 110 Massage shower set, 900 mm (27 226 001)

34 720 000

chrome

409.00



Grotherm SmartControl
Thermostatic shower mixer 1/2" with shower set

consisting of:

Grotherm SmartControl thermostatic shower mixer (34 719 000)

Euphoria 110 Massage shower set,
600 mm (27 231)

GROHE GROHTHERM SMARTCONTROL

Ref. No.

Colour

Price netto (€)

14 079 XH0

chrome/frosted granite

16.00

SmartControl

Caps exposed

consisting of:

3 caps with 3 different symbols


fits Euphoria SmartControl shower systems



GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No. Colour Price netto (€)


24 078 000 chrome 318.00



Grotherm
Thermostatic mixer for 1 outlet with shut off valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 ceramic stop valve, 120°
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
 without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation


24 079 000 chrome 361.00



Grotherm
Thermostatic shower mixer for 2 outlets
with integrated shut off/diverter valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed head and hand shower symbol
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
 without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 080 000 chrome 354.00



Grotherm
Thermostatic bath tub mixer for 2 outlets
with integrated shut off/diverter valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed shower and bath symbol
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
 without roughing-in-set









35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.

Colour


Price netto (€)

		<p>34 728 000</p> <p>chrome</p> <p>540.00</p> <p>Grotherm Perfect shower set with Tempesta 210 consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</p>
		<p>34 729 000</p> <p>chrome</p> <p>609.00</p> <p>Grotherm Perfect shower set with Tempesta 210 consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II (27 597) shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)</p>
		<p>34 730 000</p> <p>chrome</p> <p>1,100.00</p> <p>Grotherm Perfect shower set with Rainshower Cosmopolitan 310 consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) metal head shower Rainshower Cosmopolitan 310 (27 477 000) Rainshower shower arm 422 mm (26 145 000) hand shower Sena (28 034 000) Rainshower wall holder (27 075 000) Rainshower wall elbow connection (27 076 000) Silverflex shower hose 1 250 mm (28 362)</p>
		<p>34 734 000</p> <p>chrome</p> <p>824.00</p> <p>Grotherm Perfect shower set with Rainshower Cosmopolitan 210 consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) metal head shower Rainshower Cosmopolitan 210 (28 368 000) shower arm Rainshower 422 mm (26 146 000) Euphoria hand shower (27 265) shower outlet elbow (28 628 000) Silverflex shower hose 1 250 mm (28 362)</p>

GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No. Colour Price netto (€)

24 075 000 chrome 324.00




Grotherm
Thermostatic mixer for 1 outlet with shut off valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermostatic element
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 076 000 chrome 361.00




Grotherm
Thermostatic shower mixer for 2 outlets
with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermostatic element
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 077 000 chrome 361.00



Grotherm
Thermostatic bath tub mixer for 2 outlets
with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermostatic element
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation


GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.

Colour

Price netto (€)

THERMOSTATS



34 726 000

chrome


540.00

Grotherm

Perfect shower set with Tempesta 210

consisting of:

Grotherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower, wall holder, wall elbow connection
and shower hose to be ordered separately



34 727 000

chrome


609.00

Grotherm

Perfect shower set with Tempesta 210

consisting of:

Grotherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II (27 597)
shower outlet elbow (28 628 000)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)



34 731 000

chrome


1,100.00

Grotherm

Perfect shower set with Rainshower Cosmopolitan 310

consisting of:

Grotherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
shower arm Rainshower 422 mm (26 146 000)
hand shower Sena (28 034 000)
Rainshower wall holder (27 074 000)
Rainshower wall elbow connection (27 057 000)
Silverflex shower hose 1 250 mm (28 362)



34 732 000

chrome

957.00

Grotherm

Perfect shower set with Rainshower Cosmopolitan 210

consisting of:


Grotherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan 210 metal head shower (28 373)
Rainshower shower arm 286 mm (28 576)
hand shower Sena (28 034 000)
Rainshower wall holder (27 074 000)
Rainshower wall elbow connection (27 057 000)
Silverflex shower hose 1 250 mm (28 362)

GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.

Colour

Price netto (€)



34 735 000

chrome

636.00

Grotherm

Perfect shower set with Rainshower Cosmopolitan 160

consisting of:

- Grotherm set for final installation with Aquadimmer (24 076)
- GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
- Rainshower Cosmopolitan head shower 160mm (27 134)
- Rainshower shower arm 286 mm (28 576)
- Euphoria hand shower (27 265)
- shower outlet elbow (28 628 000)
- Silverflex shower hose 1 250 mm (28 362)

24 153 000

chrome

412.00

24 153 DC0

supersteel

576.00

24 153 AL0

brushed hard graphite

658.00

Grotherm Cube

Thermostatic mixer for 1 outlet with shut off valve

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE TurboStat compact cartridge

with wax thermostatic element

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix** (covered

escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers


ceramic stop valve, 120°

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set



35 600 000

chrome

70.00

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 154 000

chrome

469.00

24 154 DC0

supersteel

642.00

24 154 AL0

brushed hard graphite

734.00

Grotherm Cube

Thermostatic shower mixer for 2 outlets

with integrated shut off/diverter valve

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE TurboStat compact cartridge

with wax thermostatic element

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix** (covered

escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed head and hand shower symbol

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included


GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set



35 600 000

chrome


70.00

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No. Colour Price netto (€)


24 155 000	chrome	469.00
24 155 DC0	supersteel	642.00
24 155 AL0	brushed hard graphite	734.00



Grotherm Cube
Thermostatic bath tub mixer for 2 outlets
with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermostatic element
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



34 741 000	chrome	1,110.00
------------	--------	----------

Grotherm Cube
Perfect shower set with Rainshower Allure 230

consisting of:
Grotherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9,5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1 250 mm (28 362)

GROHE GROHTHERM 3000 COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

34 274 000

chrome

471.00



Grotherm 3000 Cosmopolitan Thermostatic shower mixer 1/2"

wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermostatic element

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

Carborundum ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow


covered S-unions, CoolTouch escutcheons with wall sealing

GROHE EcoJoy technology for less water and perfect flow

34 276 000

chrome

527.00



Grotherm 3000 Cosmopolitan Thermostatic bath mixer 1/2"

wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermostatic element

integrated mixed water shut off

Aquadimmer with multiple function

- flow control

- diverter: bath/shower

shower bottom outlet 1/2"

mousseur

built-in non return valves

dirt strainers

protected against backflow

covered S-unions, CoolTouch escutcheons with wall sealing

GROHE EcoJoy technology for less water and perfect flow

47 175 000

104.00



GROHE TurboStat cartridge 1/2"

for reversed inlets (hot water right)

fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance,

Grotherm 1000, Grotherm Cube, Grotherm 2000 and Grotherm 3000

exposed thermostats

service solution, does not comply with EN1111


Note: CoolTouch-function is omitted after

being installed in exposed fittings

GROHE GROHTHERM 2000


Ref. No. Colour Price netto (€)

34 469 001 chrome 336.00




Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
temperature scale handle with
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
integrated mixed water shut off
GROHE TurboStat compact cartridge
with wax thermoelement
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray
removable for easy cleaning
chrome
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

34 169 001 chrome 299.00



Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow

34 170 001 chrome 256.00



Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
without connection unions
chrome plated union nuts
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

GROHE GROHTHERM 2000

Ref. No.

Colour

Price netto (€)

34 464 001

chrome

406.00

Grotherm 2000

Thermostatic bath mixer 1/2"

wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons

GROHE StarLight chrome finish

GROHE Aqua Paddle ergonomically shaped handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

GROHE AquaDimmer Eco with multiple function:

- integrated Economy button (with economy stop for shower)

- flow control

- diverter: bath/shower

shower bottom outlet 1/2"

GROHE XL Waterfall

flow straightener

built-in non return valves

dirt strainers


protected against backflow

covered S-unions, CoolTouch escutcheons with wall sealing

GROHE EasyReach shower tray

removable for easy cleaning

GROHE EcoJoy technology for less water and perfect flow



34 174 001

chrome

364.00

Grotherm 2000

Thermostatic bath mixer 1/2"

wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons

GROHE StarLight chrome finish

GROHE Aqua Paddle ergonomically shaped handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

GROHE AquaDimmer Eco with multiple function:

- integrated Economy button (with economy stop for shower)

- flow control

- diverter: bath/shower

shower bottom outlet 1/2"

GROHE XL Waterfall

flow straightener

built-in non return valves


dirt strainers

protected against backflow

covered S-unions, CoolTouch escutcheons with wall sealing

optional upgrade: GROHE EasyReach shower tray (18 608 001)

GROHE EcoJoy technology for less water and perfect flow



34 176 001

chrome

532.00

Grotherm 2000

Thermostatic bath mixer 1/2"

pillar installation

GROHE CoolTouch safety housing

GROHE StarLight chrome finish

GROHE Aqua Paddle ergonomically shaped handles

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

integrated mixed water shut off

GROHE AquaDimmer Eco with multiple function:

- flow control

- diverter: bath/shower

- integrated Economy button

- (with economy stop for shower)

shower bottom outlet 1/2"

GROHE XL Waterfall

flow straightener


built-in non return valves

dirt strainers

protected against backflow

pillar unions with covered fixing

GROHE EcoJoy technology for less water and perfect flow



GROHE GROHTHERM 2000

Ref. No. Colour Price netto (€)

		<p>34 482 001 chrome 439.00</p> <p>Grohtherm 2000 Thermostatic shower mixer 1/2" with shower set consisting of: Grohtherm 2000 thermostat shower mixer (34 169) Power&Soul Cosmopolitan 130 shower set (27 734)</p>
		<p>34 281 001 chrome 434.00</p> <p>Grohtherm 2000 Thermostatic shower mixer 1/2" with shower set consisting of: Grohtherm 2000 thermostat shower mixer (34 169) Power&Soul Cosmopolitan shower set 130/ 600 mm rail (27 731) min. recommended pressure 1.0 bar</p>
		<p>34 195 001 chrome 365.00</p> <p>Grohtherm 2000 Thermostatic shower mixer 1/2" with shower set consisting of: Grohtherm 2000 thermostat shower mixer (34 169) Euphoria 110 Massage shower set, 600 mm (27 231) min. recommended pressure 1.0 bar</p>
		<p>18 608 001 chrome 44.00</p> <p>Grohtherm 2000 GROHE EasyReach shower tray metal tray removable for easy cleaning GROHE StarLight chrome finish suitable for Grohtherm 2000 - exposed thermostatic shower mixer with centre distance 150 mm - exposed thermostatic bath mixer with centre distance 150 mm</p>
		<p>47 175 000 chrome 104.00</p> <p>GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000 exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings</p>

GROHE GROHTHERM CUBE

Ref. No.


Colour

Price netto (€)

34 491 000

chrome

353.00



Grotherm Cube

Thermostatic shower mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

Carbodur ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

covered S-unions

GROHE EasyReach shower tray (18 700 000)

removable for easy cleaning

da Vinci satin white finish


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 488 000

chrome

361.00



Grotherm Cube

Thermostatic shower mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

Carbodur ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

covered S-unions


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 509 000

chrome

329.00



Grotherm Cube

Thermostatic shower mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus integrated temperature limiter at max 50°C

GROHE TurboStat C3 compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

shower bottom outlet 1/2"

Carbodur ceramic headpart 1/2", 180°

built-in non return valves

dirt strainers

protected against backflow

covered S-unions

min. recommended pressure 1.0 bar


integrated flow limiter 14 l/min in the shower outlet

GROHE EcoJoy technology for less water and perfect flow

GROHE GROHTHERM CUBE


Ref. No. Colour Price netto (€)

34 502 000 chrome 496.00




Grotherm Cube
Thermostatic bath mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated GROHE EcoButton
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
covered S-unions
GROHE EasyReach shower tray (18 700 000)
 removable for easy cleaning
 da Vinci satin white finish
GROHE EcoJoy technology for less water and perfect flow

34 497 000 chrome 478.00



Grotherm Cube
Thermostatic bath mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated GROHE EcoButton
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
 GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow

34 508 000 chrome 428.00




Grotherm Cube
Thermostatic bath mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus integrated temperature
 limiter at max 50°C
GROHE TurboStat C3 compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated GROHE EcoButton
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
 GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
covered S-unions
 min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

GROHE GROHTHERM CUBE

Ref. No. Colour Price netto (€)

18 700 000 daVinci satin white 36.00




Grotherm Cube
GROHE EasyReach tray
for Grotherm Cube
removable for easy cleaning
da Vinci satin white finish
- exposed thermostatic shower mixer
with centre distance 150 mm
- exposed thermostatic bath mixer
with centre distance 150 mm

47 175 000 chrome 104.00



GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance,
Grotherm 1000, Grotherm Cube, Grotherm 2000 and Grotherm 3000
exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after
being installed in exposed fittings


24 153 000 chrome 412.00
24 153 DC0 supersteel 576.00
24 153 AL0 brushed hard graphite 658.00



Grotherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 154 000 chrome 469.00
24 154 DC0 supersteel 642.00
24 154 AL0 brushed hard graphite 734.00




Grotherm Cube
Thermostatic shower mixer for 2 outlets
with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM CUBE

Ref. No. Colour Price netto (€)

24 155 000	chrome	469.00
24 155 DC0	supersteel	642.00
24 155 AL0	brushed hard graphite	734.00



Grotherm Cube
Thermostatic bath tub mixer for 2 outlets
with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermostatic element
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000	chrome	70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



34 741 000	chrome	1,110.00
------------	--------	----------

Grotherm Cube
Perfect shower set with Rainshower Allure 230

consisting of:
Grotherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9,5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1 250 mm (28 362)

GROHE GROHTHERM 1000

Ref. No.


Colour

Price netto (€)

34 143 003

chrome

237.00



Grotherm 1000

Thermostatic shower mixer 1/2"

wall mounted

GROHE CoolTouch safety housing

GROHE StarLight chrome finish

GROHE MetalGrip ergonomically shaped metal handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with GROHE EcoButton (economy

button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

S-unions

metal escutcheon


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 155 003

chrome

301.00



Grotherm 1000

Thermostatic bath mixer 1/2"

wall mounted

GROHE CoolTouch safety housing

GROHE StarLight chrome finish

GROHE MetalGrip ergonomically shaped metal handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

GROHE AquaDimmer Eco with multiple function:

- integrated GROHE EcoButton

(economy button with economy stop for shower)

- flow control

- diverter: bath/shower

shower bottom outlet 1/2"

mousseur

built-in non return valves

dirt strainers

protected against backflow

S-unions

metal escutcheon


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 256 004

chrome

239.00



Grotherm 1000

Thermostatic shower mixer 1/2" with shower set

consisting of:

Grotherm 1000 NEW thermostatic shower mixer 1/2"

(34 143 003)

Tempesta shower set II, 900 mm (27 646)


min. recommended pressure 1.0 bar

GROHE GROHTHERM 1000

Ref. No.

Colour

Price netto (€)



34 151 004

chrome

252.00

Grotherm 1000

Thermostatic shower mixer 1/2" with shower set

consisting of:

Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 143 003)

Tempesta shower rail set II, 600 mm (27 598)

min. recommended pressure 1.0 bar

47 175 000

104.00

GROHE TurboStat cartridge 1/2"

for reversed inlets (hot water right)

fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance, Grotherm 1000, Grotherm Cube, Grotherm 2000 and Grotherm 3000

exposed thermostats

service solution, does not comply with EN1111

Note: CoolTouch-function is omitted after being installed in exposed fittings



GROHE GROHTHERM 1000 PERFORMANCE

Ref. No.


Colour

Price netto (€)

34 776 000

chrome

188.00



Grotherm 1000 Performance
Thermostatic shower mixer 1/2"
wall mounted

GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge
with wax thermostatic element

GROHE ProGrip with knurl structure
integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy
button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

S-unions


metal escutcheon

GROHE EcoJoy technology for less water and perfect flow

34 779 000

chrome

244.00



Grotherm 1000 Performance
Thermostatic bath mixer 1/2"
wall mounted

GROHE CoolTouch safety housing

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermostatic element

GROHE ProGrip with knurl structure

integrated mixed water shut off

GROHE AquaDimmer Eco with multiple function:

- integrated GROHE EcoButton

(economy button with economy stop for shower)

- flow control

- diverter: bath/shower

shower bottom outlet 1/2"

mousseur

built-in non return valves

dirt strainers

protected against backflow

S-unions


metal escutcheon

GROHE EcoJoy technology for less water and perfect flow

34 783 000

chrome

216.00



Grotherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set

consisting of:

Grotherm 1000 Performance thermostatic shower mixer 1/2" (34 776 000)

Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)

optional **GROHE EcoJoy** 5.7 l/min flow limiter included

GROHE GROHTHERM 1000 PERFORMANCE

Ref. No.

Colour

Price netto (€)

THERMOSTATS

34 784 000


chrome

220.00

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set

consisting of:

Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 776 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included



47 175 000

chrome

104.00

GROHE TurboStat cartridge 1/2"

for reversed inlets (hot water right)

fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000 exposed thermostats

service solution, does not comply with EN1111

Note: CoolTouch-function is omitted after being installed in exposed fittings



GROHE GROHTHERM 800 COSMOPOLITAN

Ref. No.

Colour

Price netto (€)

34 765 000

chrome

178.00

Grotherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted

GROHE StarLight chrome finish

GROHE MetalGrip ergonomically shaped metal handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermosteement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves


dirt strainers

protected against backflow

S-unions

metal escutcheon

GROHE EcoJoy technology for less water and perfect flow



34 766 000

chrome

231.00

Grotherm 800 Cosmopolitan
Thermostatic bath mixer 1/2"
wall mounted

GROHE StarLight chrome finish

GROHE MetalGrip ergonomically shaped metal handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermosteement

integrated mixed water shut off

automatic diverter: bath/shower

volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

mousseur

built-in non return valves


dirt strainers

protected against backflow

S-unions

metal escutcheon

GROHE EcoJoy technology for less water and perfect flow



34 768 000

chrome

206.00


Grotherm 800 Cosmopolitan
Thermostatic shower set 1/2"

consisting of:

Grotherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)

Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)

optional **GROHE EcoJoy** 5.7 l/min flow limiter included



GROHE GROHTHERM 800 COSMOPOLITAN

Ref. No.

Colour

Price netto (€)

34 769 000

chrome

211.00


Grohtherm 800 Cosmopolitan Thermostatic shower set 1/2"

consisting of:

Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)

Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)

optional **GROHE EcoJoy** 5.7 l/min flow limiter included



47 175 000

chrome

104.00

GROHE TurboStat cartridge 1/2"

for reversed inlets (hot water right)

fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance,

Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000

exposed thermostats

service solution, does not comply with EN1111

Note: CoolTouch-function is omitted after


being installed in exposed fittings



GROHE GROHTHERM 800


Ref. No. Colour Price netto (€)

34 558 000 chrome 192.00




Grotherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
dirt strainers
built-in non return valves
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

34 567 000 chrome 250.00



Grotherm 800
Thermostatic bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

34 576 000 chrome 240.00



Grotherm 800
Thermostatic bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
adjustable mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

GROHE GROHTHERM 800

Ref. No. Colour Price netto (€)



34 566 001 **chrome** **214.00**

Grotherm 800
Thermostatic shower mixer 1/2" with shower set
 consisting of:
 Grotherm 800 thermostatic shower mixer 1/2"
 (34 558 000)
 Tempesta shower set II, 900 mm (27 646)
 min. recommended pressure 1.0 bar



34 565 001 **chrome** **204.00**

Grotherm 800
Thermostatic shower mixer 1/2" with shower set
 consisting of:
 Grotherm 800 thermostatic shower mixer 1/2"
 (34 558 000)
 Tempesta shower rail set II, 600 mm (27 598)
 min. recommended pressure 1.0 bar



47 175 000 **chrome** **104.00**

GROHE TurboStat cartridge 1/2"
 for reversed inlets (hot water right)
 fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance,
 Grotherm 1000, Grotherm Cube, Grotherm 2000 and Grotherm 3000
 exposed thermostats
 service solution, does not comply with EN1111
 Note: CoolTouch-function is omitted after
 being installed in exposed fittings

GROHE
CONCEALED SOLUTIONS





CONTENTS

GROHE Rapido SmartBox

260

GROHE Rapido

262

GROHE Rapido C / stop valves


263

GROHE RAPIDO SMARTBOX

Ref. No.

Colour

Price netto (€)




35 600 000

70.00

**Rapido SmartBox
Universal rough-in box, 1/2"**

3 outlets 1/2"
2 inlets below, 1/2"
installation depth 75-105 mm
connection unit in DR brass
pre-mounted flushing plug
stable build-in box and protective cover
fixation options for solid walls and dry cladding
gasket
without set for final installation




14 055 000

141.00

Backflow protection combination (DIN-EN1717)

retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox:
Grotherm SmartControl, SmartControl Mixer, Grotherm 2-handle thermostats, single-lever mixers



14 053 00M

42.00

Service stops

fits Grotherm SmartControl, SmartControl mixer and Grotherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox
packaging unit: 2 pieces




47 790 000

50.00

Rapido Connection Set

fits to Rapido T (35 500), Rapido E (35 501) and Rapido SmartBox (35 600)
VA approved
2 pcs./unit




14 048 000

134.00

**Rapido SmartBox
Universal extension set single-lever mixers, 25 mm**

25 mm
fits Grotherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox



14 056 000

98.00

Universal extension set single-lever mixers, 25 mm


fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox

GROHE RAPIDO SMARTBOX

Ref. No.

Colour



Price netto (€)



14 057 000

194.00

Universal extension set single-lever mixers, 50 mm
fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**



14 058 000

130.00

Universal extension set 2-handle thermostats, 25 mm
fits for concealed 2-handle thermostats in combination with **GROHE Rapido SmartBox**




49 003 000

chrome

184.00

GROHE TurboStat cartridge 3/4"
for reversed inlets (hot water right)
fits Grotherm SmartControl and Grotherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox
service solution, does not comply with EN1111

CONCEALED
SOLUTIONS




33 961 000

79.00

Single-lever mixer 1/2", concealed body

for bath and shower
without finishing trim set
wall installation
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
top and bottom outlet 1/2"
cap included
diverter in set for final installation
clockwise thread
fastening loops




33 962 000

108.00

Single-lever mixer 1/2", concealed body

for shower
without finishing trim set
wall installation
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
top outlet 1/2"
clockwise thread
fastening loops




33 966 000

*

Single-lever mixer 1/2", concealed body

for shower
without finishing trim set
wall installation
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
top outlet 1/2"
clockwise thread
fastening loops




33 965 000

*

Single-lever mixer 1/2", concealed body

for bath and shower
without finishing trim set
wall installation
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
top and bottom outlet 1/2"
diverter in set for final installation
clockwise thread
fastening loops




33 963 000

104.00

Single-lever mixer 1/2", concealed body

for bath and shower
without finishing trim set
wall installation
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
top and bottom outlet 1/2"
cap included
diverter in set for final installation
clockwise thread



33 964 000

76.00

Single-lever mixer 1/2", concealed body



for shower
without finishing trim set
wall installation
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
top outlet 1/2"
clockwise thread

GROHE RAPIDO C / STOP VALVES

Ref. No.

Colour

Price netto (€)



35 028 000


137.00

Rapido C

Rough-in for single volume control

for grid installation of Grohtherm Custom Shower system
 built-in box with removable protection cover
 waterproof membrane base for wall sealing
 for masonry and drywall installation
 fixing points for front and back wall
 aramã DR
 pre-assembled ceramic headpart 3/4"
 connection threads 1/2"
 flow rate:
 55 l/min. at 3 bar
 installation depth 70 - 95 mm
 min. recommended pressure 1.0 bar

CONCEALED SOLUTIONS



29 800 002

20.00

Concealed valve 1/2"

pre-assembled headpart 1/2"
 short spindle, protection sleeve
 threaded union 1/2", DR-brass
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve

29 802 002


39.00

ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"

29 805 002

65.00

ditto, 1", pre-assembled headpart 1", thread union 1"



29 800 000

26.00

Concealed stop-valve, 1/2"

pre-assembled headpart 1/2"
 short spindle, protection sleeve
 threaded union 1/2", DR-brass

29 802 000


47.00

ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"

29 805 000

70.00

ditto, 1", pre-assembled headpart 1", thread union 1"



29 801 000

26.00

Concealed stop-valve, 1/2"

pre-assembled headpart 1/2"
 short spindle, protection sleeve
 soldered connection Ø 18 mm
 DR-brass

29 803 000


39.00

ditto, soldered connection Ø 18 mm

29 804 000

39.00

ditto, soldered connection Ø 22 mm



29 811 000

27.00

Concealed valve 1/2"

preassembled ceramic headpart 1/2"
 180°
 threaded union 1/2"
 installation depth adjustable
 25 - 80 mm
 DR-brass

29 813 000

46.00

ditto, 3/4"



45 202 000

7.10

Extension-set, 80 mm

for GROHE concealed valves, 1/2", 3/4", 1"

45 203 000

14.00

ditto, 200 mm

GROHE
SHOWERS





CONTENTS


GROHE Digital	F-digital Deluxe	266
	F-digital Controllers	272
Shower Systems	Rainshower SmartControl System	273
	Rainshower SmartActive System	278
	Rainshower System	282
	Euphoria SmartControl System	285
	Euphoria System	288
	Tempesta System	299
	Shower system accessories	304
Headshowers	Head and side showers	308
Showers	Sena	339
	Rainshower SmartActive	340
	Rainshower	353
	Power&Soul	360
	Movario	366
	Relexa	367
	Euphoria	369
	Tempesta	380
	Sena trigger sprays	395
	Tempesta-F trigger sprays	396
	Trigger sprays	398
	Shower hoses	399
	Shower accessories	402

GROHE F-DIGITAL DELUXE

Ref. No. Colour Price netto (€)

26 373 001 chrome 19,900.00

Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
 1016 mm x 762 mm x 145 mm
 material: metal
 minimum flow rate 25 l/min
 min. recommended pressure 3.0 bar
 1 x AquaCurtain
 1 x Pure XL spray
 1 x 2 mist spray
 2 x GROHE PureRain spray 400 x 190 mm
 2 x XL Waterfall (separately controlled)
 1 x 4 Bokoma Spray with adjustment angle 20° and combinations
 full spectrum LED: soft light with changing rainbow colours
 individually adjustable: permanent lighting with colour selection
 power supply for light 12 V DC
 CE approved
SpeedClean anti-lime system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish



requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation


The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm SmartControl
 3 x Grohtherm SmartControl (29 126 000)
 3 x GROHE Rapido SmartBox (35 600 000)
 1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++

26 376 001 chrome 1,890.00


Rainshower F-Series 40"
Roughing-in set
 for use with Rainshower F-Series 40" AquaSymphony ceiling shower
 1000 mm x 745 mm x 152 mm
 min. installation depth: 167 mm
 waterways: brass
 1/2" connections



The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

29 126 000 chrome 531.00

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE ProGrip with knurl structure
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min




35 600 000 chrome 70.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE F-DIGITAL DELUXE

Ref. No. Colour Price netto (€)

27 865 000 chrome 3,990.00



Rainshower F-Series 20"
Ceiling shower with light, 1 spray

Rain
508 x 508 x 59 mm
material: metal
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

suitable for instantaneous heater

requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

For detailed planning and product information please contact your local GROHE Customer Service.


29 069 000 120.00

Rainshower F-Series
Cable connection

for ceiling shower with light (27 865 000)

consisting of:

2 cable extensions (5 m each)



36 359 000 chrome 1,120.00

Rainshower F-Series

Light set

127 x 127 mm per module

full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
consisting of:

- 1 light module with two plug connections

- 1 light module with one plug connection

waterproof & corrosion protected

supply voltage: 12 V DC

CE approved


GROHE StarLight chrome finish

requires rough-in set (29 072 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000)

and various cable connections – all to be ordered separately due to installation situation

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

For detailed planning and product information please contact your local GROHE Customer Service.



29 072 000 213.00

Rainshower F-Series


Rough-in set light set

for use with double light modules (36 359 000)

consisting of:

- 2 rough-in sets (115 x 115 x 62-87 mm)


- 2 cable extensions (5 m each)



GROHE F-DIGITAL DELUXE

Ref. No. Colour Price netto (€)


36 360 000 **chrome** 958.00



**Rainshower F-Series
Sound set**

127 x 127 mm per module
full range stereo speaker
consisting of:
2 speakers with plug connections
waterproof & corrosion protected
GROHE StarLight chrome finish
requires rough-in set (29 073 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
For detailed planning and product information please contact your local GROHE Customer Service.

29 073 000 213.00




**Rainshower F-Series
Rough-in set sound set**

for use with double sound modules (36 360 000)
consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)
- 1 Y-piece

27 934 000 **chrome** 2,930.00

**GROHE F-digital Deluxe
Steam generator 6.6 kW
with steam outlet and temperature sensor**

consisting of:
steam generator
415 x 445 x 130 mm
suitable for steam rooms up to 12.5 m³
supply voltage 400 V 3L+N+PE AC, 50 Hz
power 6.6 kW
water inlet 3/4"
operating pressure 1 – 5 bar (above pressure reducer)
automatic emptying
water outlet 1/2"
steam temperature: max. 55° C
steam outlet 1/2"
type of protection IP 23
CE approved
with connecting plug
steam outlet module with indentation for fragranced oil
127 x 127 mm
connection thread 1/2"




temperature sensor module
60 x 60 x 12 mm

SpeedClean anti-lime system
GROHE StarLight chrome finish
requires rough-in set (29 074 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
For detailed planning and product information please contact your local GROHE Customer Service.

29 074 000 387.00

**GROHE F-digital Deluxe
Rough-in set steam generator**

for use with steam module (36 362 000 or 27 934 000)
consisting of:
- 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)
- 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)
- 1 cable extension temperature sensor, 5 m
- 1 cable extension steam generator, 5 m



GROHE F-DIGITAL DELUXE

Ref. No.

Colour

Price netto (€)





14 015 000

chrome

*

GROHE F-digital Deluxe Descaler 6 x 80 g

to remove limescale from the water tank of the steam generator
absolutely odorless and harmless to human beings and the natural environment
2 bags sufficient for one time descaling
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



26 374 000


1,070.00

GROHE F-digital Deluxe Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)

to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower
additional light, sound and steam modules can be connected and controlled consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 1 plug connection for one pair of light modules (36 359 000)
- 1 plug connection LightCurtain for Rainshower F-Series 40" AquaSymphony (26 373 000)
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved
must be accessible for service
optional: the base unit box can be placed into extra equipment 36 367 000
component has to be ordered separately



36 397 000


959.00

GROHE F-digital Deluxe Base Unit Box 2.0 Bluetooth (BCU V2.0)

for connecting light, sound and steam modules consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 2 plug connections, each for one pair of light modules (36 359 000) or 1 ceiling shower (27 865 000) with integrated light
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved
must be accessible for service
optional: the base unit box can be placed into extra equipment 36 367 000



42 429 000

114.00

GROHE F-digital Deluxe Power supply base unit box

power supply for base unit box (26 374 000 or 36 397 000)
each power supply for 2 light/sound modules (36 359 000) or 1 ceiling shower with integrated light (27 865 000)
total 2 power supplies max (8 devices max.) can be connected to the base unit box
with one power supply 4 devices (light/sound modules) can be driven

- ceiling shower with integrated light (27 865 000): 4 devices
- per light module: 1 device
- per sound module: 1 device

input voltage: 90-240 V AC, 50-60 Hz
output voltage: 12 V DC
CE approved

GROHE F-DIGITAL DELUXE

Ref. No.

Colour

Price netto (€)

36 371 000

645.00

GROHE F-digital Deluxe

Bluetooth unit BT-01A for Apple and Android devices

with integrated electronic for wireless data communication
combinable with existing 36 365 000 docking station
wall mounted
86 x 73 x 42 mm

Features:

- reset switch
- status indicator (LED)
- stand alone/maximum configuration
- one-to-one connection
- with safety cut-off mechanism (1 user)
- safety shutdown in case of connection loss
- connection cable set for data communication and power supply (5 m each)
- CE approved

bluetooth transmitter power supply: 12 V


bluetooth transmitter frequency: 2.4 GHz

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

requires Base Unit Box 2.0 Bluetooth (36 397 000) – to be ordered separately

bluetooth-enabled device (bluetooth V2.1 or higher) necessary



System requirements

Android

operating system: as of release 2.3.3

pixel density: 160 dpi minimum

display resolution: 320 x 470 pixels per inch

System requirements

Apple

iPod touch 4/5, iPhone 4/5, iPad/ iPad mini**

Apple operating system: as of release iOS 6.0 and above

Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

36 367 000

298.00

GROHE F-digital Deluxe

Rough-in set base unit box

for use with base unit box (26 374 000 or 36 397 000)

550 x 700 x 110 mm

with removable front panel for installation


with adjustable front frame for installation in wall niches

galvanized and powder coated (RAL 9010, pure white) steel plate

1 mm thick steel plate

with two mounting rails and elbow for power outlets

and mounting materials



47 837 000

67.00


GROHE F-digital Deluxe

Cable extension steam generator, 5 m








extension between base unit box (26 374 000 or 36 397 000) and

steam generator (36 362 000 or 27 934 000)

cable extension up to 10 m



GROHE F-DIGITAL DELUXE


	Ref. No.	Colour	Price netto (€)
 	47 867 000 GROHE F-digital Deluxe Cable extension light set, 5 m connection between base unit box (26 374 000 or 36 397 000) and light modules (27 865 000) each light module needs a separate extension cable cable extension up to 10 m		67.00
	47 910 000 Cable extension light set, 1.65 m		54.00
 	47 868 000 GROHE F-digital Deluxe Cable extension for power supply, 5 m connection between power supply (42 429 000) and base unit box (26 374 000 or 36 397 000) each power supply needs a separate extension cable cable extension up to 5 m		67.00
 	47 877 000 GROHE F-digital Deluxe Cable extension temperature sensor, 5 m extension between base unit box (26 374 000 or 36 397 000) and temperature sensor cable extension up to 5 m		67.00
	40 666 000 Spare part LED set spare part for 27 865 000 consisting of: 2 lamps connected in series this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+	chrome	897.00
	48 348 000 Spray face for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly-key	chrome	30.00

GROHE F-DIGITAL CONTROLLER

Ref. No.

Colour

Price netto (€)



36 309 000

chrome

237.00

**F-digital
Digital controller**


Remote controller for bath or shower

additional (optional) multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause function
- Memory function
- LED-ring

GROHE StarLight chrome finish

energy efficiency class illumination of control unit: not applicable



36 078 000

95.00

Plug power supply 110-240 V

operating voltage 6 V

cable length 400 mm



65 790 000

53.00

Plug power supply 230 V

operating voltage 6 V

cable length 400 mm



65 912 000

53.00

Mains adaptor

plug-in power supply




47 727 000

29.00

Connection wire

2-pole

cable length 3 m



36 356 000

145.00

GROHE F-digital

Transceiver


optional accessory for digital mixing unit

GROHE RAINSHOWER SMARTCONTROL SYSTEM

Ref. No.

Colour

Price netto (€)



26 361 000

chrome

1,230.00

Rainshower System SmartControl Mono 360 Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters


from 18 kW/h

Twistfree to prevent hose from twisting

* to be decided at first installation; factory default

setting: GROHE PureRain

In case of a 160 cc thermostat you need to purchase one of the following wall fixation sets for installation: 125356, 125357



26 361 LS0

moon white

1,210.00

Rainshower System SmartControl Mono 360 Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360, spray plate white
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

Twistfree to prevent hose from twisting

* to be decided at first installation; factory default


setting: GROHE PureRain

GROHE RAINSHOWER SMARTCONTROL SYSTEM

Ref. No.

Colour

Price netto (€)



26 443 000

chrome


1,360.00

Rainshower System SmartControl Duo 360
Combi shower system with thermostat, exposed/concealed

consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360 with horizontal
450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
requires rough-in set 26 264 001 and concealed unit
26 449 000 – all to be ordered separately

* to be decided at first installation; factory default
setting: GROHE PureRain

SHOWERS



26 443 LS0

moon white

1,360.00

Rainshower System SmartControl Duo 360
Combi shower system with thermostat, exposed/concealed

consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360 with horizontal
450 mm shower arm, spray plate white
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
requires rough-in set 26 264 001 and concealed unit
26 449 000 – all to be ordered separately

* to be decided at first installation; factory default
setting: GROHE PureRain

GROHE RAINSHOWER SMARTCONTROL SYSTEM

Ref. No.

Colour

Price netto (€)



26 446 000

chrome


1,180.00

Rainshower System SmartControl Mono 360
Combi shower system with thermostat, exposed/concealed
consisting of:

exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360 with horizontal
450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
requires rough-in set 26 264 001 and concealed unit
26 449 000 – all to be ordered separately

* to be decided at first installation; factory default
setting: GROHE PureRain



26 446 LS0

moon white


1,210.00

Rainshower System SmartControl Mono 360
Combi shower system with thermostat, exposed/concealed
consisting of:

exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360 with horizontal
450 mm shower arm, spray plate white
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
requires rough-in set 26 264 001 and concealed unit
26 449 000 – all to be ordered separately

* to be decided at first installation; factory default
setting: GROHE PureRain




26 264 001

chrome

100.00

Rainshower 360
Rough-in box for head shower set 26 254 / 26 450
inlets and outlets 1/2"
fixing points for back wall
leakproof housing
removable protection cover with installation information




GROHE RAINSHOWER SMARTCONTROL SYSTEM

Ref. No.

Colour

Price netto (€)




26 449 000

chrome

125.00

Concealed body for exposed/concealed variants

wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
wall sealing
installation device




48 349 000

chrome

88.00

**Rainshower SmartControl
Shower system pipe for retrofitting**

metal
shower pipe for retrofitting - 15 cm shorter than
original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish



48 350 000

chrome

113.00

**Rainshower SmartControl
Shower system pipe for retrofitting**

metal
shower pipe for retrofitting
15 cm longer than
original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish

Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI




48 348 000

chrome

30.00

Spray face

for SmartControl and head showers with multiple Bokoma sprays
including spray face with / without GROHE Logo
including disassembly-key



26 385 000

chrome

34.00

**Rainshower SmartControl
Compensation disc**


for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable

GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.

Colour

Price netto (€)



26 647 000

chrome

805.00

Rainshower SmartActive 310

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Rainshower Mono 310 (26 561)

with ball joint

rotation angle $\pm 15^\circ$

hand shower Rainshower SmartActive 130 (26 544)

adjustable in height with gliding element

including performance grip

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern

GROHE One-Click Showering spray selection

with one click

GROHE StarLight chrome finish

GROHE QuickFix (upper bracket adjustable)


SpeedClean anti-lime system

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



26 647 LS0

moon white

926.00

Rainshower SmartActive 310

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Rainshower Mono 310 (26 561)

with ball joint

rotation angle $\pm 15^\circ$

hand shower Rainshower SmartActive 130 (26 544)

adjustable in height with gliding element

including performance grip

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern

GROHE One-Click Showering spray selection

with one click

GROHE StarLight finish

GROHE QuickFix (upper bracket adjustable)

SpeedClean anti-lime system

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.

Colour

Price netto (€)



26 648 000

chrome

805.00

Rainshower SmartActive 310

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Rainshower Mono 310 (26 562)

with ball joint

rotation angle $\pm 15^\circ$

hand shower Rainshower SmartActive 130 (26 574)

adjustable in height with gliding element

including performance grip

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern

GROHE One-Click Showering spray selection

with one click

GROHE StarLight chrome finish

GROHE EcoJoy 9,5 l/min flow limiter

GROHE QuickFix (upper bracket adjustable)

SpeedClean anti-lime system


suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

SHOWERS



26 648 LS0

moon white

926.00

Rainshower SmartActive 310

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Rainshower Mono 310 (26 562)

with ball joint

rotation angle $\pm 15^\circ$

hand shower Rainshower SmartActive 130 (26 574)

adjustable in height with gliding element

including performance grip

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern

GROHE One-Click Showering spray selection

with one click

GROHE StarLight finish

GROHE EcoJoy 9,5 l/min flow limiter

GROHE QuickFix (upper bracket adjustable)

SpeedClean anti-lime system

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.

Colour

Price netto (€)



26 649 000

chrome

805.00

Rainshower SmartActive 310

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Rainshower Mono 310 Cube (26 567)

with ball joint

rotation angle $\pm 15^\circ$

hand shower Rainshower SmartActive 130 Cube (26 550)

adjustable in height with gliding element

including performance grip

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern

GROHE One-Click Showering spray selection

with one click

GROHE StarLight chrome finish

GROHE QuickFix (upper bracket adjustable)

SpeedClean anti-lime system

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.



min. recommended pressure 1.0 bar

26 652 000

chrome

805.00

ditto, with GROHE EcoJoy 9.5 l/min flow limiter



26 657 000

chrome

926.00

Rainshower SmartActive 310

Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

GROHE QuickFix (upper bracket adjustable

for adaption to existing drilling holes)

exposed thermostat with

Aquadimmer function

allows change between:

head shower Rainshower Mono 310 (26 562)

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower Rainshower SmartActive 130 (26 574)

adjustable in height with gliding element

including performance grip

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.

Colour

Price netto (€)



27 966 001

chrome

979.00

Rainshower SmartActive 310

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

Rainshower Cosmopolitan 310 head shower (27 477 000)

material: metal

with ball joint

rotation angle $\pm 15^\circ$

hand shower Rainshower SmartActive 130 (26 544)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermostatic element

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern

GROHE One-Click Showering spray selection

with one click

GROHE StarLight chrome finish

GROHE QuickFix (upper bracket adjustable)

SpeedClean anti-lime system

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

27 968 001


chrome

979.00

ditto, with GROHE EcoJoy 9.5 l/min flow limiter


GROHE RAINSHOWER SYSTEM

Ref. No. Colour Price netto (€)




27 174 001 chrome 1,300.00

Rainshower System 400
Shower system with thermostat for wall mounting
 consisting of:
 horizontal swivable 450 mm shower arm
 exposed thermostat with
 Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 400 head shower (28 778 000)
 material: metal
 with ball joint, rotation angle $\pm 20^\circ$
 hand shower Sena (28 034 000)
 adjustable in height with gliding element (12 140 000)
 shower hose, 1.750 mm
 1/2" x 1/2" (28 025 000)
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heaters
from 18 kW/h
 minimum flow rate 7 l/min.
 min. recommended pressure 1.0 bar



27 966 000 chrome 1,160.00

Rainshower System 310
Shower system with thermostat for wall mounting
 consisting of:
 horizontal swivable 450 mm shower arm
 exposed thermostat with
 Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 310 head shower (27 477 000)
 material: metal
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Sena (28 034 000)
 adjustable in height with gliding element (12 140 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heaters
from 18 kW/h
 minimum flow rate 7 l/min.
 min. recommended pressure 1.0 bar




27 968 000 chrome 1,160.00

Rainshower System 310
Shower system with thermostat for wall mounting
 consisting of:
 horizontal swivable 450 mm shower arm
 exposed thermostat with
 Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 310 head shower (27 477 000)
 material: metal
 with ball joint
 rotation angle $\pm 15^\circ$
 Hand shower Power&Soul Cosmopolitan 130 (27 664 000)
 adjustable in height with gliding element (12 140 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
 with one click
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heaters
from 18 kW/h
 minimum flow rate 7 l/min.
 min. recommended pressure 1.0 bar

GROHE RAINSHOWER SYSTEM


Ref. No. Colour Price netto (€)



27 469 000 chrome 1,130.00

Rainshower F-Series System 254
Shower system with thermostat for wall mounting
 consisting of:
 horizontal swivable 450 mm shower arm
 exposed thermostat with
 Aquadimmer function
 allows change between:
 head shower Rainshower F-Series 254 (27 285 000)
 material: metal
 with ball joint, rotation angle $\pm 20^\circ$
 hand shower Sena (28 341 000)
 adjustable in height with gliding element (12 140 000)
 metal shower hose 1750 mm
GROHE EcoJoy 9,5 l/min flow limiter
GROHE TurboStat
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heaters
from 18 kW/h
 minimum flow rate 7 l/min.

27 569 000 chrome 1,180.00
 ditto, with non-restricted flow




27 032 001 chrome 994.00

Rainshower System 210
Shower system with thermostat for wall mounting
 consisting of:
 horizontal swivable 450 mm shower arm
 exposed thermostat with
 Aquadimmer function
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 with ball joint, rotation angle $\pm 15^\circ$
 hand shower Sena (28 034 000)
 adjustable in height with gliding element (12 140 000)
 metal shower hose 1750 mm (27 178)
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heaters
from 18 kW/h
 minimum flow rate 7 l/min.
 min. recommended pressure 1.0 bar

27 967 000 chrome 875.00

Rainshower System 210
Shower system with thermostat for wall mounting
 consisting of:
 horizontal swivable 450 mm shower arm
 exposed thermostat with
 Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 210 head shower (28 368 000)
 material: metal
 with ball joint
 rotation angle $\pm 15^\circ$
 Hand shower Power&Soul Cosmopolitan 130 (27 664 000)
 adjustable in height with gliding element (12 140 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
 with one click
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heaters
from 18 kW/h
 minimum flow rate 7 l/min.
 min. recommended pressure 1.0 bar



GROHE RAINSHOWER SYSTEM

Ref. No.


Colour

Price netto (€)

27 641 000

chrome

1,000.00



Rainshower System 210

Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function

allows change between:

Head shower Rainshower Cosmopolitan 210 (28 373 000)

material: metal

with ball joint, rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower Sena (28 341 000)

adjustable in height with gliding element (12 140 000)

metal shower hose 1750 mm (27 178)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

27 058 000

chrome

624.00



Rainshower System 210

Shower system with diverter

for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

change between hand and head shower

by diverter

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

with ball joint

rotation angle $\pm 15^\circ$

hand shower Sena (28 034 000)

adjustable in height with gliding element (12 140 000)

metal shower hose 1750 mm

connection to water supply with 1/2"-thread of

the 800 mm shower hose to faucet / wall union

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No. Colour Price netto (€)

26 507 000	chrome	945.00
26 507 LSO	moon white	1,040.00
26 507 DC0	supersteel	1,390.00
26 507 BE0	polished nickel	1,570.00
26 507 EN0	brushed nickel	1,660.00
26 507 GL0	cool sunrise	1,570.00
26 507 GN0	brushed cool sunrise	1,660.00
26 507 DA0	warm sunset	1,570.00
26 507 DL0	brushed warm sunset	1,660.00
26 507 A00	hard graphite	1,570.00
26 507 AL0	brushed hard graphite	1,660.00



Euphoria SmartControl System 310 Duo Shower system with thermostat for wall mounting

consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310

GROHE PureRain and Centered Jet spray

hand shower Euphoria 110 Massage, spray plate white

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE EcoJoy technology for less water and perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters


from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

SHOWERS

26 508 000	chrome	945.00
26 508 LSO	moon white	1,090.00
26 508 DC0	supersteel	1,390.00
26 508 GN0	brushed cool sunrise	1,660.00
26 508 DL0	brushed warm sunset	1,660.00
26 508 A00	hard graphite	1,570.00
26 508 AL0	brushed hard graphite	1,660.00



Euphoria SmartControl System 310 Cube Duo Shower system with thermostat for wall mounting

consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310 Cube

GROHE PureRain and Centered Jet spray

hand shower Euphoria Cube Stick

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE EcoJoy technology for less water and perfect flow

GROHE StarLight chrome finish

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No.


Colour

Price netto (€)

26 509 000

chrome

820.00



Euphoria SmartControl System 260 Mono Shower system with thermostat for wall mounting

consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE EcoJoy technology for less water and perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

26 510 000

chrome

954.00



Euphoria SmartControl System 260 Mono Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl bath thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE EcoJoy technology for less water and perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No.

Colour

Price netto (€)

14 079 XH0

chrome/frosted granite

16.00




**SmartControl
Caps exposed**

consisting of:
3 caps with 3 different symbols
fits Euphoria SmartControl shower systems

48 497 000

chrome

199.00




Shower system pipe for retrofitting

material: metal
shower pipe for retrofitting
15 cm longer than
original shower system pipe
suitable for Euphoria SmartControl shower systems 26 507 and 26 508
GROHE StarLight chrome finish
not suitable for all other shower systems

48 498 000

chrome

92.00




Shower system pipe for retrofitting

material: metal
shower pipe for retrofitting - 15 cm shorter than
original shower system pipe
suitable for Euphoria SmartControl shower systems 26 507, 26 508 and 26 509
GROHE StarLight chrome finish
not suitable for all other shower systems

48 499 000

chrome

104.00




Shower system pipe for retrofitting

material: metal
shower pipe for retrofitting
15 cm longer than
original shower system pipe
suitable for Euphoria SmartControl shower systems 26 509
GROHE StarLight chrome finish
not suitable for all other shower systems

GROHE EUPHORIA SYSTEM

Ref. No. Colour Price netto (€)



26 075 000	chrome	865.00
26 075 DC0	supersteel	1,140.00
26 075 BE0	polished nickel	1,210.00
26 075 EN0	brushed nickel	1,280.00
26 075 GL0	cool sunrise	1,230.00
26 075 GN0	brushed cool sunrise	1,300.00
26 075 DA0	warm sunset	1,230.00
26 075 DL0	brushed warm sunset	1,300.00
26 075 A00	hard graphite	1,210.00
26 075 AL0	brushed hard graphite	1,300.00

Euphoria System 310

Shower system with thermostatic mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 310 (27 477 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

Inner WaterGuide for a longer life

SpeedClean anti-lime system

Twistfree to prevent hose from twisting

GROHE MetalGrip ergonomically shaped metal handles


suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)



26 384 000	chrome	750.00
------------	--------	--------

Euphoria System 310

Shower system with thermostatic mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

GROHE MetalGrip ergonomically shaped metal handles

exposed thermostat with

Aquadimmer function

allows change between:

Rainshower Cosmopolitan 310 metal head shower

spray pattern: Rain

GROHE EcoJoy 12 l/min flow limiter

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage

GROHE EcoJoy 9,5 l/min flow limiter

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

minimum flow rate 7 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

GROHE TurboStat compact cartridge

with wax thermoelement

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

min. recommended pressure 1.0 bar


optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)



27 296 002

chrome

514.00

Euphoria System 260

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow

rate reduction)

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

27 615 001

chrome

513.00

Euphoria System 260

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria 260 (26 457)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 239 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow

rate reduction)

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting


suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)



GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

26 087 000

chrome

1,320.00



Euphoria Cube System 230

Shower system with thermostatic mixer for wall mounting

consisting of:

shower arm

projection 400 mm

exposed thermostat with

Aquadimmer function

allows change between:

Rainshower Allure head shower (27 479 000)

material: metal

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria Cube (27 699)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy technology for less water and perfect flow

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

26 187 000

chrome

801.00



Euphoria System 230

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Allure 230 (27 479 000)

material: metal

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria Cube Stick (27 698 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

GROHE MetalGrip ergonomically shaped metal handles

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

26 363 000

chrome

706.00



Euphoria System 210

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray (26 362 LN0)

minimum flow rate 7 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters


from 18 kW/h

min. recommended pressure 1.0 bar

27 964 000

chrome

723.00



Euphoria System 210

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

GROHE MetalGrip ergonomically shaped metal handles

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar


optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)



26 383 000

chrome

624.00

Euphoria System 210

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

GROHE MetalGrip ergonomically shaped metal handles

exposed thermostat with

Aquadimmer function

allows change between:

Rainshower Cosmopolitan 210 metal head shower

spray pattern: Rain

GROHE EcoJoy 12 l/min flow limiter

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage

GROHE EcoJoy 9,5 l/min flow limiter

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

minimum flow rate 7 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

GROHE TurboStat compact cartridge

with wax thermoelement

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

26 249 000

chrome

539.00

Euphoria System 190

Shower system with thermostat for wall mounting

horizontal swivable 390 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower 190 1 spray (27 370)

Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower 100 3 sprays: GROHE Rain O², Rain, Massage (27 574)

adjustable in height with gliding element

GROHE EasyReach shower tray

Silverflex shower hose 1750 mm (28 388 000)

9.5 l/min. flow limiter

GROHE EcoJoy technology for less water and perfect flow

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

min. recommended pressure 1.0 bar




GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)



27 296 001

chrome

664.00

Euphoria System 180

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria Cosmopolitan 180

(27 491 000), spray pattern: Rain

with ball joint, rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting



suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)

SHOWERS



26 418 000

chrome

491.00

Euphoria System 180 E

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

with ergonomic handles

allows change between:

head shower Euphoria Cosmopolitan 180

(27 491 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)



27 932 000

chrome

665.00

Euphoria System 150

Shower system with thermostatic mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria Cube 150 (27 705 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 12^\circ$

hand shower Euphoria Cube Stick (27 698 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting


suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)



26 241 000

chrome

374.00

Euphoria System

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE StarLight chrome finish

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)



26 420 000

chrome

793.00

Euphoria Cube System

Shower system with thermostat for wall mounting

consisting of:

shower arm

projection 400 mm

exposed thermostat with

Aquadimmer function

allows change between:

head shower and hand shower (not included)

gliding element

Rotaflex shower hose 1500 mm (28 417 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

CALGreen compliant

includes adaptaters for easy installation (depth adjustable)

two discrete functions (non-shared)

GROHE EUPHORIA SYSTEM

Ref. No.



Colour

Price netto (€)

27 475 001

chrome

642.00



Euphoria System 260

Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria 260 (26 457)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower Euphoria 110 Massage (27 239 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow

rate reduction)

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

26 114 001

chrome

633.00



Euphoria System 260

Shower system with bath thermostat for wall mounting

with short shower rail for installation in showers

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower Euphoria 110 Massage (27 221 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

distance between thermostat and upper bracket: 1016 mm

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow

rate reduction)

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

26 243 000

chrome

499.00



Euphoria System

Shower system with bath thermostat for wall mounting

with short shower rail for installation in showers

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

separate diverter for hand shower

gliding element

Silverflex shower hose 1750 mm (28 388 000)

distance between thermostat and upper bracket: 1016 mm

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE StarLight chrome finish

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

27 473 001

chrome

463.00



Euphoria System 260

Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed single-lever shower mixer with diverter

allows change between:

head shower Euphoria 260 (26 457)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 239 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow rate reduction)

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

23 061 002

chrome

487.00



Euphoria Concetto System 260

Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed single-lever shower mixer with diverter

allows change between:

head shower Euphoria 260 (26 457)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria Cosmopolitan Stick (27 400 000)

spray pattern: Rain

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)



23 058 003


chrome

624.00

Euphoria Eurodisc Cosmopolitan System 210
Shower system with single lever mixer for wall mounting

consisting of:

- horizontal swivable 450 mm shower arm
- exposed single-lever shower mixer with diverter allows change between:
- metal head shower Rainshower Cosmopolitan 210 (28 368 000)
- spray pattern: Rain
- with ball joint
- rotation angle $\pm 15^\circ$
- hand shower Euphoria Cosmopolitan Stick (27 400 000)
- spray pattern: Rain
- adjustable in height with gliding element
- Silverflex shower hose 1750 mm (28 388 000)
- GROHE SilkMove** 46 mm ceramic cartridge
- GROHE DreamSpray** perfect spray pattern
- GROHE StarLight** chrome finish
- SpeedClean** anti-lime system
- Inner WaterGuide** for a longer life
- Twistfree** to prevent hose from twisting
- suitable for instantaneous heaters**
- from 18 kW/h**
- minimum flow rate 7 l/min.
- min. recommended pressure 1.0 bar



23 147 001


chrome

1,120.00

Euphoria Cube System 230
Shower system with single lever mixer for wall mounting

consisting of:

- shower arm
- projection 400 mm
- exposed single-lever shower mixer with diverter allows change between:
- Rainshower Allure 230 metal head shower (27 479)
- spray pattern: Rain
- with ball joint
- rotation angle $\pm 15^\circ$
- hand shower Euphoria Cube Stick (27 698 000)
- spray pattern: Rain
- adjustable in height with gliding element
- Silverflex shower hose 1750 mm (28 388 000)
- GROHE SilkMove** 35 mm ceramic cartridge
- GROHE DreamSpray** perfect spray pattern
- GROHE StarLight** chrome finish
- SpeedClean** anti-lime system
- Inner WaterGuide** for a longer life
- Twistfree** to prevent hose from twisting
- suitable for instantaneous heaters**
- from 18 kW/h**
- minimum flow rate 7 l/min.
- min. recommended pressure 1.0 bar



26 240 000

chrome

349.00

Euphoria System
Shower system with single lever mixer for wall mounting

consisting of:

- horizontal swivable 450 mm shower arm
- exposed single-lever shower mixer with diverter
- gliding element
- Silverflex shower hose 1750 mm (28 388 000)
- GROHE SilkMove** 46 mm ceramic cartridge
- GROHE StarLight** chrome finish
- Inner WaterGuide** for a longer life
- Twistfree** to prevent hose from twisting
- minimum flow rate 7 l/min.
- suitable for instantaneous heaters**
- from 18 kW/h**
- min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

27 421 002

chrome

411.00



Euphoria System 260 Shower system with diverter for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
change between hand and head shower
by diverter

head shower Euphoria 260 (26 457)

3 spray patterns:

Rain, SmartRain, Jet
with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 239 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

Silverflex shower hose 800 mm

connection to water supply with 1/2"-thread of

the 800 mm shower hose to faucet / wall union

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow
rate reduction)

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

27 696 000

chrome

680.00



Euphoria Cube System 150 Shower system with diverter for wall mounting

consisting of:

shower arm

projection 400 mm

change between hand and head shower
by diverter

head shower

Euphoria Cube 152 mm x 152 mm

spray pattern: Rain

with ball joint

rotation angle $\pm 20^\circ$

hand shower Euphoria Cube Stick (27 698 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

Silverflex shower hose 800 mm

connection to water supply with 1/2"-thread of

the 800 mm shower hose to faucet / wall union

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE TEMPESTA SYSTEM

Ref. No.


Colour

Price netto (€)

27 922 001

chrome

463.00



Tempesta Cosmopolitan System 210

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 390 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Tempesta 210 (26 408)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable in height with gliding element

Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

27 922 000

chrome

544.00



Tempesta Cosmopolitan 160

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 390 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower 1 spray (28 232 000)

Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE TEMPESTA SYSTEM

Ref. No.

Colour

Price netto (€)



26 244 001

chrome

384.00

Tempesta Cosmopolitan 200

Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed single-lever shower mixer with diverter

allows change between:

head shower Tempesta Cosmopolitan 200 (27 541)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta 100 II 9.5 l/min (27 597)

spray patterns:

Rain, Jet

adjustable in height with gliding element

Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

SHOWERS



26 305 001

chrome

387.00

Tempesta Cosmopolitan System 200

Shower system with single lever bath mixer for wall mounting

with short shower rail for installation in showers

consisting of:

horizontal 355 mm shower arm

exposed single-lever shower mixer with diverter

allows change between:

head shower Tempesta Cosmopolitan 200 (27 541)

spray pattern: Rain

with ball joint

rotation angle $\pm 20^\circ$

bath inlet

separate diverter for hand shower

hand shower Tempesta Cosmopolitan 100 (27 573)

4 spray patterns:

GROHE Rain O², Rain, Massage, Jet

adjustable in height with gliding element

Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)

distance between single-lever mixer and upper bracket: 1011 mm

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

SpeedClean anti-lime system

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE TEMPESTA SYSTEM

Ref. No.


Colour

Price netto (€)

26 381 001

chrome

218.00



Tempesta System 210

Flex shower system with diverter for wall mounting

consisting of:

horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower, head shower
or head shower Eco setting

head shower Tempesta 210 (26 408)

2 spray patterns (via diverter):

Rain, SmartRain

chrome plated spray face

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta 100 (27 852)

spray pattern: Rain

adjustable in height with gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to faucet / wall union for water

supply with 1/2" thread of the 1250 mm shower hose

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

ShockProof silicone ring prevents damages

caused by shower falling

suitable for instantaneous heaters


from 18 kW/h

minimum flow rate 7 l/min.

27 394 002

chrome

198.00



Tempesta Cosmopolitan System 200

Flex shower system with diverter for wall mounting

consisting of:

horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower, head shower
or head shower Eco setting

head shower Tempesta Cosmopolitan 200 (27 541)

2 spray patterns (via diverter):

Rain, SmartRain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta Cosmopolitan 100 (27 573)

4 spray patterns:

GROHE Rain O², Rain, Massage, Jet

adjustable in height with gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to faucet / wall union for water

supply with 1/2" thread of the 1250 mm shower hose

minimum flow rate 7 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

GROHE TEMPESTA SYSTEM

Ref. No.


Colour

Price netto (€)

27 389 002

chrome

196.00



Tempesta System 200

Flex shower system with diverter for wall mounting

consisting of:

horizontal 390 mm shower arm, adjustable before installation

change by diverter between hand shower, head shower

or head shower Eco setting

head shower Tempesta Cosmopolitan 200 (27 541)

2 spray patterns (via diverter):

Rain, SmartRain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta 100 (28 578)

4 spray patterns:

GROHE Rain O², Rain, Massage, Jet

adjustable in height with gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to faucet / wall union for water supply with 1/2" thread of the 1250 mm shower hose minimum flow rate 7 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish







SpeedClean anti-lime system

Inner WaterGuide for a longer life











ShockProof silicone ring prevents damages caused by shower falling

SHOWERS

GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	Price netto (€)
	48 349 000	chrome	88.00
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish</p>			
	48 350 000	chrome	113.00
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish</p> <p>Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI</p>			
	48 514 000	chrome	45.00
<p>Shower system pipe for retrofitting for shower systems with plastic inner water guide shower pipe for retrofitting 15 cm longer than original shower system pipe for bath/shower systems: 30 cm shorter than original pipe suitable for all Rainshower and Euphoria shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter GROHE StarLight chrome finish</p>			
	48 515 000	chrome	41.00
<p>Shower system pipe for retrofitting for shower systems with plastic inner water guide shower pipe for retrofitting - 15 cm shorter than original shower system pipe for bath/shower systems: 60 cm shorter than original pipe suitable for all Rainshower and Euphoria shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter GROHE StarLight chrome finish</p>			
	48 497 000	chrome	199.00
<p>Shower system pipe for retrofitting material: metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for Euphoria SmartControl shower systems 26 507 and 26 508 GROHE StarLight chrome finish not suitable for all other shower systems</p>			
	48 498 000	chrome	92.00
<p>Shower system pipe for retrofitting material: metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for Euphoria SmartControl shower systems 26 507, 26 508 and 26 509 GROHE StarLight chrome finish not suitable for all other shower systems</p>			

GROHE SHOWER SYSTEM ACCESSORIES

		Ref. No.	Colour	Price netto (€)
		48 499 000	chrome	104.00
<p>Shower system pipe for retrofitting material: metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for Euphoria SmartControl shower systems 26 509 GROHE StarLight chrome finish not suitable for all other shower systems</p>				
		48 053 000	chrome	97.00
<p>Shower system pipe for retrofitting for shower systems with metal or plastic inner water guide shower pipe for retrofitting 15 cm longer than original shower system pipe for bath/shower systems: 30 cm shorter than original pipe suitable for all Rainshower and Euphoria shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter GROHE StarLight chrome finish</p>				
		48 054 000	chrome	74.00
<p>Shower system pipe for retrofitting for shower systems with metal or plastic inner water guide shower pipe for retrofitting - 15 cm shorter than original shower system pipe for bath/shower systems: 60 cm shorter than original pipe suitable for all Rainshower and Euphoria shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter GROHE StarLight chrome finish</p>				
		14 014 000	chrome	46.00
<p>Rainshower Shower arm for shower systems material: metal projection 340 mm distance from wall 390 mm connection thread 1/2" GROHE StarLight chrome finish suitable for all GROHE shower systems except SmartControl suitable for all GROHE shower systems</p>				
		14 047 000	chrome	46.00
<p>Rainshower Shower arm for shower systems material: metal projection 340 mm distance from wall 390 mm connection thread 1/2" GROHE StarLight chrome finish suitable for all GROHE shower systems except SmartControl suitable for GROHE shower systems with short nipple, see TPI</p>				

GROHE SHOWER SYSTEM ACCESSORIES

Ref. No.

Colour

Price netto (€)




14 079 XH0

chrome/frosted granite

16.00

**SmartControl
Caps exposed**

consisting of:
3 caps with 3 different symbols
fits Euphoria SmartControl shower systems




27 180 000

chrome

40.00

**Rainshower
Compensation disc**

for Rainshower systems 27 174, 27 175, 27 032,
27 058, 27 030, 27 038, 27 089, 27 031
GROHE StarLight chrome finish




26 385 000

chrome

34.00

**Rainshower SmartControl
Compensation disc**

for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable




27 617 000

chrome

99.00

Compensation disc

for Rainshower F-Series shower systems
27 469 000 und 27 569 000 (cube brackets)
GROHE StarLight chrome finish



27 933 000


chrome

200.00

Euphoria Cube

Compensation disc

for Euphoria Cube shower systems (Cube brackets)
GROHE StarLight chrome finish



26 496 000




chrome

104.00

**Tempesta
Compensation disc**











for Tempesta Flex Shower Systems
GROHE StarLight chrome finish

GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	Price netto (€)
	26 030 000 GROHE Retro-fit Compensation disc for GROHE retrofit shower systems GROHE StarLight finish	chrome	*
 	26 362 LN0 GROHE EasyReach tray for Euphoria and Tempesta shower systems with thermostat centre distance 150 mm	white	29.00


GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)

 	<p>26 254 000 chrome 610.00</p> <p>Rainshower Duo 360 Head shower set 450 mm, 2 sprays consisting of: head shower Rainshower Duo 360, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p> <p>* to be decided at first installation; factory default setting: GROHE PureRain</p>
 	<p>26 254 LS0 moon white 551.00</p> <p>Rainshower Duo 360 Head shower set 450 mm, 2 sprays consisting of: head shower Rainshower Duo 360, spray plate white 2 spray patterns: GROHE PureRain/GROHE Rain O² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p> <p>* to be decided at first installation; factory default setting: GROHE PureRain</p>
 	<p>26 450 000 chrome 467.00</p> <p>Rainshower Mono 360 Head shower set 450 mm, 1 spray consisting of: head shower Rainshower Mono 360, spray plate chrome 1 spray: GROHE PureRain/GROHE Rain O² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p> <p>* to be decided at first installation; factory default setting: GROHE PureRain</p>
 	<p>26 450 LS0 moon white 467.00</p> <p>Rainshower Mono 360 Head shower set 450 mm, 1 spray consisting of: head shower Rainshower Mono 360, spray plate white 1 spray: GROHE PureRain/GROHE Rain O² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately * to be decided at first installation; factory default setting: GROHE PureRain</p>
 	<p>26 264 001 100.00</p> <p>Rainshower 360 Rough-in box for head shower set 26 254 / 26 450 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information</p>

GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)



26 475 000	chrome	467.00
26 475 DC0	supersteel	619.00
26 475 BE0	polished nickel	707.00
26 475 EN0	brushed nickel	751.00
26 475 GL0	cool sunrise	707.00
26 475 GN0	brushed cool sunrise	751.00
26 475 DA0	warm sunset	707.00
26 475 DL0	brushed warm sunset	751.00
26 475 A00	hard graphite	707.00
26 475 AL0	brushed hard graphite	751.00

Rainshower SmartActive 310

Head shower set 430 mm, 2 sprays

consisting of:

head shower Rainshower SmartActive 310

2 spray patterns:

GROHE PureRain, ActiveRain

horizontal 430 mm shower arm


GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately



26 475 LS0	moon white	581.00
------------	------------	--------

Rainshower SmartActive 310

Head shower set 430 mm, 2 sprays

consisting of:

head shower Rainshower SmartActive 310, spray plate moon white

2 spray patterns:

GROHE PureRain, ActiveRain

horizontal 430 mm shower arm


GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately



26 477 000	chrome	442.00
26 477 DC0	supersteel	619.00
26 477 BE0	polished nickel	707.00
26 477 EN0	brushed nickel	751.00
26 477 GL0	cool sunrise	707.00
26 477 GN0	brushed cool sunrise	751.00
26 477 DA0	warm sunset	707.00
26 477 DL0	brushed warm sunset	751.00
26 477 A00	hard graphite	707.00
26 477 AL0	brushed hard graphite	751.00

Rainshower SmartActive 310

Head shower set ceiling 142 mm, 2 sprays

consisting of:

head shower Rainshower SmartActive 310

2 spray patterns:

GROHE PureRain, ActiveRain

142 mm ceiling shower arm


GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately



26 477 LS0	moon white	583.00
------------	------------	--------

Rainshower SmartActive 310

Head shower set ceiling 142 mm, 2 sprays

consisting of:

head shower Rainshower SmartActive 310, spray plate moon white

2 spray patterns:

GROHE PureRain, ActiveRain

142 mm ceiling shower arm

GROHE DreamSpray perfect spray pattern





GROHE StarLight finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life







requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

GROHE HEAD AND SIDE SHOWERS







	Ref. No.	Colour	Price netto (€)	
	26 479 000	chrome	492.00	
	26 479 DC0	supersteel	652.00	
	26 479 GN0	brushed cool sunrise	791.00	
	26 479 DL0	brushed warm sunset	791.00	
	26 479 A00	hard graphite	745.00	
	26 479 AL0	brushed hard graphite	791.00	
	Rainshower SmartActive 310 Cube Head shower set 430 mm, 2 sprays consisting of: head shower Rainshower SmartActive 310 Cube 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately			
	26 479 LS0	moon white	638.00	
	Rainshower SmartActive 310 Cube Head shower set 430 mm, 2 sprays consisting of: head shower Rainshower SmartActive 310 Cube, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately			
		26 481 000	chrome	492.00
		26 481 DC0	supersteel	652.00
		26 481 GN0	brushed cool sunrise	791.00
26 481 DL0		brushed warm sunset	791.00	
26 481 A00		hard graphite	745.00	
26 481 AL0		brushed hard graphite	791.00	
	Rainshower SmartActive 310 Cube Head shower set ceiling 142 mm, 2 sprays consisting of: head shower Rainshower SmartActive 310 Cube 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately			
	26 481 LS0	moon white	625.00	
	Rainshower SmartActive 310 Cube Head shower set ceiling 142 mm, 2 sprays consisting of: head shower Rainshower SmartActive 310 Cube, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately			

GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)

		<p>26 484 000</p> <p>Rainshower Universal rough-in box, 1/2" for head shower set 26 475 / 26 477 / 26 479 / 26 481 2 inlets, 1/2" installation depth 75-105 mm connection unit in DR brass stable build-in box and protective cover leakproof housing gasket integrated flushing plug GROHE EcoJoy 9.5 l/min flow limiter per each water way without set for final installation</p>	<p>chrome 96.00</p>
		<p>26 483 000 ditto, with non-restricted flow</p>	<p>chrome 96.00</p>
		<p>26 642 000</p> <p>Rainshower SmartConnect 310 Cube Head shower set 422 mm, 2 sprays consisting of: head shower Rainshower SmartConnect 310 Cube (26 643) spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain default spray type programmable horizontal 422 mm shower arm (26 146) with square escutcheon with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar</p>	<p>chrome 548.00</p>
		<p>26 640 000</p> <p>Rainshower SmartConnect 310 Head shower set 422 mm, 2 sprays consisting of: head shower Rainshower SmartConnect 310 (26 641) spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain default spray type programmable horizontal 422 mm shower arm (26 146) with round escutcheon with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar</p>	<p>chrome 526.00</p>


GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	26 558 000	chrome	325.00
	<p>Rainshower Mono 310 Head shower set 422 mm, 1 spray consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray: GROHE PureRain shower arm Rainshower 422 mm (26 146 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	26 557 000	chrome	319.00
	ditto, with non-restricted flow		
 	26 560 000	chrome	325.00
	<p>Rainshower Mono 310 Head shower set ceiling 142 mm, 1 spray consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray: GROHE PureRain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	26 559 000	chrome	325.00
	ditto, with non-restricted flow		
	26 564 000	chrome	348.00
	26 564 DC0	supersteel	578.00
	26 564 GN0	brushed cool sunrise	680.00
	26 564 DL0	brushed warm sunset	680.00
	26 564 A00	hard graphite	646.00
	26 564 AL0	brushed hard graphite	680.00
 	26 563 000	chrome	348.00
	<p>Rainshower Mono 310 Cube Head shower set 422 mm, 1 spray consisting of: head shower Rainshower 310 1 spray: GROHE PureRain Rainshower shower arm 422 mm (26 145 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	ditto, with non-restricted flow		

GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)

26 566 000	chrome	348.00
26 566 DC0	supersteel	578.00
26 566 GN0	brushed cool sunrise	680.00
26 566 DL0	brushed warm sunset	680.00
26 566 A00	hard graphite	646.00
26 566 AL0	brushed hard graphite	680.00




Rainshower Mono 310 Cube Head shower set ceiling 142 mm, 1 spray

consisting of:
head shower Rainshower 310
1 spray:
GROHE PureRain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 565 000	chrome	348.00
ditto, with non-restricted flow		


26 256 000	chrome	618.00
------------	--------	--------



Rainshower Cosmopolitan 400 Head shower set ceiling 142 mm, 1 spray

consisting of:
head shower Rainshower Cosmopolitan 400 (28 778 000)
1 spray:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater
min. recommended pressure 1.0 bar


26 257 000	chrome	499.00
------------	--------	--------



Rainshower 310 Head shower set 422 mm, 1 spray

consisting of:
Rainshower Cosmopolitan 310 head shower (27 477 000)
1 spray:
Rain
shower arm Rainshower 422 mm (26 146 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
DropStop no afterdripping from the horizontal
shower head after closing the valve
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 066 000	chrome	522.00
26 066 DC0	supersteel	650.00
26 066 BE0	polished nickel	745.00
26 066 EN0	brushed nickel	807.00
26 066 GL0	cool sunrise	760.00
26 066 GN0	brushed cool sunrise	785.00
26 066 DA0	warm sunset	760.00
26 066 DL0	brushed warm sunset	807.00
26 066 A00	hard graphite	760.00
26 066 AL0	brushed hard graphite	815.00










Rainshower Cosmopolitan 310 Head shower set 380 mm, 1 spray







consisting of:
Head shower Rainshower Cosmopolitan 310 (27 478 000)
material: metal
1 spray:
Rain
Shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
DropStop no afterdripping from the horizontal
shower head after closing the valve
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 056 000	chrome	523.00
ditto, with non-restricted flow		

GROHE HEAD AND SIDE SHOWERS









	Ref. No.	Colour	Price netto (€)
	26 067 000	chrome	519.00
	26 067 DC0	supersteel	650.00
	26 067 BE0	polished nickel	743.00
	26 067 EN0	brushed nickel	790.00
	26 067 GL0	cool sunrise	745.00
	26 067 GN0	brushed cool sunrise	790.00
	26 067 DA0	warm sunset	743.00
	26 067 DL0	brushed warm sunset	790.00
	26 067 A00	hard graphite	743.00
	26 067 AL0	brushed hard graphite	807.00
		Rainshower Cosmopolitan 310 Head shower set ceiling 142 mm, 1 spray consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) material: metal 1 spray: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater min. recommended pressure 1.0 bar	
		26 259 000 Rainshower F-Series 10" 254 x 254 Head shower set 422 mm, 1 spray consisting of: head shower Rainshower F-Series 10" (27 271 000) 1 spray: Rain shower arm Rainshower square 422 mm (26 145 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater	chrome 465.00
		26 070 000 Rainshower F-Series 10" 254 x 254 Head shower set 275 mm, 1 spray consisting of: head shower Rainshower F-Series 254 (27 285 000) material: metal 1 spray: Rain Shower arm Rainshower 275 mm (27 488 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome 471.00
	26 060 000 ditto, with non-restricted flow	chrome	413.00
		26 071 000 Rainshower F-Series 10" Head shower set ceiling 142 mm, 1 spray consisting of: head shower Rainshower F-Series 254 (27 285 000) material: metal 1 spray: Rain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome 476.00

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
	26 064 000 Rainshower Allure 230 Head shower set 286 mm, 1 spray consisting of: Head shower Rainshower Allure 230 (27 480 000) material: metal 1 spray: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	530.00
	26 054 000 ditto, with non-restricted flow	chrome	531.00
	26 065 000 Rainshower Allure 230 Head shower set ceiling 154 mm, 1 spray consisting of: Head shower Rainshower Allure 230 (27 480 000) material: metal 1 spray: Rain shower arm Rainshower ceiling 154 mm (27 711 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	474.00
	26 171 000 Rainshower Cosmopolitan 210 Head shower set 422 mm, 1 spray consisting of: Rainshower Cosmopolitan 210 metal head shower, spray plate chrome (28 368 000) 1 spray: Rain Rainshower shower arm 422 mm, escutcheon chrome (26 146) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater starting at 0.5 bar flow pressure	chrome	404.00
	26 062 000 Rainshower Cosmopolitan 210 Head shower set 286 mm, 1 spray consisting of: Head shower Rainshower Cosmopolitan 210 (28 373 000) material: metal 1 spray: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve starting at 0.5 bar flow pressure min. recommended pressure 1.0 bar	chrome	370.00
	26 052 000 ditto, with non-restricted flow	chrome	367.00


SHOWERS

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	26 063 000	chrome	336.00
	Rainshower Cosmopolitan 210 Head shower set ceiling 142 mm, 1 spray consisting of: Head shower Rainshower Cosmopolitan 210 (28 373 000) material: metal 1 spray: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve starting at 0.5 bar flow pressure		
 	26 459 000	chrome	198.00
	Euphoria 260 Head shower set 380 mm, 3 sprays consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 458 000	chrome	199.00
	ditto, with non-restricted flow		
 	26 461 000	chrome	157.00
	Euphoria 260 Head shower set ceiling 142 mm, 3 sprays consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 460 000	chrome	149.00
	ditto, with non-restricted flow		
 	26 073 000	chrome	244.00
	Euphoria Cube 150 Head shower set 286 mm, 1 spray consisting of: head shower Euphoria Cube 150 (27 705 000) 1 spray: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		

GROHE HEAD AND SIDE SHOWERS


Ref. No. Colour Price netto (€)



26 412 000 chrome 144.00

Tempesta 210
Head shower set 286 mm, 1 spray
 consisting of:
 head shower Tempesta 210 9.5 l/min (26 410)
 1 spray:
 Rain
 Shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar


26 411 000 chrome 144.00
 ditto, with non-restricted flow



26 414 000 chrome 121.00


Tempesta 210
Head shower set ceiling 142 mm, 1 spray
 consisting of:
 head shower Tempesta 210 9.5 l/min (26 410)
 1 spray:
 Rain
 Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

26 413 000 chrome 116.00
 ditto, with non-restricted flow




27 870 001 chrome 58.00

Tempesta 100
Head shower set 4 sprays
 GROHE Rain O², Rain, Massage, Jet
 ball joint ± 15° rotatable
 Shower arm with connection thread 1/2"
 escutcheon
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



26 088 001 chrome 53.00

Tempesta 100
Head shower set 3 sprays
 GROHE Rain O², Rain, Massage
 ball joint ± 15° rotatable
 Shower arm with connection thread 1/2"
 escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



27 869 001 chrome 64.00

Tempesta Cosmopolitan 100
Head shower 4 sprays
 GROHE Rain O², Rain, Massage, Jet
 ball joint ± 15° rotatable
 Shower arm with connection thread 1/2"
 escutcheon
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar


SHOWERS

GROHE HEAD AND SIDE SHOWERS

Ref. No.

Colour

Price netto (€)



26 090 001

chrome

51.00

Tempesta Cosmopolitan 100
Head shower set 3 sprays

GROHE Rain O², Rain, Massage

ball joint ± 15° rotatable

Shower arm with connection thread 1/2"
escutcheon

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 089 001

chrome

66.00

Tempesta Rustic 100

Head shower set 4 sprays

GROHE Rain O², Rain, Massage, Jet

ball joint ± 15° rotatable

Shower arm with connection thread 1/2"
escutcheon

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater


min. recommended pressure 1.0 bar

GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)

26 373 001 chrome 19,900.00

Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
 1016 mm x 762 mm x 145 mm
 material: metal
 minimum flow rate 25 l/min
 min. recommended pressure 3.0 bar
 1 x AquaCurtain
 1 x Pure XL spray
 1 x 2 mist spray
 2 x GROHE PureRain spray 400 x 190 mm
 2 x XL Waterfall (separately controlled)
 1 x 4 Bokoma Spray with adjustment angle 20° and combinations
 full spectrum LED: soft light with changing rainbow colours
 individually adjustable: permanent lighting with colour selection
 power supply for light 12 V DC
 CE approved
SpeedClean anti-lime system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish



requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation


The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm SmartControl
 3 x Grohtherm SmartControl (29 126 000)
 3 x GROHE Rapido SmartBox (35 600 000)
 1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++

26 376 001 chrome 1,890.00


Rainshower F-Series 40"
Roughing-in set
 for use with Rainshower F-Series 40" AquaSymphony ceiling shower
 1000 mm x 745 mm x 152 mm
 min. installation depth: 167 mm
 waterways: brass
 1/2" connections












The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

27 865 000 chrome 3,990.00









Rainshower F-Series 20"
Ceiling shower with light, 1 spray
 Rain
 508 x 508 x 59 mm
 material: metal
 full spectrum LED: soft light with changing rainbow colours
 individually adjustable: permanent lighting with colour selection
 power supply for light 12 V DC
 CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
 suitable for instantaneous heater
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
 this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
 For detailed planning and product information please contact your local GROHE Customer Service.












GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
	26 471 000 Rainshower F-Series 20" Ceiling shower 1 spray Rain 508 x 508 mm material: metal Female thread 1/2" NPT GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater	chrome	1,630.00
 	27 286 000 Rainshower F-Series 20" Ceiling shower 1 spray Rain 508 x 508 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	1,970.00
 	27 939 001 Rainshower F-Series 15" Ceiling shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 17 mm (height) x 456 mm (depth) material: metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-lime system flow of single spray at 3 bar: 1 x Rain spray 300 mm: approx. 20 l/min 2 x XL Waterfall: 1 x Waterfall 20 l, 2 x Waterfall 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min head shower has to be controlled by 4 outlets	chrome	3,180.00
 	27 938 001 Rainshower F-Series 15" Head shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 60 mm (height) x 677 mm (depth) material: metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-lime system flow of single spray at 3 bar: 1 x Rain spray 300 mm: approx. 20 l/min 2 x XL Waterfall: 1 x Waterfall 20 l, 2 x Waterfall 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min requires rough-in (26 042 000) – to be ordered separately head shower has to be controlled by 4 outlets	chrome	3,200.00
 	26 042 000 Rainshower F-Series 15" Roughing-in set for use with Rainshower F-Series 15" Multi Spray head shower 295 mm (width) x 121 mm (height) x 181 mm (depth) max. installation depth: 91 mm min. wall thickness: not less than 200 mm minimum screw-in depth of stud bolts: 14 mm full metal construction waterways: brass 1/2" connections	chrome	225.00






GROHE HEAD AND SIDE SHOWERS


	Ref. No.	Colour	Price netto (€)
	27 468 000 Rainshower F-Series 10" Head shower set 1 spray Rain 254 x 254 mm material: metal Female thread 1/2" NPT GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater	chrome	548.00
 	27 467 000 Rainshower F-Series 10" 254 x 254 Ceiling shower 1 spray Rain 254 x 254 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	614.00
 	27 285 000 Rainshower F-Series 10" Head shower 1 spray Rain 254 x 254 mm material: metal ball joint $\pm 20^\circ$ rotatable connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	466.00
 	27 271 000 Rainshower F-Series 10" Head shower 1 spray Rain 254 x 254 mm material: metal ball joint $\pm 20^\circ$ rotatable connection thread 1/2", GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	455.00
	27 252 000 Rainshower F-Series 5" Side shower 1 spray Normal spray including concealed body also to be used as head shower 127 x 127 mm Flow straightener with ball joint ($\pm 12.5^\circ$ rotatable) Female thread 1/2" NPT GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-lime system suitable for instantaneous heater	chrome	98.00

GROHE HEAD AND SIDE SHOWERS









	Ref. No.	Colour	Price netto (€)	
 	27 251 000	chrome	116.00	
	27 251 DC0	supersteel	137.00	
	27 251 BE0	polished nickel	157.00	
	27 251 EN0	brushed nickel	167.00	
	27 251 GL0	cool sunrise	157.00	
	27 251 GN0	brushed cool sunrise	167.00	
	27 251 DA0	warm sunset	157.00	
	27 251 DL0	brushed warm sunset	167.00	
	27 251 A00	hard graphite	157.00	
	27 251 AL0	brushed hard graphite	167.00	
		Rainshower F-Series 5" Side shower 1 spray Normal spray including concealed body 127 x 127 mm Flow straightener with ball joint ($\pm 12.5^\circ$ rotatable) connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-lime system suitable for instantaneous heater		
	 	27 253 000	chrome	175.00
Rainshower F-Series 5" Head shower 1 spray Normal spray wall mounted 127 x 127 mm Flow straightener with ball joint ($\pm 12.5^\circ$ rotatable) connection thread 1/2" with pre-assembled Teflon sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-lime system				
 	26 645 000	chrome	*	
	Rainshower SmartConnect 310 Cube Head shower 2 sprays with remote control GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar			
  	26 643 000	chrome	508.00	
	Rainshower SmartConnect 310 Cube Head shower 2 sprays GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar			

GROHE HEAD AND SIDE SHOWERS








	Ref. No.	Colour	Price netto (€)
 	26 644 000 26 644 EN0	chrome brushed nickel	485.00 *
	<p>Rainshower SmartConnect 310 Head shower 2 sprays with remote control GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar</p>		
 	26 641 000	chrome	485.00
	<p>Rainshower SmartConnect 310 Head shower 2 sprays GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar</p>		
	26 569 000 26 569 EN0	chrome brushed nickel	260.00 442.00
	<p>Rainshower Mono 310 Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	26 562 000 26 562 LS0	chrome moon white	266.00 346.00
	ditto, with GROHE EcoJoy 9.5 l/min flow limiter		
	26 561 000 26 561 LS0	chrome moon white	266.00 346.00
	ditto, with non-restricted flow		











GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
	26 570 000 26 570 ENO	chrome brushed nickel	283.00 481.00
	Rainshower Mono 310 Cube Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 568 000 26 568 LSO ditto, with GROHE EcoJoy 9.5 l/min flow limiter	chrome moon white	290.00 377.00
	26 567 000 26 567 LSO ditto, with non-restricted flow	chrome moon white	290.00 377.00
	27 470 000	chrome	463.00
	Rainshower Veris 300 Head shower 1 spray Rain 300 x 150 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 470 LSO	moon white/chrome	524.00
	Rainshower Veris 300 Head shower 1 spray Rain spray plate white 300 x 150 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 863 000	chrome	688.00
	Rainshower Allure 230 Ceiling shower 1 spray Rain 230 x 230 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 469 000	chrome	426.00
	Rainshower Allure 230 Head shower 1 spray Rain 230 x 230 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater		








GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 480 000 Rainshower Allure 230 Head shower 1 spray Rain 230 x 230 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	505.00
	27 479 000 ditto, with non-restricted flow	chrome	500.00
 	28 778 000 Rainshower Cosmopolitan 400 Head shower 1 spray normal (wide) spray starting at 0.5 bar flow pressure Ø 400 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497	chrome	629.00
	26 472 000 Rainshower Cosmopolitan 310 Head shower 1 spray Rain Ø 310 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater	chrome	439.00
 	27 478 000 Rainshower Cosmopolitan 310 Head shower 1 spray Rain Ø 310 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	439.00
	27 477 000 ditto, with non-restricted flow	chrome	522.00

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
	28 368 00E Rainshower Cosmopolitan 210 Head shower 1 spray Rain starting at 0.5 bar flow pressure Ø 210 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar This head shower should only be used in conjunction with shower arm 28 384, 28 497 or 28 576!	chrome	384.00
	28 368 000 ditto, with non-restricted flow	chrome	372.00
	28 373 000 ditto, with 9.5 l/min flow limiter	chrome	300.00
			
	28 368 LS0 Rainshower Cosmopolitan 210 Head shower 1 spray Rain starting at 0.5 bar flow pressure spray plate white Ø 210 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater This head shower should only be used in conjunction with shower arm 28 384, 28 497, 28 576 or 28 724!	moon white/chrome	371.00
			
	27 135 000 Rainshower Cosmopolitan 160 Head shower 4 sprays Rain, Jet, Pure, Champagne spray Ø 160 mm ball joint with turning angle 15° ± 15° GROHE EcoJoy 9,5 l/min flow limiter SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 0.5 bar The head shower is suitable for minimum flow rate of 7,5l/min and a maximum of 9,5l/min (ASME A112.18.1M). Minimum pressure > 1 bar, maximum 6 bar (ASME A112.18.1M). Recommended for use with Rainshower shower arms.	chrome	114.00
			
	27 134 000 Rainshower Cosmopolitan 160 Head shower 4 sprays Rain, Jet, Pure, Champagne spray Ø 160 mm ball joint with turning angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 0.5 bar the head shower is suitable for minimum flow rate of 7,5 l/min and a maximum of 25 l/min (DIN EN 1112). Minimum pressure > 1 bar, maximum 5 bar (DIN EN 1112). Recommended for use with Rainshower shower arms.	chrome	126.00
			

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
	26 474 000	chrome	317.00
	26 474 BE0	polished nickel	508.00
	26 474 EN0	brushed nickel	539.00
	26 474 ZB0	antique bronze	412.00
	Rainshower Rustic 210 Head shower 1 spray spray pattern: Rain normal (wide) spray starting at 0.5 bar flow pressure Ø 210 mm 120 spray nozzles brass ball joint with turning angle 20° ± 20° connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-lime system		
	28 369 000	chrome	317.00
			
	27 130 000	chrome	141.00
	26 473 000	chrome	389.00
	Rainshower Grandera 210 Head shower 1 spray Rain material: metal GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 974 000	chrome	423.00
			
	Grandera 210 Head shower 1 spray Rain 221 x 221 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		










GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 765 000	chrome	152.00
	Power&Soul Cosmopolitan 190 Head shower 4+ sprays GROHE Rain O ² , Rain, Bokoma Spray, Jet Ø 190 mm GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 764 LS0	moon white/chrome	166.00
	Power&Soul Cosmopolitan 190 Head shower 4+ sprays GROHE Rain O ² , Rain, Bokoma Spray, Jet Ø 190 mm ball joint with turning angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 767 000	chrome	136.00
	Power&Soul 190 Head shower 4+ sprays GROHE Rain O ² , Rain, Bokoma Spray, Jet Ø 190 mm ball joint with turning angle ± 15° connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	28 308 000	chrome	137.00
	Sena 75 Head shower 1 spray Normal spray material: metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system min. recommended pressure 1.0 bar		
 	27 530 000	chrome	417.00
	Relexa Deluxe 130 Head shower 4 sprays Normal, Rain, Champagne spray, Champagne spray Deluxe ball joint ± 15° rotatable GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish Inner WaterGuide for a longer life min. recommended pressure 1.0 bar		








GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
	27 068 000 Relaxa 100 Five Head shower 5 sprays Normal, Jet, Rain, Massage, Champagne spray ball-joint 1/2" NPT female thread GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life minimum flow rate 7,5 l/min.	chrome	132.00
	27 062 000 Relaxa 100 Five Head shower 5 sprays Normal, Jet, Rain, Massage, Champagne spray ball-joint installation dependent angle of inclination connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life minimum flow rate 7,5 l/min. min. recommended pressure 1.0 bar	chrome	212.00
	27 065 000 Relaxa 100 Trio Head shower 3 sprays Normal, Jet, Rain ball-joint installation dependent angle of inclination connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life minimum flow rate 5 l/min. min. recommended pressure 1.0 bar	chrome	168.00
	27 067 000 Relaxa 65 Side shower 2 sprays Normal, Massage ball-joint GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life minimum flow rate 4 l/min. min. recommended pressure 1.0 bar	chrome	135.00
	26 456 000 Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	117.00
	26 457 000 ditto, with 9.5 l/min flow limiter	chrome	120.00
	26 455 000 ditto, with non-restricted flow	chrome	120.00





GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 492 000	chrome	136.00
<p>Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm ball joint ± 15° rotatable connection thread 1/2"</p> <p>GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	28 233 000	chrome	75.00
<p>Euphoria Cosmopolitan 160 Head shower 1 spray Rain ball joint ± 15° rotatable connection thread 1/2"</p> <p>GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 810 001	chrome	64.00
<p>Euphoria 110 Mono Head shower 1 spray Rain ball-joint connection thread 1/2"</p> <p>GROHE EcoJoy 7.6 l/min flow limiter GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 237 000	chrome	66.00
<p>Euphoria 110 Mono Head shower 1 spray Rain connection thread 1/2" bellows GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	26 468 000	chrome	127.00
<p>Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2"</p> <p>GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater</p>			











GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 705 000 Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle $\pm 12^\circ$ connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	155.00
	26 409 000 Tempesta 210 Head shower 1 spray Rain Ø 210 mm ball joint $\pm 15^\circ$ rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	80.00
	26 410 000 ditto, with 9.5 l/min flow limiter	chrome	82.00
	26 408 000 ditto, with non-restricted flow	chrome	82.00
 	26 044 001 26 044 EN1 Tempesta 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet ball joint $\pm 15^\circ$ rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater max. flow rate 1.75 gpm (6.6 l/min) min. recommended pressure 1.0 bar	chrome brushed nickel	50.00 84.00
	27 606 001 ditto, with 9.5 l/min flow limiter	chrome	45.00
 	26 050 001 Tempesta 100 Head shower 1 spray Rain ball joint $\pm 15^\circ$ rotatable GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	41.00

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
	26 043 001	chrome	55.00
	26 043 EN1	brushed nickel	93.00
	Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater max. flow rate 1.75 gpm (6.6 l/min) min. recommended pressure 1.0 bar		
	27 591 001	chrome	56.00
	ditto, with 9.5 l/min flow limiter		
	26 051 001	chrome	44.00
	Tempesta Cosmopolitan 100 Head shower 1 spray Rain ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 366 001	chrome	40.00
	ditto, with 6.6 l/min flow limiter		
	27 541 001	chrome	*
	Tempesta Cosmopolitan 200 Head shower 1 spray spray pattern: Rain ball joint ± 20° rotatable connection thread 1/2" suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 045 001	chrome	57.00
	26 045 EN1	brushed nickel	97.00
	Tempesta Rustic 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater max. flow rate 1.75 gpm (6.6 l/min) min. recommended pressure 1.0 bar		
	27 610 001	chrome	57.00
	ditto, with 9.5 l/min flow limiter		

GROHE HEAD AND SIDE SHOWERS


	Ref. No.	Colour	Price netto (€)
 	28 404 000 Relexa Basic 85 Head shower 1 spray Rain brass tin plate 50 mm high connection thread 1/2"	chrome	19.00
 	28 094 000 Relexa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE StarLight chrome finish adjustable flow rate without shower arm	chrome	43.00
 	28 190 000 Relexa Plus 80 Dual Head shower 2 sprays Turbo Jet (normal spray hard)/Normal (full shower spray) ball-joint installation dependent angle of inclination connection thread with pre-assembled sealing for shower or rather bath GROHE StarLight chrome finish SpeedClean anti-lime system	chrome	131.00
 	28 002 000 Relexa 70 Sports head shower 1 spray low aerosol emission heavy, casted model theft proof connection thread 1/2" projection 58 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suicide-resisting design pipe union plug-in for wall connection min. recommended pressure 1.0 bar	chrome	193.00
 	28 948 000 Relexa Plus 60 Sports head shower 1 spray heavy, casted model theft proof connection thread 1/2" projection 148 mm GROHE StarLight chrome finish SpeedClean anti-lime system	chrome	277.00

GROHE HEAD AND SIDE SHOWERS

Ref. No.

Colour

Price netto (€)




28 286 000

chrome

90.00

Relaxa 50
Side shower 2 sprays
Normal, Jet
ball-joint
GROHE StarLight chrome finish
SpeedClean anti-lime system
minimum flow rate 4,5 l/min.














28 198 000

chrome











106.00

Relaxa 50
Side shower 1 spray
Normal spray
ball-joint
GROHE StarLight chrome finish
SpeedClean anti-lime system
pre-adjustment for the flow rate
pre-adjustable flow rate from 5-11 l/min.
minimum flow rate 4,5 l/min.

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	26 146 000	chrome	87.00
	Rainshower Shower arm 422 mm material: metal connection thread 1/2" with round escutcheon, chrome suitable for all Rainshower head showers GROHE StarLight chrome finish		
 	26 146 LS0	moon white/chrome	109.00
	Rainshower Shower arm 422 mm material: metal connection thread 1/2" with round escutcheon, white suitable for all Rainshower head showers GROHE StarLight chrome finish		
 	28 982 000	chrome	137.00
	Rainshower Shower arm 378 mm material: metal connection thread 1/2" GROHE StarLight chrome finish suitable for all Rainshower head showers		
 	28 361 000	chrome	102.00
	Rainshower Shower arm, 380 mm material: metal connection thread 1/2" can be used for all Rainshower head showers except Rainshower 400 mm GROHE StarLight chrome finish with circle escutcheon		
	28 576 000	chrome	82.00
	ditto, projection 286 mm		
	28 540 000	chrome	87.00
	Rainshower Shower arm 380 mm NPT NPT thread 1/2" can be used for all Rainshower head showers except Rainshower 400 mm GROHE StarLight chrome finish		
	28 577 000	chrome	68.00
	ditto, projection 286 mm		
 	28 384 000	chrome	160.00
	Rainshower Rustic Shower arm 272 mm material: metal connection thread 1/2" GROHE StarLight chrome finish		

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	26 145 000	chrome	87.00
	Rainshower Shower arm 422 mm material: metal connection thread 1/2" with square escutcheon suitable for all Rainshower head showers GROHE StarLight chrome finish		
 	27 488 000	chrome	82.00
	Rainshower Shower arm 275 mm material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers except Rainshower 400 mm GROHE StarLight chrome finish		
 	27 709 000	chrome	113.00
	Rainshower Shower arm 286 mm material: metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower GROHE StarLight chrome finish		
	27 217 000	chrome	*
	Rainshower Shower arm ceiling 146 mm NPT projection 146 mm NPT thread 1/2"		
 	28 497 000	chrome	67.00
	Rainshower Shower arm ceiling 292 mm material: metal connection thread 1/2" suitable for all Rainshower head showers GROHE StarLight chrome finish		
	28 724 000 28 724 LS0 ditto, length 142 mm	chrome moon white/chrome	65.00 67.00
	28 492 000 28 492 EN0 28 492 BE0	chrome brushed nickel polished nickel	* 100.00 *
	Rainshower Shower arm ceiling 296 mm NPT suitable for all Rainshower head showers GROHE StarLight chrome finish		

GROHE HEAD AND SIDE SHOWERS



	Ref. No.	Colour	Price netto (€)
 	27 484 000	chrome	59.00
	Rainshower Shower arm ceiling 292 mm material: metal connection thread 1/2" with square escutcheon suitable for all Rainshower head showers GROHE StarLight chrome finish		
	27 485 000	chrome	56.00
	ditto, length 142 mm		
 	27 711 000	chrome	95.00
	Rainshower Shower arm ceiling 154 mm material: metal connection thread 1/2" GROHE StarLight chrome finish		
 	27 986 000 27 986 IGO	chrome chrome/gold	97.00 128.00
	Rainshower Grandera Shower arm 285 mm projection 286 mm material: metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers min. recommended pressure 1.0 bar		
 	27 978 000 27 978 IGO	chrome chrome/gold	65.00 84.00
	Rainshower Grandera Shower arm ceiling 142 mm material: metal length 142 mm connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers		
 	27 406 000	chrome	51.00
	Relexa Shower arm 218 mm connection thread 1/2" projection 218 mm sliding escutcheon GROHE StarLight chrome finish		
 	28 541 000	chrome	85.00
	Relexa Shower arm 147 mm connection thread 1/2" escutcheon GROHE StarLight chrome finish		



GROHE HEAD AND SIDE SHOWERS



	Ref. No.	Colour	Price netto (€)
 	28 429 000	chrome	60.00
	Relexa Shower arm 55 mm connection thread 1/2" GROHE StarLight chrome finish		
	27 412 000	chrome	30.00
	Relexa Shower arm 203 mm NPT GROHE StarLight chrome finish		
	27 414 000	chrome	*
	Shower arm 182 mm NPT connection thread 1/2" projection 182 mm GROHE StarLight chrome finish		
	48 348 000	chrome	30.00
	Spray face for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly-key		

GROHE SENA



Ref. No. Colour Price netto (€)

		28 341 000	chrome	143.00
		<p>Sena Stick Hand shower 1 spray Normal spray material: metal GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
		28 034 000	chrome	143.00
		ditto, with non-restricted flow		

		26 465 000	chrome	127.00
		26 465 DC0	supersteel	178.00
		26 465 BE0	polished nickel	207.00
		26 465 EN0	brushed nickel	219.00
		26 465 GL0	cool sunrise	207.00
		26 465 GN0	brushed cool sunrise	223.00
		26 465 DA0	warm sunset	207.00
		26 465 DL0	brushed warm sunset	219.00
		26 465 A00	hard graphite	207.00
		26 465 AL0	brushed hard graphite	219.00
				<p>Sena Stick Hand shower 1 spray Normal spray material: metal GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>


		28 348 000	chrome	240.00
		<p>Sena Wall holder set 1 spray material: metal consisting of: hand shower Sena (28 034 000) wall shower holder (28 690) shower hose (28 151 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar</p>		

		28 308 000	chrome	137.00
		<p>Sena 75 Head shower 1 spray Normal spray material: metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system min. recommended pressure 1.0 bar</p>		

		28 690 000	chrome	110.00
		<p>Sena Wall hand shower holder not adjustable material: metal GROHE StarLight chrome finish</p>		


GROHE RAINSHOWER SMARTACTIVE

Ref. No. Colour Price netto (€)




26 544 000 **chrome** 67.00

Rainshower SmartActive 130
Hand shower 3 sprays
 spray plate chrome
 GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar




26 574 000 **chrome** 68.00
 26 574 DC0 **supersteel** *
 26 574 BE0 **polished nickel** 115.00
 26 574 EN0 **brushed nickel** 122.00
 26 574 GL0 **cool sunrise** 115.00
 26 574 GN0 **brushed cool sunrise** 122.00
 26 574 DA0 **warm sunset** 115.00
 26 574 DL0 **brushed warm sunset** 122.00
 26 574 A00 **hard graphite** 115.00
 26 574 AL0 **brushed hard graphite** 122.00

Rainshower SmartActive 130
Hand shower 3 sprays
 spray plate chrome
 GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



26 544 LS0 **moon white** 67.00

Rainshower SmartActive 130
Hand shower 3 sprays
 spray plate moon white
 GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



26 574 LS0 **moon white** 68.00


Rainshower SmartActive 130
Hand shower 3 sprays
 spray plate moon white
 GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

GROHE RAINSHOWER SMARTACTIVE

Ref. No.

Colour

Price netto (€)



26 545 EN0

brushed nickel

*

Rainshower SmartActive 130

Hand shower 3 sprays

spray plate brushed nickel

GROHE Rain including DripStop, Jet including DripStop, ActiveMassage

GROHE EcoJoy 6.6 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE SmartTip showering spray selection via push of a ring

GROHE StarLight finish


SpeedClean anti-lime system

Inner WaterGuide for a longer life

universal mounting system, fitting all standard shower hoses

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 546 000

chrome

144.00

Rainshower SmartActive 130

Shower rail set 3 sprays

consisting of:

hand shower Rainshower SmartActive 130 (26 544)

shower rail 600 mm

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets

for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 575 000

chrome

145.00

Rainshower SmartActive 130

Shower rail set 3 sprays

consisting of:

hand shower Rainshower SmartActive 130 (26 574)

shower rail 600 mm

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets

for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 576 LS0

moon white

144.00

Rainshower SmartActive 130

Shower rail set 3 sprays

consisting of:

hand shower Rainshower SmartActive 130 (26 544)

shower rail 600 mm

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets

for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater


min. recommended pressure 1.0 bar

GROHE RAINSHOWER SMARTACTIVE

Ref. No.

Colour

Price netto (€)



26 577 LSO

moon white

145.00

**Rainshower SmartActive 130
Shower rail set 3 sprays**

consisting of:

hand shower Rainshower SmartActive 130 (26 574)
shower rail 600 mm

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 547 000

chrome

145.00

26 547 ENO

brushed nickel

*

**Rainshower SmartActive 130
Shower rail set 3 sprays**

consisting of:

hand shower Rainshower SmartActive 130 (26 545)

shower rail 600 mm

with wall holders made of metal

Rotaflex metal shower hose 1750 mm (28 025 000)

GROHE EasyReach tray

GROHE EcoJoy 6.6 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 578 000

chrome

148.00

**Rainshower SmartActive 130
Shower rail set 3 sprays**

consisting of:

hand shower Rainshower SmartActive 130 (26 544)

shower rail 900 mm

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 548 000

chrome

149.00

**Rainshower SmartActive 130
Shower rail set 3 sprays**

consisting of:

hand shower Rainshower SmartActive 130 (26 574)

shower rail 900 mm

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater


min. recommended pressure 1.0 bar

GROHE RAINSHOWER SMARTACTIVE

Ref. No.

Colour

Price netto (€)



26 578 LS0

moon white

148.00

**Rainshower SmartActive 130
Shower rail set 3 sprays**

consisting of:

hand shower Rainshower SmartActive 130 (26 544)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray

GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

GROHE QuickFix Plus adjustable distance between brackets

for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 579 LS0

moon white

149.00

**Rainshower SmartActive 130
Shower rail set 3 sprays**

consisting of:

hand shower Rainshower SmartActive 130 (26 574)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

GROHE QuickFix Plus adjustable distance between brackets

for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 581 000

chrome

95.00

**Rainshower SmartActive 130
Wall holder set 3 sprays**

consisting of:

hand shower Rainshower SmartActive 130 (26 574)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 581 LS0

moon white

95.00

**Rainshower SmartActive 130
Wall holder set 3 sprays**

consisting of:

hand shower Rainshower SmartActive 130 (26 574)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater


min. recommended pressure 1.0 bar

GROHE RAINSHOWER SMARTACTIVE

Ref. No.

Colour

Price netto (€)



26 580 000

chrome

112.00

Rainshower SmartActive 130
Wall holder set 3 sprays

consisting of:

hand shower Rainshower SmartActive 130 (26 574)

wall shower holder, adjustable (27 055)

Silverflex shower hose 1.500 mm (28 364)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 580 LS0

moon white

112.00

Rainshower SmartActive 130
Wall holder set 3 sprays

consisting of:

hand shower Rainshower SmartActive 130 (26 574)

wall shower holder, adjustable (27 055)

Silverflex shower hose 1.500 mm (28 364)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar


GROHE RAINSHOWER SMARTACTIVE

Ref. No. Colour Price netto (€)




26 550 000 **chrome** 67.00

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
 spray plate chrome
 GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar




26 582 000 **chrome** 68.00
 26 582 DC0 **supersteel** 102.00
 26 582 GN0 **brushed cool sunrise** 122.00
 26 582 DL0 **brushed warm sunset** 122.00
 26 582 A00 **hard graphite** 115.00
 26 582 AL0 **brushed hard graphite** 122.00

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
 spray plate chrome
 GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar




26 582 LS0 **moon white** 68.00

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
 spray plate moon white
 GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



26 551 LS0 **moon white** 67.00

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
 spray plate moon white
 GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



26 552 000 **chrome** 68.00
 26 552 EN0 **brushed nickel** *


Rainshower SmartActive 130 Cube
Hand shower 3 sprays
 spray plate chrome
 GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

GROHE RAINSHOWER SMARTACTIVE

Ref. No.

Colour

Price netto (€)



26 583 000

chrome

144.00

**Rainshower SmartActive 130 Cube
Shower rail set 3 sprays**

consisting of:

hand shower Rainshower SmartActive 130 Cube (26 550)

shower rail 600 mm

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets

for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 584 000

chrome

145.00

**Rainshower SmartActive 130 Cube
Shower rail set 3 sprays**

consisting of:

hand shower Rainshower SmartActive 130 Cube (26 582)

shower rail 600 mm

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets

for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 584 LSO

moon white

145.00

**Rainshower SmartActive 130 Cube
Shower rail set 3 sprays**

consisting of:

hand shower Rainshower SmartActive 130 Cube (26 582)

shower rail 600 mm

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets

for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 585 000

chrome

145.00

26 585 ENO

brushed nickel

*

**Rainshower SmartActive 130 Cube
Shower rail set 3 sprays**

consisting of:

hand shower Rainshower SmartActive 130 Cube (26 552)

shower rail 600 mm

with wall holders made of metal

Rotaflex metal shower hose 1750 mm (28 025 000)

GROHE EasyReach tray

GROHE EcoJoy 6.6 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets

for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater


min. recommended pressure 1.0 bar

GROHE RAINSHOWER SMARTACTIVE

Ref. No.

Colour

Price netto (€)




26 586 000

chrome

148.00

**Rainshower SmartActive 130 Cube
Shower rail set 3 sprays**

consisting of:
hand shower Rainshower SmartActive 130 Cube (26 550)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar




26 587 000

chrome

149.00

**Rainshower SmartActive 130 Cube
Shower rail set 3 sprays**

consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar




26 586 LSO

moon white

148.00

**Rainshower SmartActive 130 Cube
Shower rail set 3 sprays**

consisting of:
hand shower Rainshower SmartActive 130 Cube (26 550)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar



26 587 LSO

moon white









149.00

**Rainshower SmartActive 130 Cube
Shower rail set 3 sprays**

consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

SHOWERS

GROHE RAINSHOWER SMARTACTIVE


	Ref. No.	Colour	Price netto (€)
 	26 588 000	chrome	112.00
<p>Rainshower SmartActive 130 Cube Wall holder set 3 sprays consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder, adjustable (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	26 588 LS0	moon white	112.00
<p>Rainshower SmartActive 130 Cube Wall holder set 3 sprays consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder, adjustable (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	26 589 000	chrome	95.00
<p>Rainshower SmartActive 130 Cube Wall holder set 3 sprays consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) hand shower wall holder (27 055) Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	26 589 LS0	moon white	95.00
<p>Rainshower SmartActive 130 Cube Wall holder set 3 sprays consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) hand shower wall holder (27 055) Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			

GROHE RAINSHOWER SMARTACTIVE

Ref. No.

Colour

Price netto (€)




26 553 000

chrome

84.00

Rainshower SmartActive 150
Hand shower 3 sprays

spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar




26 554 LS0

moon white

85.00

Rainshower SmartActive 150
Hand shower 3 sprays

spray plate moon white
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar




26 590 000

chrome

85.00

Rainshower SmartActive 150
Hand shower 3 sprays

spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar



26 591 000

chrome

171.00

Rainshower SmartActive 150
Shower rail set 3 sprays


consisting of:
hand shower Rainshower SmartActive 150 (26 553)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

GROHE RAINSHOWER SMARTACTIVE

Ref. No.

Colour

Price netto (€)



26 592 LS0

moon white

172.00

**Rainshower SmartActive 150
Shower rail set 3 sprays**

consisting of:

hand shower Rainshower SmartActive 150 (26 590)
shower rail 600 mm

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 592 000

chrome

172.00

**Rainshower SmartActive 150
Shower rail set 3 sprays**

consisting of:

hand shower Rainshower SmartActive 150 (26 590)

shower rail 600 mm

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 593 000

chrome

176.00

**Rainshower SmartActive 150
Shower rail set 3 sprays**

consisting of:

hand shower Rainshower SmartActive 150 (26 553)

shower rail 900 mm

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 594 LS0

moon white

177.00

**Rainshower SmartActive 150
Shower rail set 3 sprays**

consisting of:

hand shower Rainshower SmartActive 150 (26 590)

shower rail 900 mm

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater


min. recommended pressure 1.0 bar

GROHE RAINSHOWER SMARTACTIVE

Ref. No.

Colour

Price netto (€)



26 594 000

chrome

177.00

Rainshower SmartActive 150
Shower rail set 3 sprays

consisting of:

hand shower Rainshower SmartActive 150 (26 590)

shower rail 900 mm

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets

for adaption to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar


GROHE RAINSHOWER SMARTACTIVE

Ref. No. Colour Price netto (€)



26 602 000 **chrome** 88.00

Rainshower SmartActive
Shower rail, 600 mm
with wall holders made of metal
glide element and swivel holder
GROHE QuickFix (adjustable distance between
wall shower holders for adaption to existing drillings)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish



26 603 000	chrome	92.00
26 603 DC0	supersteel	166.00
26 603 BE0	polished nickel	184.00
26 603 EN0	brushed nickel	202.00
26 603 GL0	cool sunrise	184.00
26 603 GN0	brushed cool sunrise	202.00
26 603 DA0	warm sunset	184.00
26 603 DL0	brushed warm sunset	202.00
26 603 A00	hard graphite	184.00
26 603 AL0	brushed hard graphite	202.00

Rainshower SmartActive
Shower rail, 900 mm
with wall holders made of metal
glide element and swivel holder
GROHE QuickFix (adjustable distance between
wall shower holders for adaption to existing drillings)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish



26 604 EN0 **brushed nickel** *

Rainshower SmartActive 130
Shower set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 545)
hand shower wall holder
Rotaflex shower hose 1500 mm (28 417 000)
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar




26 605 EN0 **brushed nickel** *

Rainshower SmartActive 130 Cube
Shower set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 552)
hand shower wall holder
Rotaflex shower hose 1500 mm (28 417 000)
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar


GROHE RAINSHOWER

Ref. No. Colour Price netto (€)




28 756 000 **chrome** **111.00**

Rainshower Cosmopolitan 160
Hand shower 4 sprays
 Rain, Jet, Pure, Champagne spray
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 minimum flow rate 7,5 l/min.



28 755 000 **chrome** **126.00**


Rainshower Cosmopolitan 130
Hand shower 3 sprays
 Rain, Jet, Pure
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 minimum flow rate 5 l/min.



28 758 001 **chrome** **212.00**

Rainshower Cosmopolitan 160
Shower rail set 4 sprays
 consisting of:
 hand shower Cosmopolitan (28 756 000)
 shower rail, 600 mm (28 797 001)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
GROHE StarLight chrome finish
GROHE QuickFix (adjustable distance between
 wall shower holders for adaption to existing drillings)
Twistfree to prevent hose from twisting

28 763 001 **chrome** **254.00**
ditto, 900 mm



28 757 001 **chrome** **200.00**

Rainshower Cosmopolitan 130
Shower rail set 3 sprays
 consisting of:
 hand shower Cosmopolitan (28 755 000)
 shower rail, 600 mm (28 797 001)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets
 for adaption to existing drilling holes
Twistfree to prevent hose from twisting
 min. recommended pressure 1.0 bar

28 762 001 **chrome** **248.00**
ditto, 900 mm

SHOWERS

GROHE RAINSHOWER

	Ref. No.	Colour	Price netto (€)
 	28 765 000	chrome	114.00
	Rainshower Classic 160 Hand shower 4 sprays Rain, Jet, Pure, Champagne spray GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater minimum flow rate 7,5 l/min.		
 	28 764 000	chrome	101.00
	Rainshower Classic 130 Hand shower 3 sprays Rain, Jet, Pure GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater minimum flow rate 5 l/min. min. recommended pressure 1.0 bar		
 	28 768 001	chrome	190.00
	Rainshower Classic 160 Shower rail set 4 sprays consisting of: hand shower Classic (28 765 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar		
	28 770 001	chrome	225.00
	ditto, 900 mm		
 	28 767 001	chrome	178.00
	Rainshower Classic 130 Shower rail set 3 sprays consisting of: hand shower Classic (28 764 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish Twistfree to prevent hose from twisting GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes min. recommended pressure 1.0 bar		
	28 769 001	chrome	224.00
	ditto, 900 mm		

GROHE RAINSHOWER

	Ref. No.	Colour	Price netto (€)
	27 129 000	chrome	112.00
	Rainshower Rustic 130 Hand shower 3 sprays Rain, Jet, Pure connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-lime system universal mounting system, fitting all standard shower hoses The hand shower is suitable for minimum flow rate of 5l/min and a maximum of 9,5l/min (ASME A112.18.1M). Minimum pressure > 0,5 bar, maximum 6 bar (ASME A112.18.1M).		
	27 140 000	chrome	223.00
	Rainshower Rustic 130 Shower rail set 3 sprays consisting of: hand shower Rustic 130 (27 129) shower rail, 600 mm (28 666 000) shower hose, 1.750 mm 1/2" x 1/2" (28 025 000) soap dish GROHE StarLight chrome finish SpeedClean anti-lime system Twistfree to prevent hose from twisting		
	27 276 000 27 276 LSO	chrome moon white	86.00 76.00
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) GROHE EcoJoy technology for less water and perfect flow metal elbow adapter for the combination of hand showers with shower hoses GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
	27 443 000	red	84.00
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
	27 444 000	orange	93.00
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		

GROHE RAINSHOWER


	Ref. No.	Colour	Price netto (€)
 	27 446 000	yellow	91.00
	<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>		
 	27 447 000	pink	93.00
	<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>		
 	27 448 000	purple	91.00
	<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>		
 	27 449 000	blue	92.00
	<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>		

GROHE RAINSHOWER

Ref. No.

Colour

Price netto (€)



27 277 001

chrome

188.00

Rainshower Icon 150
Shower rail set 2 sprays

consisting of:

hand shower Icon 150 (27 276 000)

shower rail, 900 mm (28 819)

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

elbow adapter for the combination of

hand showers with shower sets

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets

for adaption to existing drilling holes

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater


SHOWERS

GROHE RAINSHOWER

Ref. No.

Colour

Price netto (€)




27 272 000

chrome

101.00

Rainshower Solo 150
Hand shower 2 sprays

eco function (reduction of flow rate)
elbow adapter for the combination of hand showers with shower sets
GROHE EcoJoy technology for less water and perfect flow
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater



27 273 001

chrome

245.00

Rainshower Solo 150
Shower rail set 2 sprays


consisting of:
hand shower Solo (27 272)
shower rail, 900 mm (28 819)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
elbow adapter for the combination of hand showers with shower sets
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater

GROHE RAINSHOWER

Ref. No.

Colour

Price netto (€)



27 274 000


chrome

117.00

Rainshower Eco 120
Hand shower 2 sprays

Rain, SmartRain
eco function (reduction of flow rate)
elbow adapter for the combination of
hand showers with shower sets

GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar



28 819 001

chrome

116.00

28 819 EN1


brushed nickel

196.00

Rainshower
Shower rail, 900 mm

with wall holders made of metal
glide element and swivel holder
GROHE QuickFix (adjustable distance between
wall shower holders for adaption to existing drillings)
suitable for the Relexa hand showers

Trio (28 793)
Champagne spray (28 794)
Massage (28 795)
Five (28 796)
suitable for the Rainshower hand showers
130 mm Classic (28 764)
160 mm Classic (28 765)
130 mm Cosmopolitan (28 755)
160 mm Cosmopolitan (28 756)
GROHE StarLight chrome finish



27 136 001

chrome

137.00

Rainshower
Shower rail, 1150 mm


with wall holders made of metal
glide element and swivel holder
adjustable distance between wall shower
holders for adaption to existing drillings
GROHE StarLight chrome finish

SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 668 000	chrome	132.00
<p>Power&Soul Cosmopolitan 160 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 664 000 27 664 ENO	chrome brushed nickel	121.00 *
<p>Power&Soul Cosmopolitan 130 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 663 LSO	moon white/chrome	130.00
<p>Power&Soul Cosmopolitan 130 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 661 000	chrome	105.00
<p>Power&Soul Cosmopolitan 115 Hand shower 2 sprays GROHE Rain O², Rain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 744 000	chrome	227.00
<p>Power&Soul Cosmopolitan 160 Shower rail set 4+ sprays consisting of: Hand shower Power&Soul Cosmopolitan 160 (27 668 000) shower rail, 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	27 746 000	chrome	239.00
<p>ditto, 900 mm</p>			

GROHE POWER&SOUL

Ref. No. Colour Price netto (€)




27 732 000 chrome 212.00

**Power&Soul Cosmopolitan 130
Shower rail set 4+ sprays**

consisting of:
Hand shower Power&Soul Cosmopolitan 130 (27 664 000)
shower rail, 600 mm (27 784 000)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 734 000 chrome 214.00
ditto, 900 mm



27 741 000 chrome 161.00


**Power&Soul Cosmopolitan 130
Wall holder set 4+ sprays**

consisting of:
Hand shower Power&Soul Cosmopolitan 130 (27 664 000)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 765 000 chrome 152.00
27 765 000 brushed nickel *

**Power&Soul Cosmopolitan 190
Head shower 4+ sprays**

GROHE Rain O², Rain, Bokoma Spray, Jet
Ø 190 mm
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
spray selection via push of a button
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar




27 764 LS0 moon white/chrome 166.00
ditto, moon white, with non-restricted flow

SHOWERS


GROHE POWER&SOUL

Ref. No. Colour Price netto (€)




27 675 000 chrome 111.00

Power&Soul 160
Hand shower 4+ sprays
 GROHE Rain O², Rain, Bokoma Spray, Jet
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
 spray selection via push of a button
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater




27 673 000 chrome 95.00

Power&Soul 130
Hand shower 4+ sprays, spray plate night time grey
 GROHE Rain O², Rain, Bokoma Spray, Jet
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
 spray selection via push of a button
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



27 673 LSO moon white 85.00

Power&Soul 130
Hand shower 4+ sprays, spray plate white
 GROHE Rain O², Rain, Bokoma Spray, Jet
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
 spray selection via push of a button
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar











27 672 000	chrome	92.00
27 672 GL0	cool sunrise	131.00
27 672 DA0	warm sunset	131.00
27 672 A00	hard graphite	131.00
27 672 AL0	brushed hard graphite	139.00
27 672 PV0	chrome/natural sandstone	91.00
27 672 DR0	chrome/limestone	91.00
27 672 HF0	chrome/fired clay	91.00
27 672 TN0	chrome/misty slate	91.00
27 672 XH0	chrome/frosted granite	102.00

Power&Soul 130
Hand shower 4+ sprays
 GROHE Rain O², Rain, Bokoma Spray, Jet
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
 spray selection via push of a button
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

GROHE POWER&SOUL

	Ref. No.	Colour	Price netto (€)
 	27 962 000	chrome	98.00
	<p>Power&Soul 130 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet consisting of: Hand shower Power&Soul 130 (27 673 000) travellers kit GROHE DreamSpray perfect spray pattern GROHE One-Click Showering spray selection with one click GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>		
 	27 671 000	chrome	85.00
	<p>Power&Soul 115 Hand shower 2 sprays, spray plate night time grey GROHE Rain O², Rain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>		
 	27 671 LS0	moon white	76.00
	<p>Power&Soul 115 Hand shower 2 sprays, spray plate white GROHE Rain O², Rain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar</p>		
 	27 748 000	chrome	212.00
	<p>Power&Soul 160 Shower rail set 4+ sprays consisting of: Hand shower Power&Soul 160 (27 675 000) shower rail, 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	27 750 000	chrome	217.00
	ditto, 900 mm		

GROHE POWER&SOUL

	Ref. No.	Colour	Price netto (€)
 	27 736 000	chrome	196.00
	Power&Soul 130 Shower rail set 4+ sprays consisting of: Hand shower Power&Soul 130 (27 673 000) shower rail, 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 738 000	chrome	204.00
	ditto, 900 mm		
 	27 742 000	chrome	138.00
	Power&Soul 130 Wall holder set 4+ sprays consisting of: Hand shower Power&Soul 130 (27 673 000) wall shower holder, adjustable (27 055) Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 767 000	chrome	136.00
	Power&Soul 190 Head shower 4+ sprays GROHE Rain O ² , Rain, Bokoma Spray, Jet Ø 190 mm ball joint with turning angle ± 15° connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 785 000	chrome	108.00
	27 785 DA0	warm sunset	153.00
	Power&Soul Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (adjustable distance between wall shower holders for adaption to existing drillings) GROHE StarLight chrome finish		
	27 784 000	chrome	104.00
	ditto, 600 mm		

GROHE POWER&SOUL

Ref. No.

Colour


Price netto (€)

45 914 XE0

gray night time

4.00

Compensation disc





SHOWERS

GROHE MOVARIO









	Ref. No.	Colour	Price netto (€)
 	28 393 000	chrome	166.00
	Movario 100 Five Hand shower 5 sprays Normal, Jet, Rain, Massage, Champagne spray Rotahead adjustable shower head system GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater minimum flow rate 7,5 l/min.		
 	28 405 000	chrome	52.00
	Movario Shower outlet elbow, 1/2" protected against backflow GROHE StarLight chrome finish		
 	28 406 000	chrome	36.00
	Movario Shower outlet elbow, 1/2" with shower holder protected against backflow GROHE StarLight chrome finish		
 	28 401 000	chrome	58.00
	Movario Wall hand shower holder adjustable GROHE StarLight chrome finish		
 	28 403 000	chrome	16.50
	Movario Wall hand shower holder not adjustable GROHE StarLight chrome finish		

	Ref. No.	Colour	Price netto (€)
	28 897 000	chrome	122.00
	<p>Relexa 100 Five Hand shower 5 sprays Normal, Jet, Rain, Massage, Champagne spray 1/2" NPT female thread GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>		
	28 796 000	chrome	125.00
	<p>Relexa 100 Five Hand shower 5 sprays Normal, Jet, Rain, Massage, Champagne spray GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater minimum flow rate 7,5 l/min. min. recommended pressure 1.0 bar</p>		
	28 793 000	chrome	79.00
	<p>Relexa 100 Trio Hand shower 3 sprays Normal, Jet, Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater minimum flow rate 5 l/min. min. recommended pressure 1.0 bar</p>		
	28 964 001	chrome	201.00
	<p>Relexa 100 Five Shower rail set 5 sprays consisting of: hand shower Relexa Five (28 796 000) shower rail, 600 mm (28 797) with wall holders made of metal Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting</p>		
	28 942 001	chrome	205.00
	<p>Relexa 100 Trio Shower rail set 3 sprays consisting of: hand shower Relexa Trio (28 793 000) shower rail, 600 mm (28 797) with wall holders made of metal Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus installation system GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting</p>		









GROHE RELEXA

	Ref. No.	Colour	Price netto (€)
	27 068 000	chrome	132.00
	<p>Relexa 100 Five Head shower 5 sprays Normal, Jet, Rain, Massage, Champagne spray ball-joint 1/2" NPT female thread GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life minimum flow rate 7,5 l/min.</p>		
	27 142 000	chrome	226.00
	27 142 EN0	brushed nickel	384.00
<p>Relexa Rustic 100 Shower rail set 5 sprays consisting of: hand shower Rustic100 (27 125) shower rail, 600 mm (28 666 000) shower hose, 1.750 mm 1/2" x 1/2" (28 025 000) soap dish GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting</p>			

GROHE EUPHORIA

	Ref. No.	Colour	Price netto (€)
 	27 222 000	chrome	60.00
<p>Euphoria 110 Champagne Hand shower 3 sprays Rain, Champagne spray, SmartRain GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	26 513 000	chrome	49.00
<p>Euphoria 110 Massage Hand shower 3 sprays spray face Ø 110 mm Rain, Massage, SmartRain GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish spray plate white SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 239 001	chrome	49.00
<p>Euphoria 110 Massage Hand shower 3 sprays spray face Ø 110 mm Rain, Massage, SmartRain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish spray plate white SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	27 221 001	chrome	50.00
<p>ditto, with non-restricted flow</p>			
 	27 239 000	chrome	64.00
<p>Euphoria 110 Massage Hand shower 3 sprays Rain, Massage, SmartRain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	27 221 000	chrome	59.00
<p>ditto, with non-restricted flow</p>			


GROHE EUPHORIA

	Ref. No.	Colour	Price netto (€)
 	27 238 000	chrome	47.00
	Euphoria 110 Duo Hand shower 2 sprays Rain, SmartRain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 220 000	chrome	42.00
	ditto, with non-restricted flow		
 	27 265 00E	chrome	32.00
	Euphoria 110 Mono Hand shower 1 spray Rain GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 265 000	chrome	32.00
	ditto, with hand shower Mono		
 	27 232 001	chrome	112.00
	Euphoria 110 Champagne Shower rail set 3 sprays consisting of: hand shower Champagne (27 222 000) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE SprayDimmer (Stepless flow rate reduction) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 243 001	chrome	113.00
	Euphoria 110 Massage Shower rail set 3 sprays consisting of: hand shower Massage (27 239 000) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 231 001	chrome	110.00
	ditto, with non-restricted flow		

		<p>27 242 001 chrome 93.00</p> <p>Euphoria 110 Duo Shower rail set 2 sprays consisting of: hand shower Euphoria 110 Duo (27 238) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p>27 230 001 chrome 92.00</p> <p>ditto, with non-restricted flow</p> <hr/> <p>27 266 00E chrome 90.00</p> <p>Euphoria 110 Mono Shower rail set 1 spray consisting of: hand shower Euphoria Mono (27 265 000) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p>27 266 001 chrome 89.00</p> <p>ditto, with hand shower Mono</p> <hr/> <p>27 227 001 chrome 117.00</p> <p>Euphoria 110 Champagne Shower rail set 3 sprays consisting of: hand shower Champagne (27 222 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>

GROHE EUPHORIA


Ref. No. Colour Price netto (€)



27 226 001	chrome	116.00
27 226 DC1	supersteel	156.00
27 226 BE1	polished nickel	156.00
27 226 EN1	brushed nickel	163.00
27 226 GL1	cool sunrise	153.00
27 226 GN1	brushed cool sunrise	163.00
27 226 DA1	warm sunset	156.00
27 226 DL1	brushed warm sunset	167.00
27 226 A01	hard graphite	153.00
27 226 AL1	brushed hard graphite	167.00

**Euphoria 110 Massage
Shower rail set 3 sprays**


consisting of:
 hand shower Massage (27 221 000)
 shower rail 900 mm (27 500)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



27 225 001	chrome	106.00
------------	--------	--------

**Euphoria 110 Duo
Shower rail set 2 sprays**


consisting of:
 hand shower Duo (27 220 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



27 267 001	chrome	94.00
------------	--------	-------

**Euphoria 110 Mono
Shower rail set 1 spray**

consisting of:
 hand shower Mono (27 265 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar










27 355 000	chrome	100.00
------------	--------	--------

**Euphoria 110 Champagne
Wall holder set 3 sprays**


consisting of:
 hand shower Champagne (27 222 000)
 Wall shower holder 28 401
 Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

GROHE EUPHORIA

	Ref. No.	Colour	Price netto (€)
 	27 354 000	chrome	55.00
	Euphoria 110 Mono Wall holder set 1 spray consisting of: hand shower Mono (27 265 000) wall shower holder (27 056) Silverflex shower hose 1 250 mm (28 362) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	26 459 000	chrome	198.00
	Euphoria 260 Head shower set 380 mm, 3 sprays consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 458 000	chrome	199.00
	ditto, with non-restricted flow		
 	26 461 000	chrome	157.00
	Euphoria 260 Head shower set ceiling 142 mm, 3 sprays consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 460 000	chrome	149.00
	ditto, with non-restricted flow		
	26 456 000	chrome	117.00
	Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 457 000	chrome	120.00
	ditto, with 9.5 l/min flow limiter		
	26 455 000	chrome	120.00
	ditto, with non-restricted flow		


GROHE EUPHORIA

Ref. No. Colour Price netto (€)




27 237 000 chrome 66.00

Euphoria 110 Mono
Head shower 1 spray
Rain
connection thread 1/2"
bellows
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater
min. recommended pressure 1.0 bar




27 810 001 chrome 64.00

Euphoria 110 Mono
Head shower 1 spray
Rain
ball-joint
connection thread 1/2"
GROHE EcoJoy 7.6 l/min flow limiter
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater
min. recommended pressure 1.0 bar




27 499 000 chrome 49.00

Euphoria
Shower rail, 600 mm
with wall holders, glide element and swivel holder
GROHE QuickFix (upper bracket adjustable
for adaption to existing drilling holes)
GROHE StarLight chrome finish



48 051 000 chrome 7.00









Compensation disc
for Tempesta shower rails 27 519 / 27 520 /
27 521 / 27 522 / 27 523 / 27 524
for Euphoria shower rails 27 499 / 27 500



27 596 000 6.60

GROHE EasyReach tray
Acrylic
for Tempesta and Euphoria
shower rails Ø 22 mm


Ref. No. Colour Price netto (€)

		<p>27 400 000 chrome 50.00</p> <p>Euphoria Cosmopolitan Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p> <p>26 466 000 chrome 42.00 ditto, with 6.6 l/min flow limiter</p> <p>27 367 000 chrome 50.00 ditto, with non-restricted flow</p>
		<p>27 368 000 chrome 172.00</p> <p>Euphoria Cosmopolitan Stick Shower rail set 1 spray consisting of: hand shower 27 400 000 shower rail, 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) soap dish (27 206) GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p>26 404 000 chrome 68.00</p> <p>Euphoria Cosmopolitan Stick Wall holder set 1 spray with integrated wall union 1/2" consisting of: hand shower 27 400 000 shower outlet elbow 1/2" with wall shower holder (28 679) male thread protected against backflow Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p>27 369 000 chrome 81.00</p> <p>Euphoria Cosmopolitan Stick Wall holder set 1 spray consisting of: hand shower 27 400 000 wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 0.5 bar</p>

28 233 000

chrome

75.00

**Euphoria Cosmopolitan 160
Head shower 1 spray**

Rain

ball joint $\pm 15^\circ$ rotatable

connection thread 1/2"

GROHE EcoJoy 9,5 l/min flow limiter**GROHE DreamSpray** perfect spray pattern**GROHE StarLight** chrome finish**SpeedClean** anti-lime system

suitable for instantaneous heater

min. recommended pressure 1.0 bar

	26 467 000	chrome	83.00
	<p>Euphoria Cube+ Stick Hand shower 1 spray Normal spray material: metal GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	27 888 000	chrome	93.00
	27 888 DC0	supersteel	116.00
	27 888 GN0	brushed cool sunrise	141.00
	27 888 DL0	brushed warm sunset	141.00
	27 888 A00	hard graphite	133.00
	27 888 AL0	brushed hard graphite	141.00
	ditto, with 9.5 l/min flow limiter		
	27 884 001	chrome	92.00
	ditto, with non-restricted flow		
	27 891 000	chrome	250.00
	<p>Euphoria Cube+ Stick Shower rail set 1 spray consisting of: hand shower, metal (27 888 000) shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	27 890 000	chrome	250.00
	<p>Euphoria Cube+ Stick Shower rail set 1 spray consisting of: hand shower, metal shower rail 900 mm (27 841) metal shower hose 1750 mm (28 025) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	27 889 000	chrome	130.00
	<p>Euphoria Cube+ Stick Wall holder set 1 spray consisting of: hand shower, metal (27 888 000) wall shower holder (27 706) metal shower hose 1500 mm (28 417) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		

Ref. No. Colour Price netto (€)


27 699 000 chrome 48.00



Euphoria Cube Stick
Hand shower 1 spray
 Normal spray
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar


27 698 000 chrome 49.00
ditto, with non-restricted flow

27 936 000 chrome 212.00




Euphoria Cube
Shower set
 consisting of:
 hand shower (27 698 000)
 shower rail 600 mm (27 892 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

27 700 000 chrome 223.00









Euphoria Cube Stick
Shower rail set 1 spray
 consisting of:
 hand shower (27 698 000)
 shower rail 900 mm (27 841)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

26 405 000 chrome 88.00



Euphoria Cube Stick
Wall holder set 1 spray
 with integrated wall union 1/2"
 consisting of:
 hand shower (27 699 000)
 shower outlet elbow 1/2" with
 wall shower holder (26 370)
 male thread
 protected against backflow
 Silverflex shower hose 1 250 mm (28 362)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

GROHE EUPHORIA

	Ref. No.	Colour	Price netto (€)
 	27 703 000	chrome	86.00
<p>Euphoria Cube Stick Wall holder set 1 spray consisting of: hand shower (27 699 000) wall shower holder (27 693 000) Silverflex shower hose 1 250 mm (28 362) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	27 702 000	chrome	86.00
<p>ditto, with non-restricted flow</p>			
 	27 892 000	chrome	195.00
<p>Euphoria Cube Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE StarLight chrome finish</p>			
	27 841 000	chrome	174.00
<p>ditto, 900mm</p>			
 	27 845 000	chrome	1.50
<p>Euphoria Cube Compensation disc for Euphoria Cube shower bars 27 892 000 / 27 841 000</p>			


GROHE TEMPESTA

	Ref. No.	Colour	Price netto (€)
 	27 608 001	chrome	36.00
	Tempesta Rustic 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
	26 085 001	chrome	43.00
	ditto, with non-restricted flow		
	26 048 001	chrome	29.00
	26 048 EN1	brushed nickel	50.00
	Tempesta Rustic 100 Hand shower 2 sprays GROHE Rain O ² , Rain GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater max. flow rate 1.75 gpm (6.6 l/min) min. recommended pressure 1.0 bar		
 	27 609 001	chrome	84.00
	Tempesta Rustic 100 Shower rail set 4 sprays consisting of: hand shower (27 608) shower rail, 600 mm (27 519) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater		
	26 086 001	chrome	83.00
	ditto, with non-restricted flow		
 	27 805 001	chrome	57.00
	Tempesta Rustic 100 Wall holder set 4 sprays consisting of: hand shower (27 608) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	26 089 001	chrome	66.00
	Tempesta Rustic 100 Head shower set 4 sprays GROHE Rain O ² , Rain, Massage, Jet ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		

GROHE TEMPESTA

Ref. No. Colour Price netto (€)

26 045 001 chrome 57.00
26 045 EN1 brushed nickel 97.00



Tempesta Rustic 100
Head shower 4 sprays

GROHE Rain O², Rain, Massage, Jet
ball joint ± 15° rotatable
connection thread 1/2"

GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
max. flow rate 1.75 gpm (6.6 l/min)
min. recommended pressure 1.0 bar

27 610 001 chrome 57.00
ditto, with 9.5 l/min flow limiter

SHOWERS

GROHE TEMPESTA


	Ref. No.	Colour	Price netto (€)
 	27 575 002	chrome	40.00
	Tempesta Cosmopolitan 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 573 002	chrome	40.00
	ditto, with non-restricted flow		
 	27 574 002	chrome	28.00
	Tempesta Cosmopolitan 100 Hand shower 3 sprays GROHE Rain O ² , Rain, Massage GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 572 002	chrome	30.00
	ditto, with non-restricted flow		
 	27 571 20E	chrome	25.00
	Tempesta Cosmopolitan 100 Hand shower 2 sprays Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 046 002	chrome	23.00
	26 046 EN2 ditto, with 6.6 l/min flow limiter		
	27 571 002	chrome	24.00
	ditto, with non-restricted flow		
	26 082 002	chrome	19.00
	Tempesta Cosmopolitan 100 Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar		

GROHE TEMPESTA

Ref. No.

Colour

Price netto (€)



27 577 002

chrome

77.00

**Tempesta Cosmopolitan 100
Shower rail set 4 sprays**

consisting of:

hand shower (27 575)
shower rail, 600 mm (27 521)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)

GROHE EasyReach tray (27 596)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar



27 576 002

chrome

70.00

**Tempesta Cosmopolitan 100
Shower set 3 sprays**

consisting of:

hand shower (27 574)
shower rail, 600 mm
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)

GROHE EasyReach tray (27 596)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater


min. recommended pressure 1.0 bar

27 929 002

chrome

59.00

ditto, with non-restricted flow



27 928 002

chrome

63.00

**Tempesta Cosmopolitan 100
Shower rail set 2 sprays**

consisting of:

hand shower (27 571)
shower rail, 600 mm (27 521)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)

GROHE EasyReach tray (27 596)

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 083 002

chrome

55.00

**Tempesta Cosmopolitan 100
Shower rail set 1 spray**

consisting of:

hand shower (26 082)
shower rail, 600 mm (27 521)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)

GROHE EasyReach tray (27 596)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar

GROHE TEMPESTA

Ref. No. Colour Price netto (€)




27 580 002 **chrome** **69.00**

**Tempesta Cosmopolitan 100
Shower rail set 4 sprays**

consisting of:
hand shower Tempesta Cosmopolitan 100 (27 575)
shower rail, 600 mm (27 521)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 787 002 **chrome** **69.00**

ditto, with non-restricted flow




27 579 002 **chrome** **61.00**

**Tempesta Cosmopolitan 100
Shower rail set 3 sprays**

consisting of:
hand shower (27 574)
shower rail, 600 mm (27 521)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 786 002 **chrome** **61.00**

ditto, with non-restricted flow



27 578 20E **chrome** **54.00**

**Tempesta Cosmopolitan 100
Shower rail set 2 sprays**


consisting of:
hand shower Tempesta Cosmopolitan 100 (27 571 20E)
shower rail, 600 mm (27 521)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 076 002 **chrome** **52.00**

ditto, with 6.6 l/min flow limiter

27 578 002 **chrome** **55.00**

ditto, with non-restricted flow



27 790 002 **chrome** **73.00**

**Tempesta Cosmopolitan 100
Shower rail set 4 sprays**

consisting of:
hand shower (27 573)
shower rail, 900 mm (27 522)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar







GROHE TEMPESTA

Ref. No. Colour Price netto (€)

		<p>27 789 002 chrome</p> <p>Tempesta Cosmopolitan 100 Shower rail set 3 sprays consisting of: hand shower (27 572) shower rail, 900 mm (27 522) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>67.00</p>
		<p>27 788 002 chrome</p> <p>Tempesta Cosmopolitan 100 Shower rail set 2 sprays consisting of: hand shower (27 571) shower rail, 900 mm (27 522) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>59.00</p>
		<p>27 584 002 chrome</p> <p>Tempesta Cosmopolitan 100 Shower set 3 sprays consisting of: hand shower (27 574) wall shower holder adjustable (27 595) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>45.00</p>
		<p>27 588 002 chrome</p> <p>Tempesta Cosmopolitan 100 Wall holder set 3 sprays consisting of: hand shower (27 574) wall shower holder non-adjustable (27 594) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>42.00</p>

SHOWERS


GROHE TEMPESTA

	Ref. No.	Colour	Price netto (€)
 	26 084 002	chrome	30.00
<p>Tempesta Cosmopolitan 100 Wall holder set 1 spray consisting of: hand shower (26 082) wall shower holder non-adjustable (27 594) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 869 001	chrome	64.00
<p>Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	26 090 001	chrome	51.00
<p>Tempesta Cosmopolitan 100 Head shower set 3 sprays GROHE Rain O², Rain, Massage ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	26 043 001 26 043 EN1	chrome brushed nickel	55.00 93.00
<p>Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater max. flow rate 1.75 gpm (6.6 l/min) min. recommended pressure 1.0 bar</p>			
	27 591 001	chrome	56.00
<p>ditto, with 9.5 l/min flow limiter</p>			
	26 051 001	chrome	44.00
<p>Tempesta Cosmopolitan 100 Head shower 1 spray Rain ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	26 366 001	chrome	40.00
<p>ditto, with 6.6 l/min flow limiter</p>			

GROHE TEMPESTA


Ref. No. Colour Price netto (€)

27 541 001 **chrome** *




Tempesta Cosmopolitan 200
Head shower 1 spray
 spray pattern: Rain
 ball joint ± 20° rotatable
 connection thread 1/2"
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

27 851 000 **chrome** 43.00



Tempesta
Shower arm 400 mm
 material: metal
 projection 400 mm
 connection thread 1/2"

27 559 000 **chrome** 33.00



Tempesta
Shower arm ceiling 186 mm
 material: metal
 length 186 mm
 connection thread 1/2"


SHOWERS

GROHE TEMPESTA

	Ref. No.	Colour	Price netto (€)
	28 421 002	chrome	36.00
	Tempesta 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
	28 578 002	chrome	36.00
	ditto, with non-restricted flow		
	28 419 002	chrome	28.00
	Tempesta 100 Hand shower 3 sprays GROHE Rain O ² , Rain, Massage GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
	28 261 002	chrome	28.00
	ditto, with non-restricted flow		
	27 597 10E	chrome	21.00
	Tempesta 100 Hand shower 2 sprays Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 047 001	chrome	20.00
	26 047 EN1	brushed nickel	*
	ditto, with 6.6 l/min flow limiter		
	26 161 001	chrome	21.00
	ditto, with 9.5 l/min flow limiter		
	27 597 001	chrome	22.00
	ditto, with non-restricted flow		
	27 923 001	chrome	18.00
	Tempesta 100 Hand shower 1 spray Rain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 852 001	chrome	19.00
	ditto, with non-restricted flow		

GROHE TEMPESTA


Ref. No. Colour Price netto (€)



28 436 002 chrome 70.00

Tempesta 100
Shower rail set 4 sprays
consisting of:
hand shower (28 421)
shower rail, 600 mm (27 523)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar


28 593 002 chrome 70.00
ditto, with non-restricted flow



27 600 001 chrome 63.00

Tempesta 100
Shower rail set 3 sprays
consisting of:
hand shower (28 419)
shower rail, 600 mm (27 523)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar


27 927 001 chrome 63.00
ditto, with non-restricted flow



26 638 000 chrome 55.00

Tempesta 100
Shower rail set 2 sprays
consisting of:
hand shower Tempesta 100 (26 161)
shower rail, 600 mm (27 523)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 926 001 chrome 57.00
ditto, with non-restricted flow



27 645 001 chrome 61.00


Tempesta 100
Shower rail set 4 sprays
consisting of:
hand shower (28 421)
shower rail, 600 mm (27 523)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 795 001 chrome 60.00
ditto, with non-restricted flow

SHOWERS

GROHE TEMPESTA

Ref. No. Colour Price netto (€)




27 644 001 chrome 56.00

Tempesta 100
Shower rail set 3 sprays
consisting of:
hand shower (28 419)
shower rail, 600 mm (27 523)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 794 001 chrome 56.00

ditto, with non-restricted flow



27 598 10E chrome 50.00

Tempesta 100
Shower rail set 2 sprays
consisting of:
hand shower Tempesta 100 II 5.7 l/min (27 597)
shower rail, 600 mm (27 523)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 077 001 chrome 48.00


ditto, with 6.6 l/min flow limiter

26 162 001 chrome 48.00

ditto, with 9.5 l/min flow limiter

27 598 001 chrome 57.00

ditto, with non-restricted flow



27 924 001 chrome 49.00









Tempesta 100
Shower rail set 1 spray
consisting of:
hand shower (27 923)
shower rail, 600 mm (27 523)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 853 001 chrome 44.00

ditto, with non-restricted flow

GROHE TEMPESTA

Ref. No. Colour Price netto (€)


		<p>28 789 002</p> <p>Tempesta 100 Shower rail set 3 sprays consisting of: hand shower (28 419) shower rail, 900 mm (27 524) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 60.00</p>
		<p>27 796 001 ditto, with non-restricted flow</p>	<p>chrome 62.00</p>
		<p>27 646 10E</p> <p>Tempesta 100 Shower rail set 2 sprays consisting of: hand shower Tempesta 100 II (27 597) shower rail, 900 mm (27 524) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 53.00</p>
		<p>26 163 001 ditto, with 9.5 l/min flow limiter</p>	<p>chrome 53.00</p>
		<p>27 646 001 ditto, with non-restricted flow</p>	<p>chrome 56.00</p>
		<p>27 925 001</p> <p>Tempesta 100 Shower rail set 1 spray consisting of: hand shower (27 923) shower rail, 900 mm (27 524) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 47.00</p>
		<p>27 854 001 ditto, with non-restricted flow</p>	<p>chrome 45.00</p>
		<p>27 601 10E</p> <p>Tempesta 100 Wall holder set 2 sprays consisting of: hand shower Tempesta 100 II (27 597) wall shower holder adjustable (27 595) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 36.00</p>

SHOWERS

GROHE TEMPESTA

Ref. No. Colour Price netto (€)


26 639 000 chrome 38.00



Tempesta 100
Wall holder set 3 sprays
consisting of:
hand shower Tempesta 100 (28 419)
wall shower holder (28 605), not adjustable
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar


27 849 001 chrome 40.00
ditto, with non-restricted flow

27 803 10E chrome 32.00



Tempesta 100
Wall holder set 2 sprays
consisting of:
hand shower Tempesta 100 II (27 597)
wall shower holder (28 605), not adjustable
Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 798 10E chrome 29.00




Tempesta 100
Wall holder set 2 sprays
consisting of:
hand shower Tempesta 100 II (27 597)
wall shower holder (28 605), not adjustable
Relaxaflex hose 1250 mm 1/2" x 1/2" (28 150)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 164 001 chrome 31.00
ditto, with 9.5 l/min flow limiter

27 799 001 chrome 31.00
ditto, with non-restricted flow


26 406 001 chrome 46.00



Tempesta 100
Wall holder set 2 sprays
with integrated wall union 1/2"
consisting of:
hand shower Tempesta 100 II (27 597)
shower outlet elbow 1/2" with
wall shower holder (28 679)
male thread
protected against backflow
Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

GROHE TEMPESTA


Ref. No. Colour Price netto (€)



26 412 000 chrome 144.00


Tempesta 210
Head shower set 286 mm, 1 spray
 consisting of:
 head shower Tempesta 210 9.5 l/min (26 410)
 1 spray:
 Rain
 Shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

26 411 000 chrome 144.00
 ditto, with non-restricted flow




27 870 001 chrome 58.00

Tempesta 100
Head shower set 4 sprays
 GROHE Rain O², Rain, Massage, Jet
 ball joint ± 15° rotatable
 Shower arm with connection thread 1/2" escutcheon
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



26 088 001 chrome 53.00

Tempesta 100
Head shower set 3 sprays
 GROHE Rain O², Rain, Massage
 ball joint ± 15° rotatable
 Shower arm with connection thread 1/2" escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar






26 414 000 chrome 121.00



Tempesta 210
Head shower set ceiling 142 mm, 1 spray
 consisting of:
 head shower Tempesta 210 9.5 l/min (26 410)
 1 spray:
 Rain
 Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

26 413 000 chrome 116.00
 ditto, with non-restricted flow

SHOWERS


GROHE TEMPESTA

	Ref. No.	Colour	Price netto (€)
	26 409 000	chrome	80.00
	Tempesta 210 Head shower 1 spray Rain Ø 210 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 410 000	chrome	82.00
	26 408 000	chrome	82.00
	ditto, with 9.5 l/min flow limiter ditto, with non-restricted flow		
	26 044 001	chrome	50.00
	26 044 EN1	brushed nickel	84.00
	Tempesta 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater max. flow rate 1.75 gpm (6.6 l/min) min. recommended pressure 1.0 bar		
	27 606 001	chrome	45.00
	ditto, with 9.5 l/min flow limiter		
	26 050 001	chrome	41.00
	Tempesta 100 Head shower 1 spray Rain ball joint ± 15° rotatable GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		




GROHE SENA TRIGGER SPRAYS

Ref. No. Colour Price netto (€)



26 328 000 chrome 64.00


Sena Trigger Spray 35
Hand shower 1 spray
 with trigger control
 material: metal
GROHE StarLight chrome finish
SpeedClean anti-lime system
 universal mounting system, fitting all standard shower hoses
 min. recommended pressure 0.5 bar
 Please refer to local norms regarding installation.



26 332 000 chrome 168.00

Sena Trigger Spray 35
Wall holder set with self-closing angle valve, 1 spray
 consisting of:
 hand shower with trigger control (26 328)
 valve with integrated shower holder (26 333)
 Silverflex Longlife shower hose 1250 mm (26 335)
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
 min. recommended pressure 0.5 bar
 Please refer to local norms regarding installation.

26 329 000 chrome 161.00
 ditto, hose 1.000 mm













26 333 000 chrome 75.00







Valve
 with wall shower holder
 escutcheon
 connection thread 1/2"
GROHE StarLight chrome finish
 Please refer to local norms regarding installation.

SHOWERS





GROHE TEMPESTA-F TRIGGER SPRAYS

	Ref. No.	Colour	Price netto (€)
 	27 512 001	chrome	20.00
<p>Tempesta-F Trigger Spray 30 Hand shower 1 spray with trigger control GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>			
 	28 020 L01	white	14.00
<p>Tempesta-F Trigger Spray 30 Hand shower 1 spray with trigger control GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>			
 	26 353 000	chrome	36.00
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>			
	27 513 001	chrome	36.00
	ditto, with 1250 mm hose		
	26 352 000	chrome	33.00
	ditto, with 1000 mm hose		
 	26 354 000	chrome	39.00
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) metal shower hose 1250 mm GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>			
 	27 812 IL1	chrome/white	29.00
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) Silverflex Longlife shower hose 1250 mm (26 335) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>			
	26 355 IL0	chrome/white	28.00
	ditto, with 1000 mm hose		







GROHE TEMPESTA-F TRIGGER SPRAYS

	Ref. No.	Colour	Price netto (€)
 	26 356 ILO	chrome/white	30.00
	Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) metal shower hose 1250 mm GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar Please refer to local norms regarding installation.		
 	26 357 000	chrome	69.00
	Tempesta-F Trigger Spray 30 Wall holder set with angle valve 1 spray consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) angle valve 1/2" (22 958) GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.		
	27 514 001	chrome	69.00
	ditto, with 1250 mm hose		
 	26 358 000	chrome	111.00
	Tempesta-F Trigger Spray 30 Wall holder set with self-closing angle valve, 1 spray consisting of: hand shower with trigger control (27 512 001) valve with integrated shower holder (26 333) Silverflex Longlife shower hose 1000 mm (26 334) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.		







GROHE TRIGGER SPRAYS

	Ref. No.	Colour	Price netto (€)
	<p>28 343 000</p> <p>Trigger spray Hand shower 1 spray GROHE StarLight chrome finish universal mounting system, fitting all standard shower hoses</p>	<p>chrome</p>	<p>39.00</p>
	<p>27 802 SLO</p> <p>Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (28 020 000) wall shower holder metal shower hose 1250 mm</p>	<p>champagner</p>	<p>*</p>
	<p>27 102 000</p> <p>Trigger spray Wall holder set 1 spray GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>45.00</p>
	<p>14 165 00M</p> <p>Non-return valve male thread 1/2" female thread 1/2" GROHE StarLight chrome finish multi-packaging: 2 pieces</p>	<p>chrome</p>	<p>18.00</p>









GROHE SHOWER HOSES

	Ref. No.	Colour	Price netto (€)
 	28 025 000 Rotaflex Metal Longlife Metal shower hose Twistfree 1750 1750 mm material: metal Longlife strengthened model tensile strength 500 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree-function cone with silicone tape to prevent the turning of the hand shower during the usage GROHE StarLight chrome finish blister packaging	chrome	28.33
	28 417 000 28 417 EN0 ditto, 1500 mm	chrome brushed nickel	25.83 44.16
 	28 145 000 Relexaflex Metal Longlife Metal shower hose 2000 2000 mm material: metal Longlife strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging	chrome	28.33
	28 143 000 28 143 LS0 28 143 KS0 ditto, 1500 mm 28 142 000 ditto, 1250 mm	chrome moon white velvet black	24.16 31.24 31.24
 	28 140 000 Relexaflex Metal Metal shower hose 2000 2000 mm material: metal tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging	chrome	24.16
	28 139 000 ditto, 1750 mm 28 105 000 ditto, 1500 mm	chrome chrome	22.08 19.58













GROHE SHOWER HOSES

	Ref. No.	Colour	Price netto (€)
 	26 346 000	chrome	22.08
	Silverflex Longlife Shower hose Twistfree 1500 1500 mm smooth surface for easy cleaning Longlife strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree-function GROHE StarLight chrome finish blister packaging		
	26 335 000	chrome	19.99
	26 334 000	chrome	17.91
 	27 137 000	chrome	22.08
	Silverflex Shower hose Twistfree 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree-function GROHE StarLight chrome finish blister packaging		
	28 388 000	chrome	19.58
	28 388 DC0	supersteel	27.49
	28 388 BE0	polished nickel	31.66
	28 388 GL0	cool sunrise	31.66
	28 388 DA0	warm sunset	31.66
	28 388 A00	hard graphite	31.66
	ditto, 1750 mm		
	28 364 000	chrome	17.49
	ditto, 1500 mm		
	28 362 000	chrome	15.41
	28 362 DC0	supersteel	21.66
28 362 BE0	polished nickel	24.58	
28 362 GL0	cool sunrise	24.58	
28 362 DA0	warm sunset	24.58	
28 362 A00	hard graphite	24.58	
ditto, 1250 mm			
 	28 413 001	chrome	17.08
	Rotaflex Shower hose Twistfree 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree-function GROHE StarLight chrome finish blister packaging		
	28 410 001	chrome	14.99
ditto, 1750 mm			
28 409 001	chrome	13.33	
ditto, 1500 mm			











GROHE SHOWER HOSES

	Ref. No.	Colour	Price netto (€)
	28 155 001 Relexaflex Shower hose 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging	chrome	14.99
	28 154 001 ditto, 1750 mm	chrome	13.33
	28 151 001 28 151 L01 ditto, 1500 mm	chrome white	11.24 14.99
	28 150 001 ditto, 1250 mm	chrome	9.58
			
	28 158 000 Metal hose 2000 mm for bath rim, installation under tiled surround and shower sets GROHE StarLight chrome finish	chrome	33.74
			
	28 146 000 Metal hose 2000 mm M15 x M15 GROHE StarLight chrome finish	chrome	52.00
			
	45 992 001 Relexaflex Shower hose 1750 1750 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish in units of 10	chrome	12.49
	45 973 001 ditto, 1500 mm	chrome	10.83
	45 971 001 ditto, 1250 mm	chrome	9.16
			







GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	27 055 000	chrome	44.00
<p>Rainshower Wall hand shower holder adjustable GROHE StarLight chrome finish</p>			
 	28 401 000	chrome	58.00
<p>Movario Wall hand shower holder adjustable GROHE StarLight chrome finish</p>			
 	28 623 000	chrome	30.00
<p>Relaxa Wall hand shower holder adjustable GROHE StarLight chrome finish</p>			
 	27 595 000	chrome	19.00
<p>Tempesta Wall hand shower holder adjustable GROHE StarLight chrome finish</p>			
 	28 690 000	chrome	110.00
<p>Sena Wall hand shower holder not adjustable material: metal GROHE StarLight chrome finish</p>			
 	27 056 000	chrome	31.00
<p>Rainshower Wall hand shower holder not adjustable without escutcheon GROHE StarLight chrome finish</p>			

GROHE SHOWER ACCESSORIES


	Ref. No.	Colour	Price netto (€)
 	27 074 000	chrome	34.00
	27 074 DC0	supersteel	59.00
	27 074 LS0	moon white	42.00
	27 074 BE0	polished nickel	47.00
	27 074 EN0	brushed nickel	50.00
	27 074 GL0	cool sunrise	48.00
	27 074 GN0	brushed cool sunrise	50.00
	27 074 DA0	warm sunset	48.00
	27 074 DL0	brushed warm sunset	50.00
	27 074 A00	hard graphite	48.00
	27 074 AL0	brushed hard graphite	50.00
Rainshower Wall hand shower holder not adjustable with round escutcheon GROHE StarLight chrome finish			
 	27 075 000	chrome	34.00
	27 075 LS0	moon white	41.00
Rainshower Wall hand shower holder not adjustable with square escutcheon GROHE StarLight chrome finish			
 	27 706 000	chrome	34.00
	27 706 DC0	supersteel	39.00
	27 706 A00	hard graphite	44.00
	27 706 AL0	brushed hard graphite	47.00
Allure Brilliant Wall hand shower holder not adjustable material: metal GROHE StarLight chrome finish			
 	27 693 000	chrome	28.00
	Euphoria Cube Wall hand shower holder not adjustable GROHE StarLight chrome finish		
 	28 403 000	chrome	16.50
Movario Wall hand shower holder not adjustable GROHE StarLight chrome finish			

GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	Price netto (€)
	28 622 000	chrome	16.00
	28 622 EN0	brushed nickel	24.00
	Relexa Wall hand shower holder not adjustable GROHE StarLight chrome finish		
	27 594 000	chrome	14.00
	Tempesta Cosmopolitan Wall hand shower holder not adjustable GROHE StarLight chrome finish		
	28 605 000	chrome	17.00
	Relexa Wall hand shower holder not adjustable GROHE StarLight chrome finish		



GROHE SHOWER ACCESSORIES

Ref. No. Colour Price netto (€)




27 151 000 chrome 100.00

Lead-through for pull-out showers
for bath rim installation and under tiled surround
Lead-through for shower hose
shower hose 1/2" x 3/8",
2000 mm (28 158 000)
The lead-through can be combined with all hand showers
GROHE StarLight chrome finish




27 531 000 chrome 139.00

Lead-through for pull-out showers
for bath rim installation and under tiled surround
Lead-through for shower hose with square escutcheon
shower hose 1/2" x 3/8",
2000 mm (28 158 000)
The lead-through can be combined with all hand showers
GROHE StarLight chrome finish




27 621 000 chrome 318.00

Grohtherm F
Wall shower union with integrated shower holder
Vertical or horizontal installation
for use with rough-in box 35 034 000 (1/2" connection) / 35 035 (1/2" NPT connection)
sold separately
shower outlet 1/2"
hand shower and shower hose sold separately
protected against backflow
vertical and horizontal installation



35 034 000 219.00

Grohtherm F
Rough-in for wall shower union 27 621
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
flushing plug
for masonry and drywall installation
fixing points for front and back wall
aramä DR
1/2" connections
installation depth 70 - 95 mm















27 057 000 chrome 53.00
27 057 DC0 supersteel 63.00
27 057 LS0 moon white/chrome 64.00
27 057 BE0 polished nickel 72.00
27 057 EN0 brushed nickel 79.00
27 057 GL0 cool sunrise 73.00
27 057 GN0 brushed cool sunrise 79.00
27 057 DA0 warm sunset 73.00
27 057 DL0 brushed warm sunset 79.00
27 057 A00 hard graphite 73.00
27 057 AL0 brushed hard graphite 79.00

Rainshower
Shower outlet elbow, 1/2"
male thread
with round escutcheon
protected against backflow
GROHE StarLight chrome finish

SHOWERS

GROHE SHOWER ACCESSORIES


	Ref. No.	Colour	Price netto (€)
 	27 076 000	chrome	53.00
	27 076 LS0	moon white	63.00
	27 706 DC0	supersteel	39.00
	27 706 A00	hard graphite	44.00
	27 706 AL0	brushed hard graphite	47.00
	Rainshower Shower outlet elbow male thread with square escutcheon protected against backflow GROHE StarLight chrome finish		
 	27 707 000	chrome	52.00
	27 707 DC0	supersteel	62.00
	27 707 A00	hard graphite	71.00
	27 707 AL0	brushed hard graphite	75.00
	Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow material: metal GROHE StarLight chrome finish		
 	27 704 000	chrome	31.00
	Euphoria Cube Shower outlet elbow, 1/2" male thread protected against backflow GROHE StarLight chrome finish		
 	26 370 000	chrome	39.00
	26 370 DC0	supersteel	48.00
	26 370 GN0	brushed cool sunrise	59.00
	26 370 DL0	brushed warm sunset	59.00
	26 370 A00	hard graphite	55.00
	26 370 AL0	brushed hard graphite	59.00
	Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male thread protected against backflow GROHE StarLight chrome finish		
 	28 405 000	chrome	52.00
	Movario Shower outlet elbow, 1/2" protected against backflow GROHE StarLight chrome finish		
 	28 671 000	chrome	32.00
	Relexa Shower outlet elbow, 1/2" male thread suitable for the Relexa plus hand sprays Single (28 212) Exquisit (28 215) Duo (28 419) Duo (28 261) Trio (28 421) Trio (28 578) GROHE StarLight chrome finish		
	28 680 000	chrome	38.00
	ditto, protected against backflow		

GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	28 626 000	chrome	33.00
	Relaxa Shower outlet elbow, 1/2" shower connection 1/2" wall connection 1/2" male thread GROHE StarLight chrome finish with matt chrome cap		
	28 678 000	chrome	31.00
	28 636 000	chrome	37.00
	ditto, for IG-combination		
 	28 406 000	chrome	36.00
	Movario Shower outlet elbow, 1/2" with shower holder protected against backflow GROHE StarLight chrome finish		
 	28 628 000	chrome	33.00
	Relaxa Shower outlet elbow, 1/2" with wall shower holder male thread GROHE StarLight chrome finish		
	28 679 000	chrome	54.00
	ditto, protected against backflow		
	28 629 000	chrome	48.00
	Relaxa Shower outlet elbow, 1/2" with shower holder 1/2" NPT female thread GROHE StarLight chrome finish		

GROHE SHOWER ACCESSORIES

Ref. No. Colour Price netto (€)




26 602 000 chrome 88.00

Rainshower SmartActive
Shower rail, 600 mm
 with wall holders made of metal
 glide element and swivel holder
GROHE QuickFix (adjustable distance between
 wall shower holders for adaption to existing drillings)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish

26 603 000	chrome	92.00
26 603 DC0	supersteel	166.00
26 603 BE0	polished nickel	184.00
26 603 EN0	brushed nickel	202.00
26 603 GL0	cool sunrise	184.00
26 603 GN0	brushed cool sunrise	202.00
26 603 DA0	warm sunset	184.00
26 603 DL0	brushed warm sunset	202.00
26 603 A00	hard graphite	184.00
26 603 AL0	brushed hard graphite	202.00

ditto, 900 mm




28 797 001 chrome 122.00
 28 797 BE1 polished nickel 165.00
 28 797 EN1 brushed nickel 176.00

Rainshower
Shower rail, 600 mm
 with wall holders made of metal
 glide element and swivel holder
GROHE QuickFix (adjustable distance between
 wall shower holders for adaption to existing drillings)
 suitable for the Relaxa hand showers
 Trio (28 793)
 Champagne spray (28 794)
 Massage (28 795)
 Five (28 796)
 suitable for the Rainshower hand showers
 130 mm Classic (28 764)
 160 mm Classic (28 765)
 130 mm Cosmopolitan (28 755)
 160 mm Cosmopolitan (28 756)
GROHE StarLight chrome finish

28 819 001	chrome	116.00
28 819 EN1	brushed nickel	196.00

ditto. projection 900 mm

27 136 001 chrome 137.00
 ditto, 1150 mm




27 785 000 chrome 108.00

Power&Soul
Shower rail, 900 mm
 with wall holders made of metal
 glide element and swivel holder
GROHE QuickFix (adjustable distance between
 wall shower holders for adaption to existing drillings)
GROHE StarLight chrome finish

27 784 000	chrome	104.00
------------	--------	--------













ditto, 600 mm



28 620 000 chrome 80.00

Relaxa
Shower rail, 600 mm
 Ø 28 mm
 with wall holders
 glide element and swivel holder
 angle of inclination adjustable by click stop device
 height adjustment by click stop
GROHE StarLight chrome finish

GROHE SHOWER ACCESSORIES

		Ref. No.	Colour	Price netto (€)
		28 621 000	chrome	89.00
		Relexa Shower rail, 1000 mm Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment by click stop GROHE StarLight chrome finish		
		28 587 000	chrome	*
		Relexa Shower rail, 900 mm with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment by click stop GROHE StarLight chrome finish		
		27 892 000	chrome	195.00
		Euphoria Cube Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE StarLight chrome finish		
		27 841 000	chrome	174.00
		ditto, 900mm		
		27 499 000	chrome	49.00
		Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) GROHE StarLight chrome finish		
		27 500 000	chrome	52.00
		ditto, 900 mm		
		27 519 000	chrome	47.00
		Tempesta Rustic Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish		
		27 520 000	chrome	50.00
		ditto, 900 mm		
		27 521 000	chrome	52.00
		Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish		
		27 522 000	chrome	53.00
		ditto, 900 mm		

GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	27 523 000 Tempesta Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish	chrome	47.00
	27 524 000 ditto, 900 mm	chrome	50.00
 	45 914 XE0 Compensation disc	gray night time	4.00
 	45 459 000 Compensation disc for shower rail 28 620/28 621		14.50
 	48 051 000 Compensation disc for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500		7.00
 	27 845 000 Euphoria Cube Compensation disc for Euphoria Cube shower bars 27 892 000 / 27 841 000		1.50
 	26 385 000 Rainshower SmartControl Compensation disc for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable	chrome	34.00

GROHE SHOWER ACCESSORIES


Ref. No.

Colour

Price netto (€)

28 856 000


14.00



Soap dish
acrylic, clear
for Relaxa shower rails (28 820 and
28 666)
GROHE StarLight chrome finish

28 631 000


41.00



Relaxa
Soap dish
for shower rail 28 620/28 621
GROHE StarLight chrome finish

27 206 000


20.00



Soap dish
transparent
surface in parts with eroded structure
for shower rail \varnothing 22 or 25 mm













27 596 000

6.60




GROHE EasyReach tray
Acrylic
for Tempesta and Euphoria
shower rails \varnothing 22 mm

GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	27 320 000 Riser pipe 1300 mm with compression coupling 3/4" wall support with compensation piece GROHE StarLight chrome finish	chrome	138.00
 	28 708 000 Pipe clip for pillar shower, 1/2" for shower riser Ø 18 mm with stone pin for fixing with wooden screws GROHE StarLight chrome finish	chrome	116.00
 	28 389 000 Sena Adapter 1/2" x 1/2" material: metal for use with hand shower holder or shower rail GROHE StarLight chrome finish	chrome	77.00
 	28 812 000 Adapter 1/2" x 1/2" black (to combine hand showers of other manufacturers with Relexa shower rails)	black	4.40
 	28 813 000 Adapter 1/2" x 1/2" white (to combine hand showers of other manufacturers with Relexa shower rails)	white	4.80
 	28 635 XX0 Relexa Coupling piece as replacement connector for new hand shower and hose each hand shower is equipped with a coupling piece	dark grey	6.00

GROHE SHOWER ACCESSORIES

Ref. No. Colour Price netto (€)




28 634 XX0

dark grey

39.00

**Relaxa
Quick coupling**

for combination with average showers without integrated **Grohclick** with new system only in connection with coupling piece (28 635/28 637)




28 874 000

chrome

15.50

T connection, 1/2"

for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves **GROHE StarLight** chrome finish




28 988 000

chrome

35.00

Drain down valve

for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" **GROHE StarLight** chrome finish



28 799 000

chrome

134.00

Diverter

GROHE StarLight chrome finish

GROHE KITCHEN FITTINGS





CONTENTS

Water systems	GROHE Blue Professional	416
	GROHE Blue Home	422
	GROHE Blue Pure	430
	GROHE Blue accessories	434
	GROHE Red	439
Premium lines	Waste separation systems	444
	K7	446
	FootControl	447
	Minta / Minta SmartControl / Minta Touch	448
	Zedra / Zedra SmartControl / Zedra Touch	454
	Atrio	456
	Essence	457
Competence lines	Eurocube	459
	Ambi	460
	Parkfield	461
	Eurodisc Cosmopolitan	462
	Eurodisc	463
	Concetto	464
	Eurostyle Cosmopolitan	467
	Eurosmart Cosmopolitan	470
	Eurosmart	472
	Euroeco / Euroeco Special	475
	Costa	476
	Bau Lines	479
	Soap dispensers	482
	Kitchen sinks	Stainless steel sinks
Composite sinks		494

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	Price netto (€)
31 323 002	chrome	2,290.00
31 323 DC2	supersteel	2,630.00

GROHE Blue Professional C-spout kit

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:


- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)



System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	Price netto (€)
31 347 003	chrome	2,290.00
31 347 DC3	supersteel	2,570.00

GROHE Blue Professional L-spout kit

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

L-spout

push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)



System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	Price netto (€)
31 325 002	chrome	2,480.00
31 325 DC2	supersteel	2,850.00

GROHE Blue Professional

C-spout kit

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

pull out mousseur

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.



GROHE BLUE PROFESSIONAL

Ref. No.	Colour	Price netto (€)
31 326 002	chrome	2,450.00
31 326 DC2	supersteel	2,830.00

GROHE Blue Professional L-spout kit

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

L-spout

push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

pull out mousseur

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android


smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.



GROHE BLUE PROFESSIONAL

Ref. No. Colour Price netto (€)

31 302 002 **chrome** 2,170.00
31 302 DC2 **supersteel** 2,490.00

GROHE Blue Professional

C-spout kit

consisting of:

GROHE Blue Mono faucet with filter function

single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight chrome finish

swivel tubular spout

swivel area 150°

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used


materials and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the
delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- activated carbon filter, capacity 3000 l (40 547 001)
- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)



System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE BLUE PROFESSIONAL

Ref. No.

Colour

Price netto (€)



40 554 002

1,570.00

**GROHE Blue Professional
Chiller and carbonizer**

delivers 12 liters of chilled water per hour
 colour display with push and turn control
 270 Watt cooling unit, 230 V, 50 Hz
 type of protection IP 21
 CE approved
 requires ventilation holes in the bottom of the kitchen cabinet
 software set-up and monitoring of filter and CO₂ capacity
 possible via GROHE Ondus app
 push notifications at low filter resp. CO₂ capacity
 additional monitoring via GROHE Blue Professional Browser-Monitor possible
 with Bluetooth 4.0* and WIFI interface for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on used
 materials and walls between transmitter and receiver
 compatible only with GROHE Blue faucets with push button operation

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
 This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

KITCHEN
FITTINGS



48 481 000

35.00

**GROHE Blue Professional
Adapter cable**

to connect old GROHE Blue Professional faucets produced until 12/2018 to new GROHE Blue Professional cooler and carbonisator produced since 01/2019
 length 1000 mm

Ref. No.	Colour	Price netto (€)
31 455 001	chrome	1,760.00
31 455 DC1	supersteel	1,980.00
31 455 DA1	warm sunset	*
31 455 DL1	brushed warm sunset	2,150.00
31 455 A01	hard graphite	2,070.00
31 455 AL1	brushed hard graphite	2,150.00

GROHE Blue Home

C-spout Starter kit

consisting of:

GROHE Blue Home single-lever sink mixer with filter function

single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water

still, medium, sparkling

GROHE StarLight finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with


flexible water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂ bottle



System requirements

Apple

iPhone with iOS 9.0 or higher

System requirements

Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE BLUE HOME

Ref. No.	Colour	Price netto (€)
31 541 000	chrome	1,990.00
31 541 DC0	supersteel	2,300.00

GROHE Blue Home C-spout Starter kit

consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation

C-spout
push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish

GROHE SilkMove 28 mm ceramic cartridge

pull out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved

requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO₂ capacity
possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please
order activated carbon filter 40 547 001
GROHE Blue 425 g CO₂ bottle



System requirements

Apple

iPhone with iOS 9.0 or higher

System requirements

Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

Ref. No.	Colour	Price netto (€)
31 454 001	chrome	1,760.00
31 454 DC1	supersteel	1,980.00
31 454 DA1	warm sunset	2,070.00
31 454 DL1	brushed warm sunset	2,150.00
31 454 A01	hard graphite	2,070.00
31 454 AL1	brushed hard graphite	2,150.00

GROHE Blue Home

L-spout Starter kit

consisting of:

GROHE Blue Home single-lever sink mixer with filter function

single hole installation

L-spout

push buttons for 3 types of filtered and chilled table water

still, medium, sparkling

GROHE StarLight finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with

flexible water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂ bottle

This product includes an article which is declared as a hazardous

substance. Find more information in the safety data sheet. You can

download the safety data at: www.grohe.com/safety-data-sheets/

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.



GROHE BLUE HOME

Ref. No.	Colour	Price netto (€)
31 539 000	chrome	2,020.00
31 539 DC0	supersteel	2,300.00

GROHE Blue Home L-spout Starter kit

consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation

L-spout
push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish

GROHE SilkMove 28 mm ceramic cartridge

pull out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved

requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO₂ capacity
possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please
order activated carbon filter 40 547 001
GROHE Blue 425 g CO₂ bottle

System requirements

Apple

iPhone with iOS 9.0 or higher

System requirements

Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



GROHE BLUE HOME

Ref. No.	Colour	Price netto (€)
31 456 001	chrome	1,760.00
31 456 DC1	supersteel	1,980.00

GROHE Blue Home U-spout Starter kit

consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation

U - spout
push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with

flexible water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂ bottle



System requirements

Apple

iPhone with iOS 9.0 or higher

System requirements

Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE BLUE HOME

Ref. No.	Colour	Price netto (€)
31 498 001	chrome	1,660.00
31 498 DC1	supersteel	1,910.00
31 498 DA1	warm sunset	2,000.00
31 498 DL1	brushed warm sunset	2,080.00
31 498 A01	hard graphite	2,000.00
31 498 AL1	brushed hard graphite	2,080.00

GROHE Blue Home

Mono Starter kit

consisting of:

GROHE Blue Home Mono faucet with filter function

single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water

still, medium, sparkling

GROHE StarLight finish

swivel tubular spout

swivel area 150°

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with


flexible water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂ bottle



System requirements

Apple

iPhone with iOS 9.0 or higher

System requirements

Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

40 711 001

chrome

1,200.00

**GROHE Blue Home
Cooler**

180 Watt cooling unit, 230 V, 50 Hz
delivers 3 liters of chilled sparkling water per hour
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO₂ capacity
possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium+ filter

System requirements

Apple

iPhone with iOS 9.0 or higher

System requirements

Android


smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.



GROHE BLUE PURE

Ref. No.


Colour

Price netto (€)

30 382 000
30 382 DC0

chrome
supersteel

572.00
727.00



**GROHE Blue Pure Minta
Starter Kit**

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

L-spout

pull out mousseur

separate handle for filtered water

headpart 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 46 mm ceramic cartridge

swivel tubular spout

swivel area 90°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste


capacity 3000 l

filter exchange timer including 2 x AA batteries

30 383 000

chrome

396.00



**GROHE Blue Pure Eurosmart
Starter Kit**

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

C-spout

separate handle for filtered water

headpart 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste


capacity 3000 l

filter exchange timer including 2 x AA batteries

30 385 000

chrome

374.00



**GROHE Blue Pure BauCurve
Starter Kit**

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

C-spout

separate handle for filtered water

headpart 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste

capacity 3000 l


filter exchange timer including 2 x AA batteries

GROHE BLUE PURE

Ref. No.

Colour

Price netto (€)



30 387 000

chrome

292.00

**GROHE Blue Pure Mono
Starter Kit**

consisting of:

GROHE Blue Mono faucet with filter function
single hole installation

C-spout

handle for filtered table water

headpart 1/2"

GROHE StarLight chrome finish

swivel tubular spout

swivel area 150°


flexible connection hoses

GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste

capacity 3000 l

filter exchange timer including 2 x AA batteries



30 393 000

chrome

696.00

**GROHE Blue Pure Minta
Starter Kit**

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

L-spout

pull out mousseur

separate handle for filtered water

headpart 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 46 mm ceramic cartridge

swivel tubular spout

swivel area 90°

separate inner water ways for filtered

and non-filtered water


flexible connection hoses

GROHE Blue filter head

GROHE Blue Ultrasafe filter for bacteria filtration and premium taste

capacity 3000 l

flow meter for filter lifetime measurement including 2 x AA batteries



30 384 000

chrome

525.00

**GROHE Blue Pure Eurosmart
Starter Kit**

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

C-spout

separate handle for filtered water

headpart 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue filter head

GROHE Blue Ultrasafe filter for bacteria filtration and premium taste

capacity 3000 l

flow meter for filter lifetime measurement including 2 x AA batteries


KITCHEN
FITTINGS

GROHE BLUE PURE

Ref. No.

Colour

Price netto (€)



31 723 000


chrome

229.00

GROHE Blue Pure BauCurve
Single-lever sink mixer with filter function
single hole installation

C-spout
separate handle for filtered water
headpart 1/2"

GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses



31 724 000


chrome

148.00

GROHE Blue Pure Mono
Mono faucet with filter function
single hole installation

C-spout
handle for filtered table water
headpart 1/2"

GROHE StarLight chrome finish
swivel tubular spout
swivel area 150°
flexible connection hoses




33 251 000

chrome

478.00

GROHE Blue
Single-lever sink mixer 1/2" Bi-Flow
single hole installation

C-spout
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
metal lever
adjustable flow rate limiter
swivel tubular spout
separate inner water ways for filtered
and non-filtered water
with integrated drinking water outlet
with ceramic headpart to shut off drinking water
mousseur
flexible connection hoses
filter for drinking water not included in delivery
this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+



31 303 000






chrome

417.00

GROHE Blue
Single-lever sink mixer 1/2" Bi-Flow
U - spout


single hole installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
metal lever
adjustable flow rate limiter
swivel tubular spout
separate inner water ways for filtered
and non-filtered water
with integrated drinking water outlet
with ceramic headpart to shut off drinking water
mousseur
flexible connection hoses
filter for drinking water not included in delivery
this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+

GROHE BLUE ACCESSORIES

		Ref. No.	Colour	Price netto (€)
		40 848 000 40 848 GN0 40 848 DL0 40 848 AL0	brushed cool sunrise brushed warm sunset brushed hard graphite	8.33 * * *
<p>GROHE Blue Drinking bottle Tritan drinking bottle with GROHE Blue decor BPA (Bisphenol A) free lid with strap volume 500 ml</p>				
		40 848 SD0	stainless steel	12.49
<p>GROHE Blue Thermo drinking bottle stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml</p>				
		40 405 000		29.58
<p>GROHE Blue Glass carafe crystal glass with GROHE Blue decor stainless steel lid dish washer safe volume 1.0 l</p>				
		40 437 000		29.58
<p>GROHE Blue Water glasses (6 pieces) crystal glasses with GROHE Blue decor dish washer safe volume 250 ml</p>				
		46 717 000		217.00
<p>Pressure indicator for GROHE Blue including adapters for 425 g and 2 kg CO₂ bottles</p>				
		40 452 000		26.00
<p>GROHE Blue Pressure reducing valve for installation of GROHE Blue Chilled & Sparkling with more than 5 bar water pressure</p>				

GROHE BLUE ACCESSORIES

Ref. No. Colour Price netto (€)




40 578 000 *

GROHE Blue
Pressure reducing valve
for installation of GROHE Blue Chilled & Sparkling with more than 5 bar water pressure
VA approved



40 621 000 **chrome** **26.00**
40 621 DC0 **supersteel** *

GROHE Blue
Shorter mixed water lever
for GROHE Blue and GROHE Red faucets to avoid hitting the lever to the backwall of the kitchen in warm water position
fits to:
- 31 323 001 / DC1
- 31 324 001 / DC1
- all GROHE Red Duo faucets




40 404 001 **59.16**

GROHE Blue
Filter S-Size
BWT replacement filter for GROHE Blue
capacity 600 l at 20° dKH
5-phases filter
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure


40 430 001 **108.33**
ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high

40 412 001 **141.66**
ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high




40 547 001 **59.16**

GROHE Blue
Active carbon filter
BWT replacement filter for GROHE Blue systems for regions with water hardness below 9° dKH
capacity 3000 l
3-phases filter
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure



40 691 001 **75.83**

GROHE Blue
Magnesiumfilter
BWT replacement filter for GROHE Blue for recharge of the water with magnesium
capacity 400 l at 17° dGH
5-phases filter
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure



40 575 001 **273.00**

GROHE Blue
UltraSafe filter
BWT replacement filter for GROHE Blue systems
filters 99.99 % of all bacteria and microplastic (> 1 µm)
reduces substances responsible for taste and odor, e.g. chlorine
filter capacity maximum 3000 l or 6 months
2-phase-filter
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure (only with flow meter)

KITCHEN
FITTINGS


GROHE BLUE ACCESSORIES

Ref. No. Colour Price netto (€)



40 576 000 100.00

GROHE Blue UltraSafe filter head
only for use in combination with
GROHE Blue filter 40 575 000



40 434 001 33.74

GROHE Blue Cleaning cartridge
for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including sprayhead
for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



40 694 000 16.66

GROHE Blue cleaning cartridge adapter
for GROHE Blue BWT Filterhead 64 508 001
for use with GROHE Blue cleaning cartridge 40 434 001, sold separately



40 422 000 67.49

GROHE Blue Starter kit 425 g CO₂ bottles (4 pieces)
carbondioxid from natural sources for food and beverage (E290)
Purity: CO₂ 99.9 % v/v min.
volume 1 bottle: 425 g, for up to 60 l of sparkling water
for refilling please order 40 687 000
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



40 687 000 29.58

GROHE Blue Refill 425 g CO₂ bottles (4 pieces)
carbondioxid from natural sources for food and beverage (E290)
Purity: CO₂ 99.9 % v/v min.
volume 1 bottle: 425 g, for up to 60 l of sparkling water
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE BLUE ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	40 920 000	chrome	21.24
<p>GROHE Blue 425 g CO₂ bottle carbon dioxide from natural sources for food and beverage (E290) Purity: CO₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water sales unit 18 pieces This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/</p>			
 	40 423 000		99.99
<p>GROHE Blue Starter kit 2 kg CO₂ bottle carbon dioxide from natural sources for food and beverage (E290) Purity: CO₂ 99.9 % v/v min. volume 1 bottle: 2 kg, up to 350 l sparkling water integrated shut-off valve and safety carrier handle for refilling please order 40 424 000 not suitable for the GROHE Blue Home cooler</p>			
 	40 424 000		83.33
<p>GROHE Blue Refill 2 kg CO₂ bottle carbon dioxide from natural sources for food and beverage (E290) Purity: CO₂ 99.9 % v/v min. volume 1 bottle: 2 kg, up to 350 l sparkling water integrated shut-off valve and safety carrier handle not suitable for the GROHE Blue Home cooler</p>			
 	40 849 000	chrome	15.83
<p>GROHE Blue 425 g CO₂ bottle, empty refillable CO₂ 425 g bottle volume 1 bottle: 425 g, for up to 60 l of sparkling water for 40 424 040 GROHE Blue Professional CO₂ refillable 2 kg bottle please contact your local Grohe Service Center</p>			
	40 843 000		54.99
<p>GROHE Blue Extension set consisting of: extension cable 5 m hose for drinking water, 5 m tube cutter adapters and clips suitable for GROHE Blue Home and GROHE Blue Professional (from January 2019)</p>			

GROHE BLUE ACCESSORIES

Ref. No.

Colour

Price netto (€)



48 481 000

35.00

**GROHE Blue Professional
Adapter cable**

to connect old GROHE Blue Professional faucets produced until 12/2018 to new GROHE Blue Professional cooler and carbonisator produced since 01/2019
length 1000 mm

Ref. No.	Colour	Price netto (€)
30 083 001	chrome	1,520.00
30 083 DC1	supersteel	1,690.00
30 083 DA1	warm sunset	1,760.00
30 083 DL1	brushed warm sunset	1,840.00
30 083 A01	hard graphite	1,760.00
30 083 AL1	brushed hard graphite	1,840.00

GROHE Red Duo

Faucet and M size boiler

consisting of:

GROHE Red Duo single-lever sink mixer single hole installation

C-spout

GROHE ChildLock push buttons for boiling water

TÜV certified triple electronic safeguards against accidental activation of boiling water

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

insulated tubular spout

swivel area 150°

separate water ways

flexible connection hoses

connection for GROHE Red boiler

GROHE Red boiler M size

reservoir for boiling and hot water

3 liter 100° C boiling water

4 liter total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for boiling water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W

standby power consumption 15 W

energy efficiency class A


GROHE Red filter set

for protection of the boiler from limescale

capacity 600 l at 20° dKH

5 phase filter

flow rate measuring unit



30 327 001	chrome	1,470.00
30 327 DC1	supersteel	1,690.00
30 327 DA1	warm sunset	1,760.00
30 327 DL1	brushed warm sunset	1,840.00
30 327 A01	hard graphite	1,760.00
30 327 AL1	brushed hard graphite	1,840.00

GROHE Red Duo

Faucet and M size boiler

consisting of:

GROHE Red Duo single-lever sink mixer single hole installation

L-spout

GROHE ChildLock push buttons for boiling water

TÜV certified triple electronic safeguards against accidental activation of boiling water

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

insulated tubular spout

swivel area 150°

separate water ways

flexible connection hoses

connection for GROHE Red boiler

GROHE Red boiler M size

reservoir for boiling and hot water

3 liter 100° C boiling water

4 liter total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for boiling water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W

standby power consumption 15 W

energy efficiency class A


GROHE Red filter set

for protection of the boiler from limescale

capacity 600 l at 20° dKH

5 phase filter

flow rate measuring unit



GROHE RED

Ref. No. Colour Price netto (€)

30 080 001 chrome 1,500.00



GROHE Red Mono
Pillar tap and L size boiler
consisting of:
GROHE Red Mono pillar tap
single hole installation
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for boiling and hot water
5.5 liter 100° C boiling water
7 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
capacity 600 l at 20° dKH
5 phase filter
flow rate measuring unit

30 085 001 chrome 1,390.00
30 085 DC1 supersteel 1,550.00
30 085 DA1 warm sunset 1,620.00
30 085 DL1 brushed warm sunset 1,690.00
30 085 A01 hard graphite 1,620.00
30 085 AL1 brushed hard graphite 1,690.00



GROHE Red Mono
Pillar tap and M size boiler
consisting of:
GROHE Red Mono pillar tap
single hole installation
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
capacity 600 l at 20° dKH
5 phase filter
flow rate measuring unit

KITCHEN
FITTINGS

Ref. No. Colour Price netto (€)

30 339 001 **chrome** 1,360.00
30 339 DC1 **supersteel** 1,550.00

GROHE Red Mono
Pillar tap and M size boiler
consisting of:
GROHE Red Mono pillar tap
single hole installation




L-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
capacity 600 l at 20° dKH
5 phase filter
flow rate measuring unit

40 841 001 **chrome** 115.00




GROHE Red
Mixing valve
for thermostatic mixing of mains and boiling water to generate warm water
adjustable between 35°C and 75°C
hot fill and cold fill installation possible
including 70 cm connection hose, manifold and wall fixation

40 830 001 705.00



GROHE Red
Boiler Size M
reservoir for boiling and hot water
3 liter boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hoses and connection for boiling water
CE approved
power supply 230 V 50 Hz 30
power consumption 2100 W
standby power consumption 15 W

40 831 001 776.00




GROHE Red
Boiler Size L
reservoir for boiling and hot water
5.5 liter boiling water
7 liter total capacity
required inlet pressure: 1-7 bar
flexible connection hoses and connection for boiling water
CE approved
power supply 230 V 50 Hz 30
power consumption 2100 W
standby power consumption 15 W

GROHE RED

Ref. No.

Colour

Price netto (€)




40 438 001

162.49

**GROHE Red
Filter with filter head**

for regions with water hardness higher 12° KH
turn before GROHE Red boiler
flexible connection hoses
filter 600 l




40 919 SD0

stainless steel

14.99

**GROHE Red
Thermo drinking bottle**

stainless steel bottle with GROHE Red decor
double-walled
lid with strap
with tea strainer
volume 450 ml



40 432 000

25.41

**GROHE Red
Tea glasses (4 pieces)**


heat proof glass with GROHE Red decor
dish washer safe
volume 250 ml

GROHE WASTE SEPARATION SYSTEMS

Ref. No.

Colour

Price netto (€)



40 855 000

52.08

GROHE Blue

Waste separation system 30 cm - 15 l / 15 l

installation type: floor mounted, behind swinging door


technique: full extension

operation: manual telescopic

separation: double, 2 x 15 l

cabinet width: 30 cm and wider

compatible with GROHE Blue Home and GROHE Red M and L size



40 980 000

265.83

GROHE Blue

Waste separation system 60 cm - 29 l

installation type: side wall and front panel


technique: full extension with pull-in damping

separation: single, 1 x 29 l

cabinet width: 60 cm

installation height 533 mm minimum, 573 mm maximum

compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size



40 981 000

265.83

GROHE Blue

Waste separation system 60 cm - 8 l / 8 l

installation type: side wall and front panel


technique: full extension with pull-in damping

separation: double, 2 x 8 l

cabinet width: 60 cm

installation height 533 mm minimum, 573 mm maximum

compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size



40 982 000

282.50

GROHE Blue

Waste separation system 90 cm - 11 l / 29 l

installation type: side wall and front panel


technique: full extension with pull-in damping

separation: double, 1 x 11 l, 1 x 29 l

cabinet width: 90 cm

installation height 533 mm minimum, 573 mm maximum

compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size



40 983 000

282.50

GROHE Blue

Waste separation system 90 cm - 8 l / 8 l / 11 l

installation type: side wall and front panel

technique: full extension with pull-in damping

separation: triple, 2 x 8 l, 1 x 11 l

cabinet width: 90 cm

installation height 533 mm minimum, 573 mm maximum


compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size

GROHE WASTE SEPARATION SYSTEMS

Ref. No.

Colour

Price netto (€)



40 984 000


42.91

GROHE Blue
Retrofit kit for extricable metal cover
contents: pull-out rails and anti-slip mat
for use with GROHE Blue waste separation system
40 980, 40 981, 40 982 or 40 983, sold separately

KITCHEN
FITTINGS


GROHE K7

Ref. No. Colour Price netto (€)



32 950 000	chrome	743.00
32 950 DC0	supersteel	817.00
32 950 A00	hard graphite	879.00
32 950 AL0	brushed hard graphite	942.00

K7
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 professional spray
 diverter: mousseur/**SpeedClean** shower jet
 automatic return to mousseur
 metal spray
 adjustable flow rate limiter
 swivel spout
 swivel area 140°
 protected against backflow
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar



31 379 000	chrome	694.00
31 379 DC0	supersteel	934.00
31 379 A00	hard graphite	846.00
31 379 AL0	brushed hard graphite	907.00



K7
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 professional spray
 diverter: mousseur/**SpeedClean** shower jet
 automatic return to mousseur
 metal spray
 adjustable flow rate limiter
 swivel spout
 swivel area 140°
 protected against backflow
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar

GROHE FOOTCONTROL

Ref. No.

Colour

Price netto (€)



30 309 000

215.00

FootControl Retro-fit set

Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery, type CR-P2

CE approved
solenoid valve

fixed value mixing valve

automatically safety stop after 60 sec. (factory set)

type of protection IP 44

upgrade set for GROHE pull-out kitchen faucets


not suitable for combination with open water heater (SKUs 32 555 000,
31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0,
31 179 000, 31 132 001

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.


Colour

Price netto (€)




31 613 000	chrome	355.00
31 613 DC0	supersteel	455.00
31 613 DA0	warm sunset	490.00
31 613 A00	hard graphite	490.00

Minta SmartControl
Sink mixer with SmartControl
single hole installation
GROHE StarLight chrome finish
pull-out spray with laminar
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero separated inner water ways - lead and nickel free




31 360 001	chrome	608.00
31 360 DC1	supersteel	783.00

Minta Touch
Electronic single-lever sink mixer 1/2"
L-spout
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system



31 358 002	chrome	546.00
31 358 DC2	supersteel	708.00

Minta Touch
Electronic single-lever sink mixer 1/2"
C-spout
single hole installation
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system



31 375 000	chrome	255.00
31 375 DC0	supersteel	262.00
31 375 GN0	brushed cool sunrise	302.00
31 375 DA0	warm sunset	282.00
31 375 DL0	brushed warm sunset	302.00
31 375 A00	hard graphite	282.00
31 375 AL0	brushed hard graphite	302.00


Minta
Single-lever sink mixer 1/2"
L-spout
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.

Colour

Price netto (€)




32 168 000
32 168 DC0

chrome
supersteel

283.00
340.00

Minta
Single-lever sink mixer 1/2"
L-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valves
protected against backflow
flexible connection hoses
rapid installation system




31 397 000

chrome

311.00

Minta
Single-lever sink mixer 1/2"
for open water heater
L-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valves
protected against backflow
flexible connection hoses
rapid installation system



30 274 000
30 274 DC0
30 274 GN0
30 274 DA0
30 274 DL0
30 274 A00
30 274 AL0

chrome
supersteel
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

335.00
420.00
419.00
391.00
419.00
391.00
419.00

Minta
Single-lever sink mixer 1/2"
L-spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
flow strainer
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

KITCHEN
FITTINGS

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.


Colour

Price netto (€)

30 347 000

chrome

273.00



Minta
Single-lever sink mixer 1/2"
L-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
flow strainer
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
shorter lever (71 mm)
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

32 917 000

chrome

239.00

32 917 DC0

supersteel

244.00

32 917 KS0

velvet black

282.00

32 917 GN0

brushed cool sunrise

281.00

32 917 DA0

warm sunset

262.00

32 917 DL0

brushed warm sunset

281.00

32 917 A00


hard graphite

262.00

32 917 AL0

brushed hard graphite

281.00




Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
connector set 3/8"
rapid installation system
optional temperature limiter ref. no. 46 308 000

30 345 000

chrome

183.00



Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
shorter lever (71 mm)
flexible connection hoses
connector set 3/8"
rapid installation system
optional temperature limiter ref. no. 46 308 000

32 918 000


chrome

283.00

32 918 DC0

supersteel

296.00



Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

32 918 00E

chrome

228.00


with GROHE EcoJoy 5.7 l/min. flow limiter

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.

Colour

Price netto (€)



32 321 002	chrome	242.00
32 321 DC2	supersteel	304.00
32 321 GN2	brushed cool sunrise	351.00
32 321 DA2	warm sunset	328.00
32 321 DL2	brushed warm sunset	351.00
32 321 A02	hard graphite	328.00
32 321 AL2	brushed hard graphite	351.00

Minta
Single-lever sink mixer 1/2"
C-spout

single hole installation

GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

30 348 001	chrome	234.00
------------	--------	--------

Minta
Single-lever sink mixer 1/2"
C-spout

single hole installation

GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
shorter lever (71 mm)
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



30 349 001	chrome	234.00
------------	--------	--------

Minta
Single-lever sink mixer 1/2"
C-spout

single hole installation

GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: mousseur/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.


Colour

Price netto (€)




32 488 000	chrome	230.00
32 488 DC0	supersteel	244.00
32 488 DA0	warm sunset	262.00
32 488 DL0	brushed warm sunset	281.00
32 488 A00	hard graphite	262.00
32 488 AL0	brushed hard graphite	281.00

Minta
Single-lever sink mixer 1/2"
U - spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
selectable swivel area : 0° / 150° / 360°
swivel tubular spout
flexible connection hoses
rapid installation system
optional temperature limiter ref. no. 46 308 000




30 346 000	chrome	183.00
------------	--------	--------

Minta
Single-lever sink mixer 1/2"
U - spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
selectable swivel area : 0° / 150° / 360°
swivel tubular spout
shorter lever (71 mm)
flexible connection hoses
rapid installation system
optional temperature limiter ref. no. 46 308 000



32 067 000	chrome	283.00
------------	--------	--------

Minta
Single-lever sink mixer 1/2"
U - spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout, swivel area 360°
integrated non-return valves
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



32 322 002	chrome	238.00
32 322 DC2	supersteel	304.00
32 322 DA2	warm sunset	328.00
32 322 DL2	brushed warm sunset	351.00
32 322 A02	hard graphite	328.00
32 322 AL2	brushed hard graphite	351.00


Minta
Single-lever sink mixer 1/2"
U - spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.

Colour

Price netto (€)



31 558 000
31 558 GN0
31 558 AL0

chrome
brushed cool sunrise
brushed hard graphite

282.00
*
*

Minta
Single-lever sink mixer 1/2"
L-spout
integrated stop valve
single hole installation
GROHE StarLight chrome finish
pull-out dual spray control -
switches back and forth between
regular flow and spray
46 mm ceramic cartridge
swivel area 360°
flexible connection hoses
rapid installation system



40 684 000
40 684 DC0

chrome
supersteel

75.00
*

Minta
Lever
for Minta single lever sink mixer

KITCHEN
FITTINGS



40 709 000

chrome

*


Minta
Pull out spray

GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

Ref. No.

Colour

Price netto (€)



31 593 002
31 593 DC2

chrome
supersteel

502.00
653.00

Zedra SmartControl
Sink mixer with SmartControl
single hole installation

GROHE StarLight chrome finish

pull-out spray with laminar

GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

temperature adjustment by turning of mixing valve on body

swivel tubular spout


swivel area 140°

protected against backflow

flexible connection hoses

GROHE QuickFix Plus ultra fast and simple installation - no tools needed

GROHE Zero separated inner water ways - lead and nickel free



30 219 002
30 219 DC2

chrome
supersteel

639.00
831.00

Zedra Touch
Electronic single-lever sink mixer 1/2"

Touch: activation of water via skin contact

battery supply 6 V lithium-battery, type CR-P2

CE approved

solenoid valve

fixed value mixing valve

automatically safety stop after 60 sec. (factory set)

type of protection IP 44

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

GROHE Zero separated inner water ways - lead and nickel free

GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position

pull-out spray with 3 spray types

diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced

water consumption by up to 70 % and even stronger spray performance)

stop function - pause button to stop the water flow

automatic return to laminar spray


adjustable flow rate limiter

swivel tubular spout

swivel area 360°

protected against backflow

flexible connection hoses



32 294 002
32 294 DC2

chrome
supersteel

366.00
475.00

Zedra
Single-lever sink mixer 1/2"
single hole installation

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position

pull-out spray with 3 spray types

diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced

water consumption by up to 70 % and even stronger spray performance)

stop function - pause button to stop the water flow

automatic return to laminar spray

adjustable flow rate limiter

swivel tubular spout

swivel area 360°

protected against backflow

flexible connection hoses

GROHE QuickFix Plus ultra fast and simple installation - no tools needed


GROHE Zero separated inner water ways - lead and nickel free

GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

Ref. No.

Colour

Price netto (€)




32 553 002
32 553 DC2

chrome
supersteel

343.00
445.00

Zedra
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero separated inner water ways - lead and nickel free



30 026 002
30 026 DC2

chrome
supersteel

217.00
282.00

Zedra
Pillar tap with filter function
single hole installation
handle for filtered table water
ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
swivel tubular spout
swivel area 140°
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero separated inner water ways - lead and nickel free
requires GROHE filter set including filter head (40 438 001), sold separately
6,6 l/min


KITCHEN
FITTINGS

GROHE ATRIO

Ref. No.

Colour

Price netto (€)



30 362 000
30 362 DC0
30 362 AL0

chrome
supersteel
brushed hard graphite

477.00
620.00
716.00

Atrio

Sink mixer

C-spout

single hole installation

GROHE StarLight chrome finish

ceramic headparts 1/2", 90°

selectable swivel area : 0° / 150° / 360°


flexible connection hoses

rapid installation system

mousseur


GROHE ESSENCE

Ref. No. Colour Price netto (€)



31 615 000	chrome	423.00
31 615 DC0	supersteel	549.00
31 615 BE0	polished nickel	591.00
31 615 EN0	brushed nickel	633.00
31 615 GL0	cool sunrise	591.00
31 615 GN0	brushed cool sunrise	633.00
31 615 DA0	warm sunset	591.00
31 615 DL0	brushed warm sunset	633.00
31 615 A00	hard graphite	591.00
31 615 AL0	brushed hard graphite	633.00

Essence SmartControl
Sink mixer with SmartControl
single hole installation
GROHE StarLight chrome finish
pull-out spray with laminar
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero separated inner water ways - lead and nickel free



30 294 000	chrome	432.00
30 294 DC0	supersteel	576.00
30 294 BE0	polished nickel	607.00
30 294 EN0	brushed nickel	651.00
30 294 GL0	cool sunrise	607.00
30 294 GN0	brushed cool sunrise	651.00
30 294 DA0	warm sunset	607.00
30 294 DL0	brushed warm sunset	651.00
30 294 A00	hard graphite	607.00
30 294 AL0	brushed hard graphite	651.00

Essence
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHflexx kitchen santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system




30 321 GE0	green	61.00
30 321 XC0	dark grey	60.00
30 321 MW0	chrome/sheer marble	98.00
30 321 HG0	dark brown	60.00
30 321 DG0	red	60.00
30 321 DP0	pink	60.00
30 321 DU0	purple	61.00
30 321 TY0	blue	60.00
30 321 YF0	yellow	60.00
30 321 YR0	orange	60.00

GROHflexx kitchen hose spout
hose spout for Essence kitchen faucet
for 30 294 000/30 294 DC0
flexible, hygienic GROHflexx kitchen santoprene hose
including fixing parts

KITCHEN
FITTINGS


GROHE ESSENCE

Ref. No. Colour Price netto (€)



30 269 000	chrome	259.00
30 269 DC0	supersteel	304.00
30 269 GL0	cool sunrise	327.00
30 269 GN0	brushed cool sunrise	350.00
30 269 DA0	warm sunset	327.00
30 269 DL0	brushed warm sunset	350.00
30 269 A00	hard graphite	328.00
30 269 AL0	brushed hard graphite	351.00

Essence
Single-lever sink mixer 1/2"
 high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
 mousseur
 swivel tubular spout
 adjustable swivel area 0° / 150° / 360°
 flexible connection hoses
 rapid installation system
 integrated temperature limiter
 min. recommended pressure 1.0 bar



30 270 000	chrome	342.00
30 270 DC0	supersteel	440.00
30 270 GL0	cool sunrise	435.00
30 270 GN0	brushed cool sunrise	471.00
30 270 DA0	warm sunset	444.00
30 270 DL0	brushed warm sunset	471.00
30 270 A00	hard graphite	440.00
30 270 AL0	brushed hard graphite	471.00


Essence
Single-lever sink mixer 1/2"
 high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
 flow strainer
 pull-out dual spray control -
 switches back and forth between
 regular flow and spray
 diverter: laminar spray/**SpeedClean** shower jet
 automatic return to laminar spray
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system
 integrated temperature limiter
 min. recommended pressure 1.0 bar

GROHE EUROCUBE

Ref. No.

Colour

Price netto (€)




31 395 000
31 395 DC0

chrome
supersteel

640.00
807.00

Eurocube
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
diverter: mousseur/**SpeedClean** shower jet
swivel spout
swivel area 140°
360° maneuverable spring arm
protected against backflow
flexible connection hoses
applicable for under cupboard installation
rapid installation system



31 255 000
31 255 DC0

chrome
supersteel

255.00
292.00


Eurocube
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
mousseur
swivel cast spout
swivel area 360°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

KITCHEN
FITTINGS

Ref. No.

Colour

Price netto (€)




30 189 000

chrome

279.00

Ambi
Sink mixer
single hole installation
GROHE StarLight finish
ceramic headparts 1/2", 90°
mousseur
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
with lever handles
no backsplash, lever opens to the front
flexible connection hoses
rapid installation system
min. recommended pressure 0.4 bar



30 190 000

chrome

291.00

Ambi Cosmopolitan
Sink mixer
single hole installation
GROHE StarLight finish
ceramic headpart 1/2", 90°
mousseur
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
with lever handles
flexible connection hoses
no backsplash, lever opens to the front
rapid installation system
min. recommended pressure 0.4 bar

GROHE PARKFIELD

Ref. No.


Colour

Price netto (€)

30 215 001
30 215 DC1

chrome
supersteel

304.00
378.00




Parkfield
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 with integrated temperature limiter
 pull-out dual spray control -
 switches back and forth between
 regular flow and spray
 diverter: mousseur/**SpeedClean** shower jet
 automatic return to mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar

KITCHEN
FITTINGS


GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)




32 259 003 **chrome** **195.00**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
mousseur
flexible connection hoses
GROHE QuickFix rapid installation system




31 122 004 **chrome** **233.00**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system
min. recommended pressure 1.0 bar




33 770 002 **chrome** **227.00**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system



32 257 002 **chrome** **272.00**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



33 772 002 **chrome** **205.00**


Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
projection 211 mm
S-unions

GROHE EURODISC

Ref. No.

Colour

Price netto (€)




33 770 001

chrome

217.00

Eurodisc
Single-lever sink mixer 1/2"
 low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 140°
 with stop restriction
 flexible connection hoses
 rapid installation system




33 771 001

chrome

260.00

Eurodisc
Single-lever sink mixer 1/2"
 low spout
for open water heater
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
 integrated flow regulating valve
 swivel tubular spout
 with stop limiter and flow straightener
 swivel area 140°
 flexible connection hoses
 rapid installation system




32 257 001

chrome

305.00

Eurodisc
Single-lever sink mixer 1/2"
 low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
 pull-out dual spray
 diverter: mousseur/**SpeedClean** shower jet
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar



32 546 001

chrome


*

Eurodisc
Single-lever sink mixer 1/2"
 low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 pull-out dual spray
 diverter: mousseur/**SpeedClean** shower jet
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 flexible connection hoses
 rapid installation system

KITCHEN
FITTINGS


GROHE CONCETTO

Ref. No. Colour Price netto (€)




31 491 000 chrome 351.00
31 491 DC0 supersteel 464.00

Concetto
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHflexx kitchen santoprene hose
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system




32 661 003 chrome 178.00
32 661 DC3 supersteel 223.00

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
GROHE QuickFix rapid installation system



32 662 003 chrome 172.00

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE Zero separated inner water ways - lead and nickel free
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
GROHE QuickFix rapid installation system




32 663 003 chrome 214.00
32 663 DC3 supersteel 279.00

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull-out laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system
min. recommended pressure 1.0 bar


GROHE CONCETTO

Ref. No. Colour Price netto (€)




31 212 003 **chrome** **259.00**

Concetto
Single-lever sink mixer 1/2"
for open water heater
 high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
 pull-out laminar spray
 automatic returning
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 rapid installation system




31 483 002 **chrome** **227.00**
31 483 DC2 **supersteel** **264.00**

Concetto
Single-lever sink mixer 1/2"
 high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
 pull-out dual spray
 diverter: laminar spray/**SpeedClean** shower jet
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
GROHE QuickFix rapid installation system



31 128 001 **chrome** **213.00**
31 128 DC1 **supersteel** **230.00**

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar




31 129 001 **chrome** **258.00**
31 129 DC1 **supersteel** **280.00**

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 pull out mousseur
 adjustable flow rate limiter
 swivel cast spout
 swivel area 100°
 protected against backflow
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar


KITCHEN
FITTINGS

Ref. No. Colour Price netto (€)

30 273 001 chrome 245.00
30 273 DC1 supersteel 319.00




Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
integrated non-return valve
flexible connection hoses
rapid installation system




31 209 001 chrome 305.00

Concetto
Single-lever sink mixer 1/2"
integrated stop valve
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system




31 210 001 chrome 292.00

Concetto
Single-lever sink mixer 1/2"
for installation in front of window
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses



32 659 001 chrome 157.00

Concetto
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system



32 667 001 chrome 178.00


Concetto
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 223 mm
S-unions

GROHE EUROSTYLE COSMOPOLITAN

Ref. No.

Colour

Price netto (€)




33 975 004

chrome

156.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout

single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
GROHE QuickFix rapid installation system




31 127 002

chrome

199.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
for open water heater

high spout
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight finish
flow straightener
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system




31 126 004

chrome

197.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout

single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system




31 482 003

chrome

215.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout

single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system



30 221 002

chrome

151.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout

single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter


KITCHEN
FITTINGS

GROHE EUROSTYLE COSMOPOLITAN

Ref. No.

Colour

Price netto (€)




31 124 002

chrome

216.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system




31 159 002

chrome

266.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
for installation in front of window
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses




33 977 002

chrome

145.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system




32 230 002

chrome

125.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start and Eco-click
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system
Qualitel approval



33 982 002

chrome

174.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
projection 273 mm
S-unions

GROHE EUROSTYLE COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

45 562 000

chrome









82.00



Adapter

To convert to other spouts with screw coupling G3/4
Suitable for several sink mixer wall mount
e.g. 33 772 002, 33 982 002

GROHE EUROSMART COSMOPOLITAN


	Ref. No.	Colour	Price netto (€)
	32 843 002	chrome	143.00
	32 843 DC2	supersteel	179.00
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout single hole installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses GROHE QuickFix rapid installation system</p>		
	32 843 20E	chrome	142.00
	ditto, with GROHE Ecojoy		
	31 481 001	chrome	208.00
		<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout single hole installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses GROHE QuickFix rapid installation system</p>	
			
	31 188 002	chrome	142.00
		<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout single hole installation GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE Zero separated inner water ways - lead and nickel free mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses GROHE QuickFix rapid installation system</p>	
			
	30 193 000	chrome	125.00
	30 193 DC0	supersteel	134.00
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" medium spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system min. recommended pressure 1.0 bar</p>		

GROHE EUROSMART COSMOPOLITAN

Ref. No.

Colour

Price netto (€)




30 194 000

chrome

123.00

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
for open water heater
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
flow straightener
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system




30 195 000

chrome

185.00

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
integrated stop valve
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
rapid installation system
flexible connection hoses




32 842 000

chrome

133.00

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system




31 161 000

chrome

189.00

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
integrated stop valve
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system



31 170 000


chrome

209.00

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
for installation in front of window
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
mousseur
swivel tubular spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses


KITCHEN
FITTINGS

Ref. No. Colour Price netto (€)




33 202 002 chrome 124.00
33 202 DC2 supersteel 133.00

Eurosmart
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




33 490 002 chrome 141.00

Eurosmart
Single-lever sink mixer 1/2"
integrated stop valve
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 90°
flexible connection hoses
rapid installation system



30 305 000 chrome 164.00
30 305 DC0 supersteel 214.00


Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
with integrated temperature limiter
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
88° swivel radius
GROHE Zero separated inner water ways - lead and nickel free
flexible connection hoses
rapid installation system
protected against backflow



33 281 002 chrome 119.00
33 281 DC2 supersteel 126.00


Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero separated inner water ways - lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

33 281 20E chrome 97.00
ditto, with GROHE EcoJoy 5.7 l/min. flow limiter




30 260 002 **chrome** **115.00**

Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero separated inner water ways - lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




32 221 002 **chrome** **102.00**

Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start and Eco-click
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero separated inner water ways - lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system
Qualitel E1C2A2U3 applied for




32 534 002 **chrome** **97.00**

Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero separated inner water ways - lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system
integrated temperature limiter



32 482 002 **chrome** **144.00**

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel area 360°
swivel tubular spout
projection 186 mm
integrated temperature limiter
S-unions




32 224 002 **chrome** **144.00**

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 277 mm
integrated temperature limiter
S-unions

Ref. No.

Colour

Price netto (€)




31 391 002

chrome

145.00

Eurosmart
Single-lever sink mixer 1/2"
 wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 projection 217 mm
 integrated temperature limiter
 S-unions



31 509 002

chrome

123.00


Eurosmart
Single-lever sink mixer 1/2"
 wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 projection 150 mm
 integrated temperature limiter
 S-unions

GROHE EUROECO / EUROECO SPECIAL

Ref. No.

Colour

Price netto (€)




32 752 000

chrome

101.00

Euroeco
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
metal lever
flexible connection hoses
rapid installation system




32 750 000

chrome

101.00

Euroeco
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
metal lever
flexible connection hoses
rapid installation system




32 786 000

chrome

123.00

Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses
rapid installation system




33 912 000

chrome

288.00

Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
metal lever
lever length 120 mm
temperature limiter
Attention: old product




32 787 000

chrome

123.00

Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
lever length 120 mm
flexible connection hoses

KITCHEN
FITTINGS




31 831 001

chrome

89.00

Costa L
Single-hole sink mixer 1/2"
metal handles
heat-insulated
GROHE StarLight finish
Longlife-headparts
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses




31 930 001

chrome

163.00

Costa L
Single-hole sink mixer 1/2"
for open water heater
metal handles
heat-insulated
GROHE StarLight finish
Longlife-headparts
flow straightener
swivel tubular spout
swivel area 360°
chain ring
copper pipes




31 812 001

chrome

91.00

Costa L
Single-hole sink mixer 1/2"
metal handles
heat-insulated
screwable
GROHE StarLight finish
Longlife-headparts
mousseur
swivel tubular spout
swivel area 360°
chain ring
flexible connection hoses




31 829 001

chrome

80.00

Costa L
Single-hole sink mixer 1/2"
metal handles
heat-insulated
screwable
Longlife-headparts
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
NF approval




31 191 001

chrome


88.00

Costa L
Wall sink mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
GROHE StarLight finish
Longlife-headparts
mousseur
tubular spout
swivel area 360°
S-unions




31 186 001 **chrome** **79.00**

Costa L
Wall sink mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
GROHE StarLight finish
Longlife-headparts
mousseur
tubular spout
swivel area 360°
projection 182 mm
without connection unions




31 187 001 **chrome** **100.00**

Costa L
Wall sink mixer 1/2"
metal handles
heat-insulated
GROHE StarLight finish
Longlife-headparts
mousseur
swivel tubular spout
swivel area 360°
projection 200 mm
S-unions




31 182 001 **chrome** **79.00**

Costa L
Wall sink mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
GROHE StarLight finish
mousseur
Longlife-headparts
swivel spout
swivel area 360°
projection 200 mm
without connection unions












30 484 001 **chrome** **54.00**

Costa L
Bibtap 1/2"
wall mounted
metal handle
heat-insulated
marking: blue
GROHE StarLight finish
mousseur
Longlife-headparts
swivel tubular spout
swivel area 360°
projection 200 mm



30 098 001 **chrome** **34.00**


Costa L
Bibtap 1/2"
wall mounted
metal handle
heat-insulated
marking: blue
GROHE StarLight finish
mousseur
Longlife-headparts

	Ref. No.	Colour	Price netto (€)
		31 819 001 Costa S Single-hole sink mixer 1/2" metal handles heat-insulated screwable GROHE StarLight finish Carbodur headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses	chrome 97.00
		31 067 001 Costa S Single-hole sink mixer 1/2" metal handles heat-insulated screwable GROHE StarLight finish Carbodur ceramic headparts 1/2", 180° mousseur swivel tubular spout swivel area 360° flexible connection hoses NF approval	chrome 97.00
		20 179 001 Costa S Pillar tap metal handle heat-insulated screwable GROHE StarLight finish ceramic headpart 1/2", 90° flow straightener swivel tubular spout swivel area 360° union nut 1/2" with 10.5 mm drilling	chrome 101.00
		31 195 001 Costa S Wall sink mixer 1/2" wall mounted metal handles heat-insulated screwable GROHE StarLight finish Carbodur headpart mousseur swivel spout swivel area 360° projection 200 mm without connection unions	chrome 100.00
		30 064 001 Costa L Bibtap 1/2" metal handle wall mounted screwable marking: blue GROHE StarLight chrome finish Longlife-headpart laminar flow straightener projection 150 mm	chrome 37.00

Ref. No.

Colour

Price netto (€)



31 368 001

chrome

86.00

BauLoop

Single-lever sink mixer 1/2"

high spout

single hole installation

GROHE StarLight chrome finish

GROHE Longlife 28 mm ceramic cartridge

GROHE Zero separated inner water ways - lead and nickel free

spout with mousseur

swivel tubular spout


swivel area 360°

flexible connection hoses

rapid installation system

GROHE QuickFix Plus ultra fast and simple installation - no tools needed

min. recommended pressure 1.0 bar



31 367 001

chrome

86.00

BauEdge

Single-lever sink mixer 1/2"

high spout

single hole installation

GROHE StarLight finish

GROHE Longlife 28 mm ceramic cartridge

GROHE Zero separated inner water ways - lead and nickel free

spout with mousseur

swivel tubular spout


swivel area 360°

flexible connection hoses

rapid installation system

GROHE QuickFix Plus ultra fast and simple installation - no tools needed

min. recommended pressure 1.0 bar



31 536 001

chrome

86.00

BauCurve

Single-lever sink mixer 1/2"

high spout

single hole installation

GROHE StarLight chrome finish

GROHE Longlife 28 mm ceramic cartridge

GROHE Zero separated inner water ways - lead and nickel free

spout with mousseur


swivel tubular spout

swivel area 360°

flexible connection hoses

rapid installation system

min. recommended pressure 1.0 bar



31 538 001

chrome

88.00

GROHE BauFlow

Single-lever sink mixer 1/2"

high spout

single hole installation

GROHE StarLight chrome finish

GROHE Longlife 28 mm ceramic cartridge

GROHE Zero separated inner water ways - lead and nickel free


spout with mousseur

swivel tubular spout

swivel area 360°

flexible connection hoses

GROHE QuickFix Plus ultra fast and simple installation - no tools needed



31 535 001

chrome

86.00

BauClassic

Single-lever sink mixer 1/2"

high spout

single hole installation

GROHE StarLight chrome finish

GROHE Longlife 28 mm ceramic cartridge

GROHE Zero separated inner water ways - lead and nickel free

spout with mousseur

swivel tubular spout

swivel area 360°

flexible connection hoses


rapid installation system

min. recommended pressure 1.0 bar

Ref. No.

Colour

Price netto (€)



31 706 000

chrome

81.00

BauLoop
Single-lever sink mixer 1/2"
medium spout

single hole installation

GROHE StarLight chrome finish

GROHE Longlife 35 mm ceramic cartridge

GROHE Zero separated inner water ways - lead and nickel free

swivel tubular spout


swivel area 140°

mousseur with coin slot for tool free replacement

flexible connection hoses

GROHE QuickFix Plus ultra fast and simple installation - no tools needed

min. recommended pressure 1.0 bar



31 713 000

chrome

108.00

BauLoop
Single-lever sink mixer 1/2"
integrated stop valve
medium spout

single hole installation

GROHE StarLight chrome finish

GROHE Longlife 35 mm ceramic cartridge

GROHE Zero separated inner water ways - lead and nickel free

swivel tubular spout


swivel area 140°

mousseur with coin slot for tool free replacement

flexible connection hoses

GROHE QuickFix Plus ultra fast and simple installation - no tools needed

min. recommended pressure 1.0 bar



31 693 000

chrome

81.00

BauEdge
Single-lever sink mixer 1/2"
medium spout

single hole installation

GROHE StarLight chrome finish

GROHE Longlife 35 mm ceramic cartridge

GROHE Zero separated inner water ways - lead and nickel free

swivel tubular spout


swivel area 140°

mousseur with coin slot for tool free replacement

flexible connection hoses

GROHE QuickFix Plus ultra fast and simple installation - no tools needed

min. recommended pressure 1.0 bar



31 696 000

chrome

108.00

BauEdge
Single-lever sink mixer 1/2"
integrated stop valve
medium spout

single hole installation

GROHE StarLight chrome finish

GROHE Longlife 35 mm ceramic cartridge

GROHE Zero separated inner water ways - lead and nickel free

swivel tubular spout


swivel area 140°

mousseur with coin slot for tool free replacement

flexible connection hoses

GROHE QuickFix Plus ultra fast and simple installation - no tools needed

min. recommended pressure 1.0 bar



31 688 000

chrome

81.00

GROHE BauFlow
Single-lever sink mixer 1/2"
medium spout

single hole installation

GROHE StarLight chrome finish

GROHE Longlife 35 mm ceramic cartridge

GROHE Zero separated inner water ways - lead and nickel free

swivel tubular spout

swivel area 140°

mousseur with coin slot for tool free replacement

flexible connection hoses


GROHE QuickFix Plus ultra fast and simple installation - no tools needed

min. recommended pressure 1.0 bar

Ref. No.

Colour

Price netto (€)



31 715 000

chrome

81.00

BauCurve
Single-lever sink mixer 1/2"
medium spout

single hole installation

GROHE StarLight chrome finish

GROHE Longlife 35 mm ceramic cartridge

GROHE Zero separated inner water ways - lead and nickel free

swivel tubular spout


swivel area 140°

mousseur with coin slot for tool free replacement

flexible connection hoses

GROHE QuickFix Plus ultra fast and simple installation - no tools needed

min. recommended pressure 1.0 bar



31 680 000

chrome

72.00

BauEco
Single-lever sink mixer 1/2"
low spout

single hole installation

GROHE StarLight chrome finish

GROHE Longlife 35 mm ceramic cartridge

GROHE Zero separated inner water ways - lead and nickel free

swivel tubular spout

swivel area 140°

mousseur with coin slot for tool free replacement

flexible connection hoses

GROHE QuickFix Plus ultra fast and simple installation - no tools needed


min. recommended pressure 1.0 bar

GROHE SOAP DISPENSERS

Ref. No.

Colour

Price netto (€)



40 402 000

chrome


*

GROHE Switch

Battery powered shut-off valve for dishwashers

consisting of:

battery powered wireless remote control
electronic valve
battery powered controller box
type of protection IP 45
flow rate 10 l/min at 1.0 bar
max. water inlet temperature 40° C
cable length valve to controller 40 cm
battery lifetime 2 - 4 years
batteries and fixation material included



40 535 000

chrome

44.16

40 535 DC0

supersteel

61.66

40 535 BE0

polished nickel

66.24

40 535 GL0

cool sunrise

66.24

40 535 GN0

brushed cool sunrise

70.41

40 535 DA0

warm sunset

66.24

40 535 DL0

brushed warm sunset

70.41

40 535 A00

hard graphite

66.24

40 535 AL0


brushed hard graphite

70.41

Cosmopolitan soap dispenser

for liquid soaps,
storage bin 500 ml

GROHE StarLight finish



40 536 000

chrome

39.58

40 536 DC0


supersteel

55.41

Contemporary soap dispenser

for liquid soaps,
storage bin 500 ml

GROHE StarLight finish



40 553 000

chrome

54.99

40 553 DC0


supersteel

77.08

Ladylux / Zedra soap dispenser

for liquid soaps,
storage bin 500 ml

GROHE StarLight finish



40 537 000

chrome

48.33

40 537 DC0

supersteel

67.91

40 537 ZB0

antique bronze

67.91

Authentic soap dispenser

for liquid soaps,
storage bin 500 ml


GROHE StarLight finish

GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)



31 582 SD1

stainless steel

715.83

K1000

Stainless steel sink with drainer

model: K1000 80-S 116/52 1.0 rh

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 800 mm

dimensions: 1160 x 520 mm

1 bowl: 710 x 400 mm

outer radius: R3, inner bowl radius: R10

GROHE QuickFix installation system

sink mountable right


cut-out (top mount): 1145 x 505 mm

waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting,

waste kit, basket strainer waste, mounting set

amount of fasteners included (top mount): 10



31 581 SD1

stainless steel

715.83

K1000

Stainless steel sink with drainer

model: K1000 80-S 116/52 1.0 lh

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 800 mm

dimensions: 1160 x 520 mm

1 bowl: 710 x 400 mm

outer radius: R3, inner bowl radius: R10

GROHE QuickFix installation system

sink mountable left


cut-out (top mount): 1145 x 505 mm

waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting,

waste kit, basket strainer waste, mounting set

amount of fasteners included (top mount): 10



31 583 SD1

stainless steel

482.50

K800

Stainless steel sink

model: K800 60-S 51.8/51 1.0

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 518 x 510 mm

1 bowl: 462 x 400 x 200 mm

outer radius: R3, inner bowl radius: R10

GROHE QuickFix installation system

cut-out (top mount): 503 x 495 mm

waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting,

waste kit, basket strainer waste, mounting set

amount of fasteners included (top mount): 8

KITCHEN
FITTINGS

GROHE STAINLESS STEEL SINKS

Ref. No.


Colour

Price netto (€)

31 584 SD1

stainless steel

540.83



K800

Stainless steel sink

model: K800 90-S 84.6/51 1.0

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 900 mm

dimensions: 846 x 510 mm

1 bowl: 790 x 400 x 200 mm

outer radius: R3, inner bowl radius: R10

GROHE QuickFix installation system

cut-out (top mount): 831 x 495 mm

waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting,


waste kit, basket strainer waste, mounting set

amount of fasteners included (top mount): 10

31 585 SD1

stainless steel

715.83



K800

Stainless steel sink

model: K800 120-S 102.4/51 2.0

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 1200 mm

dimensions: 1024 x 510 mm

1 bowl: 462 x 400 x 200 mm

2 bowl: 462 x 400 x 200 mm

outer radius: R3, inner bowl radius: R10

GROHE QuickFix installation system

cut-out (top mount): 1009 x 495 mm

waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting,


waste kit, basket strainer waste, mounting set

amount of fasteners included (top mount): 12

31 586 SD1

stainless steel

624.17



K800

Stainless steel sink

model: K800 120-S 102.4/51 1.0

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 1200 mm

dimensions: 1024 x 510 mm

1 bowl: 968 x 400 x 200 mm

outer radius: R3, inner bowl radius: R10

GROHE QuickFix installation system

cut-out (top mount): 1009 x 495 mm

waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting,


waste kit, basket strainer waste, mounting set

amount of fasteners included (top mount): 10

GROHE STAINLESS STEEL SINKS


Ref. No. Colour Price netto (€)

31 574 SD1	stainless steel	199.17
31 574 GNO	brushed cool sunrise	815.83
31 574 ALO	brushed hard graphite	815.83




K700 Undermount
Stainless steel sink
 model: K700U 60-S 54.4/44.4 1.0
 mounting type: undermount
 material: stainless steel AISI 304 (V2A)
 material thickness: 1 mm
GROHE StarLight finish
 finish: satin finish
GROHE Whisper
 min. cabinet size: 600 mm
 dimensions: 540 x 440 mm
 1 bowl: 500 x 400 x 195 mm
 outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE QuickFix installation system
 cut-out: 500 x 400 mm
 drainer: Ø 3.5"/90 mm basket strainer waste
 accessories included: waste kit, basket strainer waste, mounting set
 amount of fasteners included (top mount): 8
 amount of fasteners included (undermount): 8

31 575 SD1	stainless steel	249.17
------------	-----------------	--------



K700 Undermount
Stainless steel sink
 model: K700U 80-S 76/45 1.5 lh
 mounting type: undermount, top mount or flush mount
 material: stainless steel AISI 304 (V2A)
 material thickness: 1 mm
GROHE StarLight finish
 finish: satin finish
GROHE Whisper
 min. cabinet size: 800 mm
 dimensions: 760 x 450 mm
 1 bowl: 500 x 400 x 195 mm
 0.5 bowl: 180 x 400 x 200 mm
 outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE QuickFix installation system
 sink mountable left
 cut-out (undermount): 712 x 402 mm (R16)
 cut-out (top mount): 745 x 435 mm
 drainer: Ø 3.5"/90 mm basket strainer waste
 accessories included: waste kit, basket strainer waste, mounting set
 amount of fasteners included (top mount): 8
 amount of fasteners included (undermount): 8

31 576 SD1	stainless steel	224.17
------------	-----------------	--------



K700 Undermount
Stainless steel sink
 model: K700U 60-S 59.5/45 1.5 rh
 mounting type: undermount, top mount or flush mount
 material: stainless steel AISI 304 (V2A)
 material thickness: 1 mm
GROHE StarLight finish
 finish: satin finish
GROHE Whisper
 min. cabinet size: 600 mm
 dimensions: 595 x 450 mm
 1 bowl: 340 x 400 x 200 mm
 0.5 bowl: 180 x 400 x 140 mm
 outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE QuickFix installation system
 sink mountable right
 cut-out (undermount): 547 x 402 mm (R16)
 cut-out (top mount): 580 x 435 mm
 drainer: Ø 3.5"/90 mm basket strainer waste
 accessories included: waste kit, basket strainer waste, mounting set
 amount of fasteners included (top mount): 8
 amount of fasteners included (undermount): 8


KITCHEN
FITTINGS

GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)



31 577 SD1

stainless steel

224.17

K700 Undermount Stainless steel sink

model: K700U 60-S 59.5/45 1.5 lh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm


GROHE StarLight finish
finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 595 x 450 mm
1 bowl: 340 x 400 x 200 mm
0.5 bowl: 180 x 400 x 140 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

GROHE QuickFix installation system

sink mountable left
cut-out (undermount): 547 x 402 mm (R16)
cut-out (top mount): 580 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8



31 578 SD1

stainless steel

182.50

K700 Stainless steel sink

model: K700 45-S 46.4/46.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm


GROHE StarLight finish
finish: satin finish

GROHE Whisper

min. cabinet size: 450 mm
dimensions: 464 x 464 mm
1 bowl: 400 x 400 x 200 mm
outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10

GROHE QuickFix installation system

cut-out (undermount): 402 x 402 mm (R11)
cut-out (top mount): 449 x 449 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8



31 726 SD0

stainless steel

465.83

K700 Stainless steel sink

model: K700 60-S 55/45 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm

GROHE StarLight finish
finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 550 x 450 mm
1 bowl: 500 x 400 x 200 mm
outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10

GROHE QuickFix installation system


cut-out (undermount): 502 x 402 mm (R11)
cut-out (top mount): 535 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8

GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)



31 580 SD1

stainless steel

232.50

K700

Stainless steel sink

model: K700 90-S 86.4/46.4 1.0

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 900 mm

dimensions: 864 x 464 mm

1 bowl: 800 x 400 x 200 mm

outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10

GROHE QuickFix installation system

cut-out (undermount): 802 x 402 mm (R11)

cut-out (top mount): 849 x 449 mm


drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket

strainer waste, mounting set

amount of fasteners included (top mount): 8

amount of fasteners included (undermount): 8



31 571 SD1

stainless steel

154.16

K500

Stainless steel sink with drainer

model: K500 45-S 86/50 1.0 rev

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 450 mm

dimensions: 860 x 500 mm

1 bowl: 340 x 420 x 170 mm

outer radius: R6 (topmount), inner bowl radius: R65

GROHE QuickFix installation system

sink mountable left or right

cut-out (top mount): 842 x 482 mm


drilling holes: 2 x 35 mm

waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting,

waste kit, basket strainer waste, mounting set

amount of fasteners included (top mount): 14



31 563 SD1

stainless steel

182.50

K500

Stainless steel sink with drainer

model: K500 60-S 100/50 1.0 rev

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 1000 x 500 mm

1 bowl: 450 x 400 x 180 mm

outer radius: R6 (topmount), inner bowl radius: R75

GROHE QuickFix rapid installation system

sink mountable left or right

cut-out (top mount): 982 x 482 mm

drilling holes: 2 x 35 mm

waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting,

waste kit, basket strainer waste, mounting set

amount of fasteners included (top mount): 16

GROHE STAINLESS STEEL SINKS

Ref. No.


Colour

Price netto (€)

31 572 SD1

stainless steel

190.83



K500

Stainless steel sink with drainer

model: K500 60-S 100/50 1.5 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 340 x 420 x 185 mm

0.5 bowl: 170 x 320 x 125 mm

outer radius: R6 (topmount), inner bowl radius: R65

GROHE QuickFix installation system

sink mountable left or right

cut-out (top mount): 982 x 482 mm

drilling holes: 2 x 35 mm

waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: waste kit, basket


strainer waste, mounting set

amount of fasteners included (top mount): 16

31 588 SD1

stainless steel

199.17



K500

Stainless steel sink with drainer

model: K500 80-S 116/50 2.0 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 340 x 420 x 190 mm

2 bowl: 340 x 420 x 190 mm

outer radius: R6 (topmount), inner bowl radius: R90

GROHE QuickFix installation system

sink mountable left or right

cut-out (top mount): 1140 x 480 mm

drilling holes: 2 x 35 mm

waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting,


waste kit, basket strainer waste, mounting set

amount of fasteners included (top mount): 18

31 573 SD1

stainless steel

290.83



Minta

Kitchen sink and tap bundle

consisting of:

K500 stainless steel sink with drainer (31 571 SD1)

Minta single-lever sink mixer (32 168)

high spout

single hole installation

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

pull out mousseur

adjustable flow rate limiter

swivel tubular spout

swivel area 360°

protected against backflow

flexible connection hoses

GROHE QuickFix rapid installation system

amount of fasteners included (top mount): 14


outer radius: R6 (flush mount and inset slim top), inner bowl radius: R65

GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)



31 568 SDO

stainless steel

174.17

K400+

Stainless steel sink with drainer

model: K400+ 45-S 87.3/51.3 1.0 rev

mounting type: flat edge

material: stainless steel AISI 316 (V4A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 450 mm

dimensions: 873 x 513 mm

1 bowl: 363 x 400 x 188 mm

outer radius: R10, inner bowl radius: R95

GROHE QuickFix installation system

sink mountable left or right

cut-out: 840 x 480 mm


drilling holes: 2 x 35 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,

waste kit, basket strainer waste, mounting set

amount of fasteners included (flat edge): 18



31 569 SDO

stainless steel

257.50

K400+

Stainless steel sink with drainer

model: K400+ 60-S 98.3/51.3 1.5 rev

mounting type: flat edge

material: stainless steel AISI 316 (V4A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 983 x 513 mm

1 bowl: 363 x 400 x 188 mm

0.5 bowl: 150 x 300 x 188 mm

outer radius: R10, inner bowl radius: R95

GROHE QuickFix installation system

sink mountable left or right

cut-out: 950 x 480 mm


drilling holes: 2 x 35 mm

drainer: automatic waste fitting

accessories included: waste kit, basket

strainer waste, mounting set

amount of fasteners included (flat edge): 18



31 566 SDO

stainless steel

133.33

K400

Stainless steel sink with drainer

model: K400 45-S 86/50 1.0 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 450 mm

dimensions: 860 x 500 mm

1 bowl: 362.5 x 400 x 188 mm

outer radius: R10, inner bowl radius: R95

GROHE QuickFix installation system

sink mountable left or right

cut-out: 840 x 480 mm

drilling holes: 2 x 35 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,

waste kit, basket strainer waste, mounting set

amount of fasteners included (top mount): 6

GROHE STAINLESS STEEL SINKS

Ref. No.


Colour

Price netto (€)

31 567 SD0

stainless steel

182.50



K400

Stainless steel sink with drainer

model: K400 60-S 97/50 1.5 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 970 x 500 mm

1 bowl: 363 x 400 x 188 mm

0.5 bowl: 150 x 300 x 188 mm

outer radius: R10, inner bowl radius: R95

GROHE QuickFix installation system

sink mountable left or right

cut-out: 950 x 480 mm

drilling holes: 2 x 35 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,


waste kit, basket strainer waste, mounting set

amount of fasteners included (top mount): 8

31 587 SD0

stainless steel

182.50



K400

Stainless steel sink with drainer

model: K400 80-S 116/50 2.0 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 800 mm

dimensions: 1160 x 500 mm

2 bowl: 362.5 x 400 x 188 mm

outer radius: R10, inner bowl radius: R95

GROHE QuickFix installation system

sink mountable left or right

cut-out: 1140 x 480 mm

drilling holes: 2 x 35 mm

waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting,


waste kit, basket strainer waste, mounting set

amount of fasteners included (top mount): 8

31 570 SD0

stainless steel

265.83



Concetto

Kitchen sink and tap bundle

consisting of:

K400 stainless steel sink with drainer (31 566 SD0)

Concetto single lever sink mixer (32 663 003)

high spout

single hole installation

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

pull out mousseur

adjustable flow rate limiter

swivel tubular spout

swivel area 360°

protected against backflow

flexible connection hoses


rapid installation system

amount of fasteners included (top mount): 6

GROHE STAINLESS STEEL SINKS


Ref. No. Colour Price netto (€)

31 564 SD1 stainless steel 145.83




K200
Stainless steel sink with drainer
 model: K200 60-S 96.5/50 1.5 rev
 mounting type: top mount
 material: stainless steel AISI 304 (V2A)
 material thickness: 0.6 mm
GROHE StarLight finish
 finish: satin finish
GROHE Whisper
 min. cabinet size: 600 mm
 dimensions: 965 x 500 mm
 1 bowl: 346 x 396 x 165 mm
 0.5 bowl: 180 x 340 x 130 mm
 outer radius: R10 (topmount), inner bowl radius: R100
GROHE QuickFix installation system
 sink mountable left or right
 cut-out (top mount): 941 x 476 mm
 drilling holes: 2 x 35 mm
 waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
 accessories included: automatic waste fitting,
 waste kit, basket strainer waste, mounting set
 amount of fasteners included (top mount): 7

31 565 SD1 stainless steel 162.49



Eurosmart
Kitchen sink and tap bundle
 consisting of:
 K200 stainless steel sink with drainer (31 552 SD1)
 Eurosmart single-lever sink mixer (33 281 002)
 low spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
 with integrated temperature limiter
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 GROHE Zero separated inner water ways - lead and nickel free
 mousseur with coin slot for tool free replacement
 flexible connection hoses
GROHE QuickFix rapid installation system
 amount of fasteners included (top mount): 14
 outer radius: R6 (topmount), inner bowl radius: R100

31 562 SD1 stainless steel 149.99



Bau
Kitchen sink and tap bundle
 consisting of:
 K200 stainless steel sink with drainer (31 552 SD1)
 Bau Edge single lever sink mixer (31 367 001)
 high spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
 GROHE Zero separated inner water ways - lead and nickel free
 mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
 amount of fasteners included (top mount): 14
 outer radius: R6 (topmount), inner bowl radius: R100

KITCHEN
FITTINGS

GROHE STAINLESS STEEL SINKS

Ref. No.


Colour

Price netto (€)

31 552 SD1

stainless steel

80.83



K200

Stainless steel sink with drainer

model: K200 45-S 86/50 1.0 rev

mounting type: top mount

material: stainless steel AISI 304 (V2A)

material thickness: 0.6 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 450 mm

dimensions: 860 x 500 mm

1 bowl: 350 x 400 x 160 mm

outer radius: R6 (topmount), inner bowl radius: R100

GROHE QuickFix installation system

sink mountable left or right

cut-out (top mount): 842 x 482 mm

drilling holes: 2 x 35 mm

waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting,

waste kit, basket strainer waste, mounting set

amount of fasteners included (top mount): 14

GROHE STAINLESS STEEL SINKS

Ref. No.


Colour

Price netto (€)

31 720 SD0

stainless steel

87.49



K200

Stainless steel sink

model: K200 50-S Ø 44 1.0

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

GROHE Whisper

min. cabinet size: 500 mm

dimensions: Ø 440 mm

1 bowl: Ø 390 mm

inner bowl radius: Ø 390

GROHE QuickFix installation system

cut-out: Ø 422 mm

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket


strainer waste, mounting set

amount of fasteners included (top mount): 5

31 719 SD0

stainless steel

104.16



K200

Stainless steel sink

model: K200 60-S 53.3/45.8 1.0 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 533 x 458 mm

1 bowl: 482 x 406 mm

inner bowl radius: R60

GROHE QuickFix installation system

cut-out: 517 x 442 mm

drainer: Ø 3.5"/90 mm basket strainer waste


accessories included: waste kit, basket

strainer waste, mounting set

amount of fasteners included (top mount): 8

GROHE COMPOSITE SINKS

Ref. No. Colour Price netto (€)



31 650 AT0
31 650 AP0

granite gray
granite black

199.17
199.17

K700

Composite sink


model: K700 50-C 40/50 1.0
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 500 mm
dimensions: 400 x 500 mm
1 bowl: 340 x 370 x 200 mm
outer radius: R6, inner bowl radius: R45

GROHE QuickFix installation system

cut-out: 380 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 6



31 651 AT0
31 651 AP0

granite gray
granite black

232.50
232.50

K700

Composite sink


model: K700 60-C 56/51 1.0
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 560 x 510 mm
1 bowl: 500 x 360 x 200 mm
outer radius: R6, inner bowl radius: R10

GROHE QuickFix installation system

cut-out: 545 x 495 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 8



31 652 AT0
31 652 AP0

granite gray
granite black

257.50
257.50

K700

Composite sink


model: K700 80-C 78/51 1.0
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 800 mm
dimensions: 780 x 510 mm
1 bowl: 720 x 370 x 220 mm
outer radius: R6, inner bowl radius: R10

GROHE QuickFix installation system

cut-out: 764 x 494 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 9



31 657 AT0
31 657 AP0

granite gray
granite black

265.83
265.83

K700

Composite sink

model: K700 90-C 83.8/55.9 2.0
mounting type: standard built-in and undermount
material: quartz composite

GROHE Whisper

min. cabinet size: 900 mm
dimensions: 838 x 559 mm
1 bowl: 406 x 438 x 241 mm
1 bowl: 316 x 438 x 241 mm
outer radius: R6, inner bowl radius: R15

GROHE QuickFix installation system


sink mountable left
cut-out (top mount installation): 818 x 539 mm
cut-out (undermount installation): 757 x 437 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 9
amount of fasteners included (undermount): 9

GROHE COMPOSITE SINKS

Ref. No.

Colour

Price netto (€)



31 658 ATO
31 658 AP0

granite gray
granite black

274.17
274.17

K700

Composite sink

model: K700 100-C 90/50 2.0 rev
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 1000 mm

dimensions: 900 x 500 mm

1 bowl: 465 x 443 x 230 mm

1 bowl: 315 x 443 x 230 mm

outer radius: R6, inner bowl radius: R8

GROHE QuickFix installation system

cut-out: 880 x 480 mm

drainer: automatic waste fitting









accessories included: automatic waste fitting,

waste kit, basket strainer waste, mounting set

amount of fasteners included (top mount): 10

GROHE COMPOSITE SINKS

Ref. No. Colour Price netto (€)


		<p>31 653 AT0 31 653 AP0</p> <p>K700 Undermount Composite sink model: K700U 50-C 45.7/40.6 1.0 mounting type: standard built-in and undermount material: quartz composite</p> <p>GROHE Whisper min. cabinet size: 500 mm dimensions: 457 x 406 mm 1 bowl: 417 x 366 x 203 mm outer radius: R6, inner bowl radius: R10</p> <p>GROHE QuickFix installation system cut-out: 417 x 366 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set mounting with silicone amount of fasteners included (undermount): 8</p>	<p>granite gray granite black</p> <p>174.17 174.17</p>
		<p>31 654 AT0 31 654 AP0</p> <p>K700 Undermount Composite sink model: K700U 60-C 53.3/45.7 1.0 mounting type: standard built-in and undermount material: quartz composite</p> <p>GROHE Whisper min. cabinet size: 600 mm dimensions: 533 x 457 mm 1 bowl: 469 x 393 x 205 mm outer radius: R7, inner bowl radius: R10</p> <p>GROHE QuickFix installation system cut-out: 468 x 390 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set amount of fasteners included (top mount): 6 amount of fasteners included (undermount): 6</p>	<p>granite gray granite black</p> <p>199.17 199.17</p>
		<p>31 655 AT0 31 655 AP0</p> <p>K700 Undermount Composite sink model: K700U 70-C 61/45.7 1.0 mounting type: standard built-in and undermount material: quartz composite</p> <p>GROHE Whisper min. cabinet size: 700 mm dimensions: 610 x 460 mm 1 bowl: 544 x 394 x 205 mm outer radius: R3, inner bowl radius: R10</p> <p>GROHE QuickFix installation system cut-out: 543 x 393 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set amount of fasteners included (top mount): 6 amount of fasteners included (undermount): 6</p>	<p>granite gray granite black</p> <p>232.50 232.50</p>
		<p>31 644 AT0 31 644 AP0</p> <p>K500 Composite sink with drainer model: K500 50-C 86/50 1.0 rev mounting type: standard built-in material: quartz composite</p> <p>GROHE Whisper min. cabinet size: 500 mm dimensions: 860 x 500 mm 1 bowl: 347 x 440 x 200 mm outer radius: R6, inner bowl radius: R12</p> <p>GROHE QuickFix installation system sink mountable left or right cut-out: 840 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set amount of fasteners included (top mount): 12</p>	<p>granite gray granite black</p> <p>265.83 265.83</p>

GROHE COMPOSITE SINKS

Ref. No.

Colour

Price netto (€)



31 645 AT0
31 645 AP0

granite gray
granite black

274.17
274.17

K500

Composite sink with drainer


model: K500 60-C 100/50 1.0 rev
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 440 x 200 mm
outer radius: R6, inner bowl radius: R12

GROHE QuickFix installation system

sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 12



31 646 AT0
31 646 AP0

granite gray
granite black

290.83
290.83

K500

Composite sink with drainer


model: K500 60-C 100/50 1.5 rev
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 345 x 440 x 200 mm
0.5 bowl: 155 x 295 x 146 mm
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10

GROHE QuickFix installation system

sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 12



31 647 AT0
31 647 AP0

granite gray
granite black

324.17
324.17

K500

Composite sink with drainer

model: K500 80-C 116/50 2.0 rev
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 330 x 440 x 200 mm
2 bowl: 330 x 440 x 200 mm
outer radius: R6, inner bowl radius: R12

GROHE QuickFix installation system

sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 12

GROHE COMPOSITE SINKS

Ref. No.


Colour

Price netto (€)

31 648 AT0
31 648 AP0

granite gray
granite black

249.17
249.17



K500

Composite sink

model: K500 60-C 55.5/46 1.5 rev

mounting type: standard built-in and undermount

material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 555 x 460 mm

1 bowl: 335 x 400 x 200 mm

0.5 bowl: 155 x 400 x 140 mm

outer radius: R6, inner bowl radius: big bowl R12, small bowl R10

GROHE QuickFix installation system

sink mountable left or right

cut-out: 525 x 400 mm

drainer: Ø 3.5"/90 mm basket strainer waste

optional automatic waste fitting

accessories included: waste kit, basket

strainer waste, mounting set


mounting with silicone

amount of fasteners included (undermount): 8

31 649 AT0
31 649 AP0

granite gray
granite black

307.50
307.50



K500

Composite sink

model: K500 90-C 86/50 2.0 rev

mounting type: standard built-in

material: quartz composite

GROHE Whisper

min. cabinet size: 900 mm

dimensions: 860 x 500 mm

1 bowl: 390 x 430 x 200 mm

2 bowl: 380 x 365 x 200 mm

outer radius: R3, inner bowl radius: R10

GROHE QuickFix installation system

sink mountable left

cut-out: 840 x 480 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,

waste kit, basket strainer waste, mounting set


amount of fasteners included (top mount): 10

GROHE COMPOSITE SINKS

Ref. No.

Colour

Price netto (€)



31 639 AT0
31 639 AP0

granite gray
granite black

190.83
190.83

K400


Composite sink with drainer
model: K400 50-C 78/50 1.0 rev
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 500 mm
dimensions: 780 x 500 mm
1 bowl: 347 x 440 x 205 mm
outer radius: R6, inner bowl radius: R10

GROHE QuickFix installation system

sink mountable left or right
cut-out: 765 x 485 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 7



31 640 AT0
31 640 AP0

granite gray
granite black

240.83
240.83

K400


Composite sink with drainer
model: K400 50-C 86/50 1.0 rev
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 337 x 420 x 205 mm
outer radius: R6, inner bowl radius: R10

GROHE QuickFix installation system

sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 7



31 641 AT0
31 641 AP0

granite gray
granite black

265.83
265.83

K400


Composite sink with drainer
model: K400 60-C 100/50 1.0 rev
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 420 x 205 mm
outer radius: R6, inner bowl radius: R10

GROHE QuickFix installation system

sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 7



31 642 AT0
31 642 AP0

granite gray
granite black

282.50
282.50

K400

Composite sink with drainer
model: K400 60-C 100/50 1.5 rev
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 335 x 420 x 205 mm
0.5 bowl: 155 x 295 x 146 mm
outer radius: R6, inner bowl radius: big bowl R10, small bowl R8

GROHE QuickFix installation system

sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 10


KITCHEN
FITTINGS

GROHE COMPOSITE SINKS

Ref. No.

Colour

Price netto (€)



31 643 AT0
31 643 AP0

granite gray
granite black

299.17
299.17

K400


Composite sink with drainer
model: K400 80-C 116/50 1.5 rev
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 400 x 420 x 205 mm
2 bowl: 295 x 295 x 205 mm
outer radius: R6, inner bowl radius: R10

GROHE QuickFix installation system

sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 10



31 656 AT0
31 656 AP0

granite gray
granite black

162.49
162.49

K200

Composite sink
model: K200 50-C 51 1.0
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 500 mm
dimensions: Ø 510 mm
1 bowl: Ø 380 x 200 mm
inner bowl radius: Ø 380

GROHE QuickFix installation system

cut-out: Ø 490 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 3



40 986 SD0

stainless steel

31.66

Pop-up waste set

round pop-up with push control
space saving waste set
including strainer plug
Ø 35 mm cut-out diameter
fits all kitchen sink series



GROHE
SPECIAL FITTINGS





CONTENTS

Electronic fittings	Eurocube E	504
	Essence E	507
	Bluetooth monitoring	510
	Europlus E	517
	Eurosmart Cosmopolitan E	519
	Euroeco Cosmopolitan E	528
	Bau Cosmopolitan E	533
Special thermostats	Grohtherm Micro	535
	Grohtherm Special	536
	Grohtherm XL	541
Single-lever mixer	Euroeco Special	544
	Hospita	549
	Euroeco Single Sequential	550
	Eurodisc SE	552
Self-closing fittings	Eurosmart Cosmopolitan T	553
	Euroeco Cosmopolitan T	554
	Contromix	555

SYSTEM REQUIREMENTS FOR ELECTRONIC FAUCETS WITH BLUETOOTH

Apple iOS 8.0 or higher
Android 4.3 or higher

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

36 440 000

chrome

664.00



Eurocube E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE StarLight chrome finish laminar spray regulator 5.7 l/min flexible connection hoses

non-return valve dirt strainers with integrated solenoid valve rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 441 000

chrome

681.00



Eurocube E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish

laminar spray regulator 5.7 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 442 000

chrome

741.00



Eurocube E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

laminar spray regulator 5.7 l/min

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

set for final installation

for use with Rapid SL 38 748 002 or roughing-in set 36 264 001

CE approved

acoustic group I in accordance with DIN 4109


min. recommended pressure 1.0 bar

GROHE EUROCUBE E

Ref. No.

Colour

Price netto (€)




36 264 001

168.00

Concealed mounting box

wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000



38 748 002

chrome

446.00

Rapid SL

Element for wash basin with roughin-in set for infra-red electronic

for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"


connecting box for mains supply 230 V

CE approved

for installation with pre-mixed or cold water

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

SPECIAL FITTINGS



36 407 001

360.00

Remote control

for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply



36 340 000

60.00

Power extension cable

length 3.00 m

36 341 000

92.00

ditto, length 10 m

GROHE EUROCUBE E

Ref. No.

Colour

Price netto (€)

42 388 000

47.00



Mains adaptor

with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
to replace battery

42 393 000

45.00




Battery housing

including 6 V lithium-battery, type CR-P2
to replace transformer

36 338 000

103.00




Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating
voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

36 444 000

chrome

553.00



Essence E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE StarLight chrome finish adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 445 000

chrome

516.00



Essence E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 446 000

chrome

494.00



Essence E

Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hose

dirt strainer

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings


by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

min. recommended pressure 1.0 bar



36 447 000


chrome

701.00

Essence E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC laminar spray regulator 5.0 l/min
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar




36 264 001

168.00

Concealed mounting box

wall installation
for installation with pre-mixed or cold water suitable for IR-sets for final installation
connection housing for power supply suitable for 36 447 000, 36 442 000



38 748 002

chrome

446.00

Rapid SL

Element for wash basin with roughin-in set for infra-red electronic

for wall mounted fittings suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE ESSENCE E


Ref. No.

Colour

Price netto (€)

36 407 001

360.00



Remote control

for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

42 388 000

47.00



Mains adaptor

with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery

36 340 000

60.00



Power extension cable

length 3.00 m

36 341 000

92.00

ditto, length 10 m

42 393 000

45.00




Battery housing

including 6 V lithium-battery, type CR-P2 to replace transformer

36 338 000

103.00



Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

SPECIAL FITTINGS

GROHE BLUETOOTH MONITORING

Ref. No.


Colour

Price netto (€)

36 413 000

chrome

644.00




Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2" with mixing device
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
 rapid installation system
 mixing device with adjustable hot water limiter
GROHE StarLight finish
 GROHE EcoJoy mousseur 5.7 l/min
 with integrated solenoid valve
 integrated non-return valves and dirt strainers
 with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush usage per day / 30 days
 thermal disinfection cycles and timings last disinfection
configuration
 detection range and shut off delay
 auto flush
 thermal disinfection
 cleaning mode
 2 on/off timers
 identification by name
service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K

36 409 000

chrome

530.00



Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2" without mixing device
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
 rapid installation system
GROHE StarLight finish
 GROHE EcoJoy mousseur 5.7 l/min
 external solenoid valve
 dirt strainer
 with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush usage per day / 30 days
 thermal disinfection cycles and timings last disinfection
configuration
 detection range and shut off delay
 thermal disinfection
 auto flush
 cleaning mode
 2 on/off timers
 identification by name
service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K

GROHE BLUETOOTH MONITORING

Ref. No.

Colour

Price netto (€)

36 414 000

chrome

875.00

**Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic thermostatic basin mixer, wall mounted**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

GROHE StarLight finish

GROHE CoolTouch

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

swivel cast spout 219 mm

with swivel stop at 130° or fixed

projection 287 mm

laminar mousseur 9 l/min

S-unions

escutcheon covers for S unions

non-return valve

dirt strainers

power connection cable 3.0 m

for use with connection set

39 383 000

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day / 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles


reset to factory or user settings

hard and software version

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K



39 383 000

61.00

**Eurosmart Cosmopolitan E
Thermostatic 230 V connection set**


fitting support

2 fitting connections 1/2"

power supply connector

wall installation

for use with Eurosmart Cosmopolitan E thermostat 230 V



SPECIAL FITTINGS

GROHE BLUETOOTH MONITORING

Ref. No.


Colour

Price netto (€)

36 410 000

chrome

607.00



Euroeco Cosmopolitan E Bluetooth

Infra-red electronic basin tap without mixing device

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC set for final installation for concealed fitting box
36 336 001/36 337 001

GROHE StarLight finish

GROHE EcoJoy technology for less water and perfect flow

laminar flow straightener 9 l/min chrome escutcheon and spout projection 172 mm with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver

monitoring

password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day / 30 days thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings


hard and software version

CE approved

acoustic group I in accordance with DIN 4109

36 337 001

109.00



Euroeco Cosmopolitan E

Concealed mounting box

wall installation

for installation with pre-mixed or cold water

suitable for IR-sets for final installation

stop valve

connection housing for power supply


suitable for

36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000

allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

36 336 001

289.00



Eurosmart Cosmopolitan E

Concealed mounting box

with integrated pre-adjustable

thermostatic mixer

wall installation

suitable for IR-sets for final installation

2 stop valves

non-return valve

connection housing for power supply

suitable for

36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000

allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

GROHE BLUETOOTH MONITORING

Ref. No.

Colour

Price netto (€)

36 412 000

chrome

688.00

**Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter**

with infrared sensor and Bluetooth module for
bi-directional communication for monitoring,
configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed
fitting box

36 339 001

GROHE StarLight finish

GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
chrome escutcheon and spout
projection 172 mm

with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day / 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service


send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved

acoustic group I in accordance with DIN 4109



36 339 001

199.00

**Eurosmart Cosmopolitan E
Concealed mounting box
with mixture**

wall installation
suitable for IR-sets for final installation
2 stop valves

housing with mixing device


non-return valve

connection housing for power supply

suitable for

36 315 000, 36 412 000, 36 376 000

allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



SPECIAL FITTINGS

GROHE BLUETOOTH MONITORING

Ref. No.


Colour

Price netto (€)

36 415 000

chrome

576.00



**Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic for concealed shower thermostat**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose for concealed installation box 36 416 001

GROHE StarLight chrome finish chrome escutcheon with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver


monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush usage per day / 30 days
thermal disinfection cycles and timings last disinfection

configuration
shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name

service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

36 416 001

566.00



**Eurosmart Cosmopolitan E
Concealed body**


for shower with integrated pre-adjustable thermostatic mixer suitable for infra-red set 36 415 000 and 36 463 000

2 stop valves
non-return valves with filters
connection housing for power supply with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

37 503 000

chrome

768.00



**Tectron Skate Bluetooth
Infra-red electronic for Urinal
for Rapido U**

37 338 000 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose

GROHE StarLight finish flow pressure min 0.5 bar operating pressure max 10 bar with Bluetooth 4.0* for wireless data communication bluetooth transmitter frequency: 2.4 GHz for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver

monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush usage per day / 30 days

configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name


service
send and save 3 profiles
reset to factory or user settings
CE approved
hard and software version

GROHE BLUETOOTH MONITORING

Ref. No.

Colour

Price netto (€)



37 338 000


134.00

GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and
masonry-in
shortable inspection shaft incl. protection

37 504 000

chrome

946.00



Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for
bi-directional communication for monitoring,
configuration and service purpose
with additional manual actuation
GROHE StarLight finish
front plate 156 x 197 mm
servo motor
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

36 340 000

60.00




Power extension cable
length 3.00 m

36 341 000

92.00

ditto, length 10 m



36 338 000

103.00

Switch-mode power supply
for one eye infra-red wash basin mixer
switch-mode power supply with operating
voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

SPECIAL FITTINGS

GROHE BLUETOOTH MONITORING


Ref. No.

Colour

Price netto (€)

36 407 001

360.00



Remote control

for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)


configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply




36 207 001 **chrome** **560.00**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
solenoid valve
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

36 208 001 **chrome** **429.00**
ditto, without mixing device




36 015 001 **chrome** **636.00**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

36 016 001 **chrome** **493.00**
ditto, without mixing device









36 407 001 **360.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018

monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

GROHE EUROPLUS E

	Ref. No.	Colour	Price netto (€)
	36 340 000		60.00
	Power extension cable length 3.00 m		
	36 341 000		92.00
	ditto, length 10 m		
	42 393 000		45.00
	Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer		
	42 388 000		47.00
	Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery		
	36 338 000		103.00
	Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		
			
	42 177 00M		3.10
	Sticker with pictograph self-adhesive for wash basin-single hole mixer wash basin-exposed faucets in units of 5		

GROHE EUROSMART COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 327 001

chrome

367.00



**Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 331 001

chrome


326.00

ditto, with pop-up waste set 1 1/4"

36 422 000

chrome

413.00



Eurosmart Cosmopolitan E

**Infra-red electronic basin mixer 1/2" L-Size
with mixing device and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 325 001

chrome

450.00



Eurosmart Cosmopolitan E

**Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

min. recommended pressure 1.0 bar

GROHE EUROSMART COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 421 000

chrome

409.00




Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size
with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

36 439 000

chrome

294.00




Eurosmart Cosmopolitan E
Infra-red electronic basin tap 1/2" without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

36 330 001

chrome

365.00




Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with hidden mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

GROHE EUROSMART COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)



36 386 001

chrome

725.00

Eurosmart Cosmopolitan E

Powerbox

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and service purpose including Powerbox self-generating power system

GROHE EcoJoy 6.0 l/min mousseur including all flexible connection hoses

non-return valve
dirt strainer
rapid installation system

Powerbox

power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power

7 pre-set programs:

auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
min. recommended pressure 1.0 bar

36 454 000

chrome

830.00

Eurosmart Cosmopolitan E Special

Infra-red electronic wall basin mixer with thermostatic temperature control with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode)

two additional detection modes adjustable (hand-hand or body-body)

GROHE StarLight chrome finish

GROHE CoolTouch

laminar mousseur 9 l/min

non-return valve

dirt strainers

GROHE SafetyPlus

Temperature scale handle with pre-adjustable safety stop between 35°C and 43°C

metal temperature safety stop

full unmixed hot or cold water in extreme handle position for legionella sampling

swivel cast spout 219 mm

projection 287 mm

swivel range stop at 130°, lockable



with S-unions and with covers

self-sealing escutcheons

multistage battery status display

7 pre-set programs:

auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109



36 455 000

chrome

808.00

ditto, projection 255 mm

SPECIAL FITTINGS

GROHE EUROSMART COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)

36 332 000

chrome

855.00

Eurosmart Cosmopolitan E

Infra-red electronic wall basin mixer with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode)

two additional detection modes adjustable (hand-hand or body-body)

GROHE StarLight chrome finish

laminar mousseur 9 l/min

non-return valve

dirt strainers

temperature scale handle with

GROHE SafeStop at 38°C

swivel cast spout 219 mm

projection 287 mm

swivel range stop at 130°, lockable

self-sealing escutcheons

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection


cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109



36 333 000

chrome

724.00

ditto, projection 255 mm

36 334 SD0

stainless steel

438.00

Eurosmart Cosmopolitan E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication

for monitoring, configuration and service purpose

for cold or premixed water

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

laminar mousseur 9 l/min

stainless steel escutcheon

SuperSteel spout

projection 232 mm

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407


set for final installation for concealed

fitting box

36 336 001/36 337 001

CE approved

acoustic group I in accordance with DIN 4109



36 335 SD0

stainless steel

378.00

ditto, projection 172 mm

36 337 001

109.00

Euroeco Cosmopolitan E

Concealed mounting box

wall installation

for installation with pre-mixed or cold water

suitable for IR-sets for final installation


stop valve

connection housing for power supply

suitable for

36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000

allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve




GROHE EUROSMART COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)




36 336 001

289.00

**Eurosmart Cosmopolitan E
Concealed mounting box**

with integrated pre-adjustable thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
connection housing for power supply
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 376 000

chrome

469.00

**Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device
and adjustable temperature limiter**


with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
chrome escutcheon
chrome spout
projection 232 mm
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 339 001
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar

36 315 000

chrome

479.00

ditto, projection 172 mm



36 339 001

199.00

**Eurosmart Cosmopolitan E
Concealed mounting box
with mixture**

wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

SPECIAL FITTINGS

GROHE EUROSMART COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 457 000

chrome

767.00



Eurosmart Cosmopolitan E Special

Infra-red electronic shower mixer with thermostatic temperature control

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

ergonomic metal handle

GROHE StarLight chrome finish

GROHE CoolTouch

non-return valve

dirt strainers

GROHE SafetyPlus

Temperature scale handle with pre-adjustable safety stop between 35°C and 43°C

metal temperature safety stop full unmixed hot or cold water in extreme handle position for legionella sampling shower bottom outlet 1/2"

with integrated non return-valve

with S-unions and with covers

self-sealing escutcheons

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407


CE approved

acoustic group I in accordance with DIN 4109

36 456 000

chrome

205.00



Eurosmart Cosmopolitan E Special

Infra-red electronic for concealed shower thermostat

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

for concealed installation box 36 458 000 and 36 459 000

ergonomic metal handle

GROHE StarLight chrome finish

GROHE SafetyPlus

Temperature scale handle with pre-adjustable safety stop between 35°C and 43°C

metal temperature safety stop full unmixed hot or cold water in extreme handle position for legionella sampling

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings


by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

36 458 000

616.00



Eurosmart Cosmopolitan E

Concealed body

for shower

with integrated thermostatic mixer

suitable for infra-red set 36 456 000

2 stop valves

non-return valves with filters


6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

36 459 000

662.00



Eurosmart Cosmopolitan E

Concealed body

for shower

with integrated thermostatic mixer

suitable for infra-red set 36 456 000

2 stop valves

non-return valves with filters

connection housing for power supply

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC


allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

GROHE EUROSMART COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)





47 780 000

129.00

Rapido T
Extension-set 27.5 mm

for concealed installation box 36 458 000 and 36 459 000
for use with central-thermostats and
shower-thermostats with shut-off valve



36 463 000

chrome

183.00


Eurosmart Cosmopolitan E

Infra-red electronic for concealed shower thermostat

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for concealed installation box 36 416 000 and 36 464 000
for hidden thermostatic mixer

GROHE StarLight chrome finish

7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109




36 464 000

548.00

Eurosmart Cosmopolitan E

Concealed body

for shower
with integrated pre-adjustable
thermostatic mixer
suitable for infra-red set 36 463 000
2 stop valves
non-return valves with filters
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 416 001

566.00

Eurosmart Cosmopolitan E

Concealed body

for shower
with integrated pre-adjustable
thermostatic mixer
suitable for infra-red set 36 415 000 and 36 463 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

SPECIAL FITTINGS

GROHE EUROSMART COSMOPOLITAN E


Ref. No.

Colour

Price netto (€)

36 407 001

360.00



Remote control

for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

36 340 000

60.00



Power extension cable

length 3.00 m

36 341 000

92.00

ditto, length 10 m

42 393 000

45.00



Battery housing

including 6 V lithium-battery, type CR-P2 to replace transformer

42 388 000

47.00



Mains adaptor

with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery

42 464 000

chrome

*

Plug transformer for 1 eye infra-red faucets

120 V, 60 Hz AC, 6 V DC
UL approved




GROHE EUROSMART COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)



36 338 000

103.00

Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating
voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief



42 408 000

chrome

17.00

Hidden mixing device

re-fitting set for
vandal-proof, covered and pre-adjustable
mixer
suitable for single hole mixers Eurosmart Cosmopolitan E
metallic cap
GROHE StarLight chrome finish

42 177 00M

3.10

Sticker with pictograph

self-adhesive
for wash basin-single hole mixer
wash basin-exposed faucets
in units of 5

SPECIAL FITTINGS

GROHE EUROECO COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 271 000

chrome

270.00



Euroeco Cosmopolitan E

Infra-red electronic basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

dirt strainers

external solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved


acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

36 269 000

chrome

316.00



Euroeco Cosmopolitan E

Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water

with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

dirt strainers

external solenoid valve

rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 270 000

chrome

266.00



Euroeco Cosmopolitan E

Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water

with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

dirt strainer

external solenoid valve

rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

GROHE EUROECO COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 272 000

chrome

246.00



Euroeco Cosmopolitan E

Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

dirt strainer

external solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings


by remote control 36 407

CE approved

36 384 000

chrome

545.00



Euroeco Cosmopolitan E

Powerbox

infra-red electronic basin tap 1/2"

without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

including Powerbox self-generating power system

GROHE EcoJoy 6.0 l/min mousseur

flexible connection hose

dirt strainer

rapid installation system

Powerbox

power generator with water turbine

internal energy saving unit

with use of 60 s/24 h stand-by, 260 s/100 h stand-by

with additional backup power

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings


by remote control 36 407

min. recommended pressure 1.0 bar

36 274 000

chrome

287.00



Euroeco Cosmopolitan E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

for cold or premixed water

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal body

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved


SPECIAL FITTINGS

GROHE EUROECO COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)



36 273 000


chrome

383.00

Euroeco Cosmopolitan E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC GROHE EcoJoy mousseur 5.7 l/min chrome spout projection 172 mm 7 pre-set programs: auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 336 001/36 337 001 CE approved acoustic group I in accordance with DIN 4109




36 337 001

109.00

Euroeco Cosmopolitan E

Concealed mounting box

wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation stop valve connection housing for power supply suitable for 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve




36 336 001

289.00

Eurosmart Cosmopolitan E

Concealed mounting box

with integrated pre-adjustable thermostatic mixer wall installation suitable for IR-sets for final installation 2 stop valves non-return valve connection housing for power supply suitable for 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve



36 407 001

360.00

Remote control

for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018

monitoring

consumption and usage data thermal disinfection cycles (infrared faucets) auto flush cycles (infrared faucets) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off thermal disinfection (infrared faucets) detection range shut off delay (infrared faucets) auto flush (infrared faucets) filter capacity (GROHE Blue Home)

service

send and save profile reset to factory or user settings filter capacity (GROHE Blue Home) demo mode error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

GROHE EUROECO COSMOPOLITAN E

	Ref. No.	Colour	Price netto (€)
	36 340 000		60.00
	Power extension cable length 3.00 m		
	36 341 000		92.00
	ditto, length 10 m		
	42 393 000		45.00
	Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer		
	42 388 000		47.00
	Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery		
	42 464 000	chrome	*
	Plug transformer for 1 eye infra-red faucets 120 V, 60 Hz AC, 6 V DC UL approved		
	36 338 000		103.00
	Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		
	45 704 000	chrome	15.50
	Flexible connection hose 300 mm 3/8" x 3/8"		
			

GROHE EUROECO COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)

42 177 00M

3.10

Sticker with pictograph

self-adhesive
for wash basin-single hole mixer
wash basin-exposed faucets
in units of 5

GROHE BAU COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 451 000

chrome

201.00




Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
 with infrared sensor for bi-directional communication
 for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
 battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 GROHE Zero separated inner water ways - lead and nickel free
 body made of composite polymer
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs:
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 acoustic group I in accordance with DIN 4109

36 452 000

chrome

183.00




Bau Cosmopolitan E
Infra-red electronic basin tap 1/2"
without mixing device
 with infrared sensor for bi-directional communication
 for monitoring, configuration and service purpose
 for cold or premixed water
6 V lithium battery, type CR-P2
 battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 GROHE Zero separated inner water ways - lead and nickel free
 body made of composite polymer
 flexible connection hose
 dirt strainer
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs:
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 acoustic group I in accordance with DIN 4109

36 453 000

chrome

212.00



Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
 with infrared sensor for bi-directional communication
 for monitoring, configuration and service purpose
 with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 GROHE Zero separated inner water ways - lead and nickel free
 body made of composite polymer
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs:
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 acoustic group I in accordance with DIN 4109

SPECIAL FITTINGS

GROHE BAU COSMOPOLITAN E


Ref. No.

Colour

Price netto (€)

36 407 001

360.00



Remote control

for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

36 340 000

60.00

Power extension cable

length 3.00 m



36 341 000

92.00

ditto, length 10 m

42 393 000

45.00

Battery housing

including 6 V lithium-battery, type CR-P2 to replace transformer




36 338 000

103.00

Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief







GROHE GROHTHERM MICRO

Ref. No.

Colour

Price netto (€)

	<p>34 487 000</p> <p>Grotherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread GROHE TurboStat thermoelement GROHE StarLight chrome finish built-in non return valves dirt strainer without connection set max. pressure differential 5:1 min. recommended pressure 1.0 bar</p>	<p>chrome</p>	<p>168.00</p>
	<p>47 533 000</p> <p>Grotherm Micro Connection set for Grotherm Micro consisting of: union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose union nuts GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>41.00</p>
	<p>45 704 000</p> <p>Flexible connection hose 300 mm 3/8" x 3/8"</p>	<p>chrome</p>	<p>15.50</p>
	<p>45 120 000</p> <p>Connection hose, 300 mm connector set 3/8" for copper pipe Ø 10 mm coupling nut 3/8" 300 mm</p>	<p>chrome</p>	<p>13.50</p>

SPECIAL FITTINGS

GROHE GROHTHERM SPECIAL

Ref. No.


Colour

Price netto (€)

34 667 000

chrome

312.00





Grotherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
shower bottom outlet 1/2"
with integrated non return-valve
metal temperature safety stop
dirt strainers
with S-unions and with covers
GROHE Quickfix for fast exchange of
non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus

34 665 000

chrome

391.00




Grotherm Special
Thermostatic bath mixer 1/2"
wall mounted
ergonomic handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge
with wax thermoelement
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
easy thermal disinfection via optional key 47 994 000
shower bottom outlet 1/2"
with integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
with S-unions and with covers
GROHE Quickfix for fast exchange of
non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus

34 681 000

chrome

309.00




Grotherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
shower bottom outlet 1/2"
with integrated non return-valve
metal temperature safety stop
dirt strainers
without S-unions and covers
GROHE Quickfix for fast exchange of
non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafetyPlus

GROHE GROHTHERM SPECIAL


Ref. No. Colour Price netto (€)

34 671 000 chrome 387.00




Grotherm Special
Thermostatic bath mixer 1/2"
wall mounted
ergonomic handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge
with wax thermoelement
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
easy thermal disinfection via optional key 47 994 000
shower bottom outlet 1/2"
with integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
without S-unions and covers
GROHE Quickfix for fast exchange of
non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafetyPlus

34 020 001 chrome 626.00




Grotherm Special
Thermostatic basin mixer 1/2"
for elbow lever actuation
wall mounted
ergonomic metal lever 250 mm for elbow actuation
swivel area 100°
metal stop
Ceramic headpart 1/2"
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafetyPlus ergonomic metal temperature handle with pre-adjustable
safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
cast spout with reinforced bearing
swivel area 90°
lockable
laminar flow straightener 9 l/min
built-in non return valves and dirt strainers
projection 255 mm
covered S-unions
lockable
GROHE StarLight chrome finish

13 080 000 chrome 195.00



Cast swivel spout
length 77 mm
GROHE StarLight chrome finish





13 137 000 chrome 226.00



Cast swivel spout
length 115 mm
GROHE StarLight chrome finish

SPECIAL FITTINGS


GROHE GROHTHERM SPECIAL

	Ref. No.	Colour	Price netto (€)
	13 138 000 Cast swivel spout length 175 mm GROHE StarLight chrome finish	chrome	199.00
	34 666 000 Grohtherm Special Thermostatic basin mixer 1/2" wall mounted ergonomic handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermostatic element Temperature scale handle with pre-adjustable safety stop between 35°C and 43°C easy thermal disinfection via optional key 47 994 000 integrated mixed water shut off bottom outlet for spouts 13 378 or 13 380 metal temperature safety stop dirt strainers with S-unions and with covers GROHE Quickfix for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE SafetyPlus	chrome	347.00
	13 378 000 Cast swivel spout length 115 mm swivelling (180 or 90°) and lockable laminar flow straightener 9 l/min GROHE StarLight finish 13 380 000 ditto, length 175 mm	chrome	94.00
	29 094 000 Grohtherm Special Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic handles Temperature scale handle with pre-adjustable safety stop between 35°C and 43°C integrated mixed water shut off metal temperature safety stop easy thermal disinfection via optional key 47 994 000 GROHE StarLight chrome finish GROHE SafetyPlus 35 500 000 GROHE Rapido T thermostatic mixer for concealed installation	chrome	238.00
		chrome	250.00

GROHE GROHTHERM SPECIAL

Ref. No. Colour Price netto (€)


29 095 000 chrome 243.00



**Grohtherm Special
Thermostatic bath mixer**
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
integrated mixed water shut off
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE StarLight chrome finish
GROHE SafetyPlus

35 500 000 chrome 250.00
GROHE Rapido T thermostatic mixer for concealed installation


29 096 000 chrome 197.00



**Grohtherm Special
Central thermostatic mixer**
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handle
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE StarLight chrome finish
GROHE SafetyPlus

35 500 000 chrome 250.00
GROHE Rapido T thermostatic mixer for concealed installation

35 500 000 250.00



**GROHE Rapido T
Thermostatic mixer for concealed installation
for use with Grohtherm Special**
without finishing trim set
flat installation depth 70 mm - 95 mm
easy to install, premounted and tested unit
GROHE TurboStat compact cartridge
with wax thermoelement
two top outlets 1/2", lockable
high flow rate up to 50 l/min. by use of
three outlets
bottom outlet 1/2" can only be used
with separate stopvalve
safe to install, stable built-in-box
and protective cap
fixation options for solid walls and dry
cladding
wall sealing
Aquadimmer-diverter for bath mixer or
stopvalve for shower mixer in finishing
trim set
aramã DR
built-in non return valves and dirt strainers
GROHE EcoJoy technology for less water and perfect flow
min. recommended pressure 1.0 bar

SPECIAL FITTINGS

GROHE GROHTHERM SPECIAL

Ref. No.

Colour

Price netto (€)



47 979 000

19.00


Non-return valves
including screws and O-rings for **GROHE QuickFix**
packaging unit: 2 pieces



47 994 000

6.20

Grohtherm Special
Temperature unlocking handle
unlocking of temperature handle for thermal disinfection




12 051 000

chrome

61.00

S-union, lockable
1/2" x 3/4"
screw socket to cover the union nut and the rosette
sealing towards wall
adjustment range 12.5 mm
lockable for service
suitable for 1/2" connections
GROHE StarLight chrome finish




28 874 000

chrome

15.50

T connection, 1/2"
for connection to shower and bath/shower- mixer
union nut 1/2"
2 connections 1/2" for the shower hose or drain valves
GROHE StarLight chrome finish

















28 988 000

chrome














35.00

Drain down valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE StarLight chrome finish

GROHE GROHTHERM XL

	Ref. No.	Colour	Price netto (€)
 	35 085 000	chrome	1,200.00
	<p>Grotherm XL Thermostatic mixer 1" wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/4" outlet thread 1 1/2" changeable top/bottom outlet without connection unions GROHE StarLight chrome finish min. recommended pressure 1.0 bar</p>		
 	35 087 000	chrome	1,290.00
	<p>Grotherm XL Thermostatic mixer 1 1/4" wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/2" outlet thread 2" changeable top/bottom outlet without connection unions GROHE StarLight chrome finish min. recommended pressure 1.0 bar</p>		
 	12 411 000	chrome	202.00
	<p>S-union nut 1 1/4" x 1" male thread adjustment range 50 mm screw escutcheon (for Grotherm XL 1", 35 085/35 086) GROHE StarLight chrome finish in units of 1</p>		
 	12 417 000	chrome	130.00
	<p>Straight union nut 1 1/4" x 1" male thread screw escutcheon (for Grotherm XL 1", 35 085/35 086) GROHE StarLight chrome finish</p>		
 	12 420 000	chrome	122.00
	<p>ditto, nut, 1 1/2" x 1 1/4", male thread (for Grotherm XL 1 1/4", 35 087/35 088)</p>		
 	12 424 000	chrome	102.00
	<p>Straight union nut 1 1/2" x 1 1/4" male thread (for Grotherm XL 1", 35 085/35 086) GROHE StarLight chrome finish</p>		
 	12 426 000	chrome	367.00
	<p>ditto, nut, 2" x 1 1/2", external thread (for Grotherm XL 1 1/4", 35 087/35 088)</p>		

GROHE GROHTHERM XL

	Ref. No.	Colour	Price netto (€)
 	12 428 000 Elbow union nut 1 1/4" x 1" male thread (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish	chrome	243.00
 	12 430 000 Elbow union nut, 1 1/2" x 1 1/4", male thread (for Grohtherm XL 1 1/4", 35 087/35 088)	chrome	227.00
 	12 432 000 Wall union, male 1 1/4" nut 1 1/2" x 1 1/4" male thread projection 125 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish	chrome	232.00
 	12 444 000 Wall union, male 1 1/4" with thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish	chrome	330.00
 	12 448 000 Wall union, male 1 1/2" with thermometer nut 2" x 1 1/2" male thread projection 90 mm screw escutcheon GROHE StarLight chrome finish	chrome	598.00
 	12 436 000 Wall union, male 1 1/4" without thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish	chrome	246.00
	47 569 000 Loose key and shield	chrome	557.00

GROHE GROHTHERM XL

Ref. No. Colour Price netto (€)



12 124 000 chrome 90.00

Mixed water circulation connection
consisting of:
flexible connection hose
3/4" x 3/4", 90° angle
connecting nipple M45 x 1.5 x 3/4"
for connection to existing circulation pipe
double nipple 1" male thread x 3/4"
for connection to Grohtherm XL
GROHE StarLight chrome finish

SPECIAL FITTINGS

* price upon request


GROHE EUROECO SPECIAL

Ref. No. Colour Price netto (€)

		<p>32 762 000</p> <p>chrome</p> <p>121.00</p> <p>Euroeco Special Single-lever basin mixer 1/2" single hole installation smooth body GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses</p>
		<p>32 763 000</p> <p>chrome</p> <p>95.00</p> <p>ditto, with pop-up waste set 1 1/4"</p> <p>Euroeco Special Single-lever basin mixer 1/2" single hole installation smooth body, high version GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses</p>
		<p>32 765 000</p> <p>chrome</p> <p>206.00</p> <p>Euroeco Special Single-lever basin mixer 1/2" single hole installation smooth body, high version GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses</p>
		<p>32 766 000</p> <p>chrome</p> <p>253.00</p> <p>ditto, with pop-up waste set 1 1/4"</p> <p>Euroeco Special Single-lever basin mixer 1/2" single hole installation pop-up waste set 1 1/4" GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 5 l/min metal lever lever length 160 mm rapid installation system flexible connection hoses</p>
		<p>23 294 000</p> <p>chrome</p> <p>183.00</p> <p>Euroeco Special Single-lever basin mixer 1/2" single hole installation smooth body high version GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 5 l/min loop metal lever lever length 160 mm flexible connection hoses rapid installation system</p>
		<p>23 293 000</p> <p>chrome</p> <p>*</p> <p>Euroeco Special Single-lever basin mixer 1/2" single hole installation smooth body high version GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 5 l/min loop metal lever lever length 160 mm flexible connection hoses rapid installation system</p>


GROHE EUROECO SPECIAL

Ref. No. Colour Price netto (€)




30 208 000 chrome 247.00

Euroeco Special
Single-lever basin mixer 1/2"
single hole installation
high spout
302 mm
smooth body
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 5.7 l/min.
swivel tubular spout
swivel area 140°
metal lever
lever length 170 mm
rapid installation system
flexible connection hoses
min. recommended pressure 1.0 bar



32 776 000 chrome 216.00


Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min
cast spout
projection 157 mm
metal lever
lever length 120 mm
S-unions



32 778 000 chrome 225.00

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min
cast spout, projection 205 mm
metal lever
lever length 170 mm
S-unions

32 779 000 chrome 254.00
ditto, with lockable S unions, projection 221 mm



32 770 000 chrome 213.00

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 157 mm
metal lever
lever length 120 mm
S-unions


32 768 000 chrome 242.00
ditto, with lockable S unions, projection 174 mm

SPECIAL FITTINGS

GROHE EUROECO SPECIAL

Ref. No. Colour Price netto (€)


32 767 000 chrome 269.00



Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 197 mm
metal lever
lever length 120 mm
S-unions

32 771 000 chrome 271.00
ditto, with lockable S unions, projection 214 mm


32 773 000 chrome 283.00



Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
cast swivel spout, lockable
laminar flow straightener 9 l/min
projection 257 mm
metal lever
lever length 170 mm
S-unions


32 775 000 chrome 295.00
ditto, with lockable S unions, projection 342 mm

32 774 000 chrome 311.00



Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 274 mm
metal lever
lever length 170 mm
with lockable S-unions

32 772 000 chrome 245.00



Euroeco Special
Single-lever basin mixer
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable minimum flow rate
approx. 2.5 l/min
adjustable temperature limiter
adjustable flow rate limiter
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 222 mm
metal lever
lever length 170 mm
without S-unions
water saving

GROHE EUROECO SPECIAL

Ref. No. Colour Price netto (€)

		<p>32 780 000 chrome 100.00</p> <p>Euroeco Special Single-lever shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min shower bottom outlet 1/2" integrated non-return valve metal lever lever length 120 mm S-unions protected against backflow without shower set</p>
		<p>32 783 000 chrome 118.00</p> <p>Euroeco Special Single-lever bath mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve metal lever lever length 120 mm temperature limiter, S-unions protected against backflow without shower set</p>
		<p>32 784 000 chrome 114.00</p> <p>Euroeco Special Single-lever shower mixer set for final installation for without concealed body GROHE StarLight chrome finish metal lever lever length 120 mm escutcheon- and shaft-sealing metal escutcheon screwed temperature limiter</p> <p>33 963 000 chrome 104.00 Single-lever bath/shower mixer 1/2" concealed body</p> <p>33 961 000 chrome 79.00 Single-lever mixer 1/2", concealed body</p> <p>33 964 000 chrome 76.00 Single-lever shower mixer 1/2" concealed body</p> <p>33 962 000 chrome 108.00 Single-lever mixer 1/2", concealed body</p>
		<p>33 912 000 chrome 288.00</p> <p>Euroeco Special Single-lever sink mixer 1/2" single hole installation GROHE StarLight chrome finish ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout metal lever lever length 120 mm temperature limiter Attention: old product</p>

GROHE EUROECO SPECIAL


	Ref. No.	Colour	Price netto (€)
	32 870 000 Euroeco Special Lever 115 mm for Euroeco Special single-lever mixer GROHE StarLight chrome finish	chrome	20.00
	32 871 000 ditto, length 160 mm	chrome	28.00
	46 259 000 Lever 120 mm GROHE StarLight chrome finish	chrome	22.00
	46 257 000 Lever 170 mm GROHE StarLight chrome finish	chrome	*
	46 688 000 Lever 120 mm for Euroeco Special single lever basin mixer metal, 120 mm GROHE StarLight chrome finish	chrome	24.00
	46 689 000 length 170 mm	chrome	24.00

GROHE HOSPITA

Ref. No.

Colour

Price netto (€)




30 978 000

chrome

139.00

Hospita
Sink pillar tap, 1/2"
red/blue markers
GROHE StarLight chrome finish




20 025 000

chrome

222.00

Hospita
Pillar tap
1/2"
for hot or premixed water
GROHE StarLight chrome finish




45 316 000

chrome

36.00

Lever
marking: blue/red
projection 100 mm
for use with ceramic headparts
GROHE StarLight chrome finish



45 314 000









chrome

29.00

Lever
projection 150 mm
marking: blue/red
for use with ceramic headparts
GROHE StarLight chrome finish

SPECIAL FITTINGS

GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	Price netto (€)
		32 789 000 Euroeco Single Sequential Single-lever safety basin mixer 1/2" single hole installation smooth body GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses,	chrome 219.00
	32 788 000 ditto, with pop-up waste set 1 1/4"	chrome	229.00
		32 790 000 Euroeco Single Sequential Single-lever safety basin mixer 1/2" single hole installation smooth body, high version GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses min. recommended pressure 1.0 bar	chrome 309.00
		32 823 000 Euroeco Special Single-lever safety basin mixer 1/2" ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 170 mm metal lever lever length 170 mm without connection unions	chrome 324.00
		32 795 000 Euroeco Single Sequential Single-lever safety basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 204 mm metal lever lever length 170 mm S-unions	chrome 327.00

GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	Price netto (€)
 	32 792 000	chrome	347.00
	<p>Euroeco Single Sequential Single-lever safety basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast swivel spout, lockable with flow straightener 9 l/min. projection 197 mm metal lever lever length 120 mm S-unions min. recommended pressure 1.0 bar</p>		
	32 793 000	chrome	362.00
	ditto, projection 256 mm		
	46 277 000		9.30
	<p>Temperature limiter for cartridge 46 278 for Euroeco safety mixer batteries</p>		
	46 278 000		73.00
	<p>Cartridge with ceramic sealing system for Euroeco safety mixer batteries</p>		
	46 686 000	chrome	31.00
	<p>Lever 120 mm for Euroeco Special single sequential basin mixer metal, 120 mm GROHE StarLight chrome finish</p>		
	46 687 000	chrome	35.00
	<p>Lever 170 mm for Euroeco Special single sequential basin mixer metal, 170 mm GROHE StarLight chrome finish</p>		

GROHE EURODISC SE

Ref. No.


Colour

Price netto (€)

36 233 000

chrome

785.00




Eurodisc SE
Self-closing basin mixer with mixing device
and adjustable temperature limiter
6 V lithium battery, type CR-P2
GROHE StarLight chrome finish
 flexible connection hoses
 non-return valves with integrated dirt strainers
 rapid installation system
 start-stop function
 electronic control of operating time
 safety stop after 180 sec.
 functions to activate with tip code
 flow time infinitely adjustable from 2-180 sec.
 automatic flushing: 5 min after 3 days
 without use
 thermal disinfection for 3.5 or 11 min
 CE approved
 type of protection faucet IP 59K
 min. recommended pressure 1.0 bar

36 249 000

chrome

757.00



Eurodisc SE
Self-closing basin tap 1/2"
without mixing device
6 V lithium battery, type CR-P2
 for cold or premixed water
 marking: blue
GROHE StarLight chrome finish
 flexible connection hose
 dirt strainer
 rapid installation system
 start-stop function
 electronic control of operating time
 safety stop after 180 sec.
 functions to activate with tip code
 flow time infinitely adjustable from 2-180 sec.
 automatic flushing: 5 min after 3 days
 without use
 CE approved
 type of protection faucet IP 59K

36 209 000

chrome

121.00



Hidden mixing device
 vandal-proof, covered and pre-adjustable
 mixer
 suitable for single hole mixers
 Europlus E and Eurodisc SE
 consisting of:
 special mixing device, adjustment by
 screwdriver
 metallic cap
GROHE StarLight chrome finish

42 886 000

23.00




Battery
6 V lithium battery, type CR-P2

45 704 000

chrome

15.50




Flexible connection hose
 300 mm
 3/8" x 3/8"

GROHE EUROSMART COSMOPOLITAN T

Ref. No.

Colour

Price netto (€)



36 317 000

chrome

286.00

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device
and adjustable temperature limiter


GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long
(factory setting: short), approx. 7, 15, 30 sec
(pressure dependent)
pressure range 0.5 to 6 bar
2 flexible hoses
non-return valve
dirt strainers,

36 318 000

chrome

311.00

ditto, with pop-up waste set 1 1/4"




36 319 000

chrome

513.00

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device
and adjustable temperature limiter

wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min, swivel cast spout 200 mm
swivel range stop at 130°, lockable
3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)
pressure range 0.5 to 6 bar
S-unions, non-return valve
dirt strainers




36 320 000

chrome

449.00

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2" with mixing device
and adjustable temperature limiter

wall mounted
GROHE StarLight chrome finish
mixing device with hot water stop-valve
hose connection G 1/2"
3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)
pressure range 0.5 to 6 bar
S-unions, non-return valve
dirt strainers




36 321 000

chrome

321.00

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2" with mixing device
and adjustable temperature limiter

GROHE StarLight chrome finish
chrome escutcheon
3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)
pressure range 0.5 to 6 bar
dirt strainers
36 322 001
without concealed body



36 322 001

121.00

Eurosmart Cosmopolitan T
Concealed mounting box
with mixture

wall installation
suitable for self-closing final installation sets
with adhesive flange for sealing the wall
2 stop valves
housing with mixing device
non-return valve
for use with 36 321 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve


SPECIAL FITTINGS

GROHE EUROECO COSMOPOLITAN T

Ref. No.

Colour

Price netto (€)



36 265 000

chrome

132.00


**Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"**

for cold or premixed water
marking: blue/red

GROHE StarLight chrome finish

3 adjustable flow times: short - medium - long
(factory setting: short), approx. 7, 15, 30 sec
(pressure dependent)

min. recommended pressure 1.0 bar



36 266 000

chrome


101.00

**Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"**

marking: blue/red

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow
flow limiter 5.7 l/min
escutcheon



36 316 000


chrome

36.00

**Euroeco Cosmopolitan T
Extension, 42 mm**

for self-closing pillar tap 1/2" (36 266 000)

GROHE StarLight chrome finish



36 268 000

chrome

100.00


**Euroeco Cosmopolitan T
Self-closing gate valve 1/2"**

for concealed installation
for cold or premixed water
marking: blue/red

GROHE StarLight chrome finish

3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)

min. recommended pressure 1.0 bar



36 267 000

chrome

87.00

**Euroeco Cosmopolitan T
Self-closing shower valve 1/2"**

exposed installation
for cold or premixed water
marking: blue/red


GROHE StarLight chrome finish

3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)

escutcheon
min. recommended pressure 1.0 bar


GROHE CONTROMIX

Ref. No. Colour Price netto (€)




36 109 000 chrome 509.00

Contromix Public
Self-closing basin mixer 1/2"
with mixing device
GROHE StarLight chrome finish
economy stop function
temperature limiter
flow time adjustable
5-40 sec.
flexible connection hoses
non-return valve
dirt strainer
min. recommended pressure 1.2 bar




36 121 000 chrome 582.00

Contromix Surf
Self-closing shower mixer 1/2"
with mixture
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
economy stop function
temperature limiter
flow time adjustable
5-40 sec.
escutcheon, plastic chromed
escutcheon- and shaft-sealing
non-return valve
dirt strainers
set for final installation for 36 122
without concealed body
min. recommended pressure 1.5 bar



36 122 000 249.00

Contromix Surf
Concealed mounting box
(for 36 121/36 123)
without finishing trim set
wall mounting box with adhesive
flange for sealing the wall
installation from top or at the sides
stop valve and flush elbow



45 704 000 chrome 15.50

Flexible connection hose
300 mm
3/8" x 3/8"



43 813 000 160.00

Cartridge
for Contromix Surf/Public
for self-closing basin and shower mixer 1/2"



43 959 000 57.00

Socket Spanner
for Contromix Surf/Public

SPECIAL FITTINGS

GROHE SENSIA SHOWER TOILETS





CONTENTS

GROHE Sensia IGS

558

GROHE Sensia Arena

562

GROHE SENSIA IGS

Ref. No. Colour Price netto (€)

39 111 SH0	alpine white	4,020.00
39 111 LP0	alpine white/alpine white	4,420.00
39 111 LD0	alpine white/red	4,420.00
39 111 LK0	alpine white/black	4,420.00

GROHE Sensia IGS

Shower toilet complete system for concealed flushing cisterns, wall-hung

GROHE Hygiene decalcification program, unique 70°C hot water cleaning for entire water system, automatic shower cleaning before and after every use

GROHE DreamSpray technology

separate water way for lady spray

aerated shower spray

oscillating spray (automatic forward and reverse motion of the spray)

pulsating spray for massage

adjustable spray intensity

automatic pre- and post-rinsing of spray nozzle with fresh water

warm water with adjustable temperature

Other function

warm air dryer with adjustable temperature

odor extraction with filter

Duroplast WC seat and lid with soft close function

push and turn seat control operation

4 programmable user profiles for remote controller

power switch

inside night lighting

hidden water supply and power supply connections

includes:

touchscreen remote control with wall-mounted holder

batteries for remote controller

active carbon filter

fixing and connecting material

flush pipe

installation guide, manual

cable with system plug on device

pressure 0.1 - 1.0 MPa (1 - 10 bar)

nominal voltage 220-240 V AC 1400 W

main frequency 50-60 Hz

type of protection IPX4

complying with EN 1717/13077

CE approved

SH0:

alpine white ceramic, housing, front, seat and lid

LP0:

alpine white ceramic, front, seat and lid

matt chrome housing

LD0:

alpine white ceramic, seat and lid

matt chrome housing


red front

LK0:

alpine white ceramic, seat and lid


matt chrome housing

black front



39 596 000

221.00



**Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and
shower toilet connection**

with flushing cistern GD 2, 6 - 9 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to
German Noise Specification)
fully insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order
revision shaft 66 791 000 (sold separately)

46 884 000

80.00



**Care set
for GROHE Sensia IGS shower WC**
consisting of:
1 odor filter
descaling agent for 2 applications

46 882 00M

53.00



**Descaling agent
for GROHE Sensia IGS shower WC**
for 4 applications
This product is a hazardous substance. Find more information
in the safety data sheet. You can download the safety data at:
www.grohe.com/safety-data-sheets/

GROHE SENSIA IGS

	Ref. No.	Colour	Price netto (€)
	46 883 00M Odor filter for GROHE Sensia IGS shower WC contains 2 odor filters		98.00
	42 459 000 Connection set for Sensia IGS shower WC system	chrome	57.00
	40 899 000 Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL and Uniset installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm		37.00
	14 911 LD0	alpine white/red	1,110.00
	14 911 LK0	alpine white/black	1,100.00
	14 911 LP0	alpine white/alpine white	1,030.00
	14 911 SH0	alpine white	578.00
	Panel set for Sensia IGS shower WC system complete set LD0: matt chrome housing red front LK0: matt chrome housing black front LP0: matt chrome housing alpine white front SH0: Alpine white housing and front		
	14 912 000 Spray for Sensia IGS shower WC system Including cover and disassembling tool		227.00

GROHE SENSIA IGS

Ref. No. Colour Price netto (€)

14 914 000 87.00

Splash protection
for Sensia IGS shower WC system



SHOWER TOILET

GROHE SENSIA ARENA

Ref. No.

Colour

Price netto (€)

39 354 SH1

alpine white

2,030.00

GROHE Sensia Arena

Shower toilet complete system for concealed flushing cisterns, wall-hung

GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and anti stick coating ceramic appliance with Aquaceramics technology

GROHE power flush: rimless wash down jet WC

with **GROHE Triple Vortex** flushing technology

GROHE Skin Clean:

2 dedicated adjustable spray arms (1 for rear spray, 1 for lady spray)

separate water way for lady spray

oscillating spray (automatic forward and reverse motion of the spray)

pulsating spray for massage

adjustable spray intensity

automatic pre- and post-rinsing of spray nozzle with fresh water

integrated instant heater provides unlimited warm water

adjustable temperature

Other function

warm air dryer with adjustable temperature

odor extraction with filter

PlasmaCluster function - ion technology

descaling function

Duroplast WC seat and lid with automatic opening/close function

infra-red user detection

seat control panel operation

power switch

inside bowl night light

hidden water supply and power supply connections

remote control

smart phone app for iOS and Android

includes:

noise protection sheet, mounting bases and washers

manual remote controller with wall-mounted holder

active carbon filter for odour absorption

water supply connection set for concealed cistern

nozzle guard

cable with system plug on device

pressure 0.05 - 1 MPa (0.5 - 10 bar)

nominal voltage 220-240 V AC


main frequency 50-60 Hz

type of protection IPX4

complies with


EN 1717

CE approved



39 596 000

221.00



Rapid SLX

Element for WC, 1.13 m installation height with integrated socket and shower toilet connection

with flushing cistern GD 2, 6 - 9 l

with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)

GROHE SENSIA ARENA


Ref. No.

Colour

Price netto (€)

39 597 000

217.00



**Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and
shower toilet connection**

with flushing cistern GD 2, 6 - 9 l

with integrated socket for shower toilets (power)
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
without outlet pipe
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set


flushing cistern GD 2, 3 - 6 l, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to
German Noise Specification)
fully insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves

46 944 001

188.00



**GROHE Sensia Arena
Installation kit for automatic flush and pre-flush**

consisting of:
servo motor for GD 2
actuation rod for flushing valve
cable + blind cap
flexible hose
WC actuation plate not included
CE approved

40 899 000

37.00



Retrofit kit for shower toilets Sensia Arena and IGS

retrofit of existing Rapid SL and Uniset installations to
shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

14 928 000

24.00



GROHE Sensia Arena

Spray

for Sensia Arena shower toilet system,
wall hung and floor standing
standard shower

GROHE SENSIA ARENA


	Ref. No.	Colour	Price netto (€)
	14 929 000 GROHE Sensia Arena Spray for Sensia Arena shower toilet system, wall hung and floor standing lady shower		24.00
	14 936 000 GROHE Sensia Arena Splash protection for Sensia Arena shower toilet system, wall hung and floor standing		35.00
	46 977 00M GROHE Sensia Arena Descaler packaging unit 4 x 80 g bag This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/		43.00
	46 978 000 * GROHE Sensia Arena Descaling kit for 39 354 SH0 80 g bag descaler splash protection bottle adapter		
	46 978 001 * GROHE Sensia Arena Descaling kit for 39 354 SH1 80 g bag descaler bottle adapter hose with clip sticker holder for bottle 1 x spray standard shower (14 928 000) 1 x spray lady shower (14 929 000)		91.00
	46 979 000 * GROHE Sensia Arena Descaler bottle for 39 354 SH0 bottle adapter		

GROHE SENSIA ARENA

Ref. No.

Colour

Price netto (€)



14 926 002

294.00

GROHE Sensia Arena
Remote control
for 39 354 SH0 and 39 354 SH1
for Sensia Arena shower toilet system, wall hung
including wall holder



SHOWER TOILET


GROHE
CERAMICS





CONTENTS

Essence	570
Cube Ceramic	577
Euro Ceramic	581
Bau Ceramic	588
Acrylic shower trays	595




39 564 00H

alpine white

181.00

Essence
Wash basin 70

wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
700 x 485 mm
suitable for half and full pedestal
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
12 pieces per pallet




39 565 00H

alpine white

169.00

Essence
Wash basin 60

wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
600 x 485 mm
suitable for half and full pedestal
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet




39 566 00H

alpine white

398.00

Essence
Vanity basin 100

wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
suitable for vanity units
1000 x 460 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
8 pieces per pallet




39 567 00H

alpine white

285.00

Essence
Vanity basin 80

wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
suitable for vanity units
800 x 460 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
12 pieces per pallet




39 568 00H

alpine white

196.00

Essence
Vanity basin 60

wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
suitable for vanity units
600 x 460 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet




39 608 00H

alpine white

380.00


Essence
Vessel basin 60

without overflow
600 x 400 mm
including fixation set
including ceramic waste, removable cover
non-closable
sanitary ware
PureGuard anti scale coating and anti bacterial glazing




39 609 00H **alpine white** 254.00

Essence Vessel basin 45
without overflow
450 x 450 mm
including fixation set
including ceramic waste, removable cover
non-closable
sanitary ware
PureGuard anti scale coating and anti bacterial glazing




39 570 000 **alpine white** 106.00

Essence Half pedestal
including fixation set
sanitary ware
33 pieces per pallet




39 571 00H **alpine white** 252.00

Essence Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)
12 pieces per pallet



39 572 00H **alpine white** 282.00

Essence Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
wash down
rimless
flush volume 3/4.5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)
6 pieces per pallet




39 573 00H **alpine white** 262.00

Essence Floor standing back to wall WC
universal trap for horizontal and vertical outlet
back to wall
for concealed cistern
rimless
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)
8 pieces per pallet


GROHE ESSENCE

Ref. No. Colour Price netto (€)




39 578 000 alpine white 159.00

Essence
Exposed flushing cistern for close coupled combination
side inlet
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware
24 pieces per pallet




39 579 000 alpine white 159.00

Essence
Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware
24 pieces per pallet




39 577 000 alpine white 106.00

Essence
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Essence bowls
7 pieces per master carton




39 576 000 alpine white 70.00

Essence
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Essence bowls
7 pieces per master carton



39 574 00H alpine white 252.00

Essence
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet




39 575 00H alpine white 262.00

Essence
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
8 pieces per pallet


GROHE ESSENCE

Ref. No. Colour Price netto (€)




39 611 000 **alpine white** **4,500.00**

Essence Bathtub
free standing
180 x 80 cm
height 57.5 cm
without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats




39 612 000 **alpine white** **4,590.00**

Essence Bathtub
free standing
180 x 80 cm
height 57.5 cm
with AntiSlip
without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats




39 613 00H **alpine white** **4,590.00**

Essence Bathtub
free standing
180 x 80 cm
height 57.5 cm
with EasyClean
without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats




39 614 00H **alpine white** **4,670.00**

Essence Bathtub
free standing
180 x 80 cm
height 57.5 cm
with EasyClean
with AntiSlip
without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats



39 729 000 **alpine white** **4,500.00**











Essence Bathtub
free standing
180 x 80 cm
height 57.5 cm
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set ViEGA Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats




39 728 000 **alpine white** **4,590.00**

Essence Bathtub
free standing
180 x 80 cm
height 57.5 cm
with AntiSlip
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set ViEGA Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats

CERAMICS

		<p>39 727 00H</p> <p>Essence Bathtub free standing 180 x 80 cm height 57.5 cm with EasyClean with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats</p>	<p>alpine white</p> <p>4,590.00</p>
		<p>39 726 00H</p> <p>Essence Bathtub free standing 180 x 80 cm height 57.5 cm with EasyClean with AntiSlip with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats</p>	<p>alpine white</p> <p>4,670.00</p>
		<p>39 617 000</p> <p>Essence Bathtub built-in 180 x 80 cm height 45 cm with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately</p>	<p>alpine white</p> <p>865.00</p>
		<p>39 619 000</p> <p>Essence Bathtub built-in 180 x 80 cm height 45 cm with AntiSlip with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately</p>	<p>alpine white</p> <p>952.00</p>
		<p>39 620 00H</p> <p>Essence Bathtub built-in 180 x 80 cm height 45 cm with EasyClean with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately</p>	<p>alpine white</p> <p>952.00</p>




39 621 00H

alpine white

1,040.00

**Essence
Bathtub**

built-in
180 x 80 cm
height 45 cm
with EasyClean
with AntiSlip
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats
requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately




39 622 000

alpine white

4,500.00

**Essence
Bathtub**

back-to-wall
180 x 85 cm
height 57.5 cm
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats




39 623 000

alpine white

4,590.00

**Essence
Bathtub**

back-to-wall
180 x 85 cm
height 57.5 cm
with drilled tap hole
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats




39 649 00H

alpine white

4,590.00

**Essence
Bathtub**

back-to-wall
180 x 85 cm
height 57.5 cm
with EasyClean
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats



39 650 00H

alpine white

4,670.00

**Essence
Bathtub**


back-to-wall
180 x 85 cm
height 57.5 cm
with EasyClean
with drilled tap hole
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats

Ref. No. Colour Price netto (€)




49 113 SH0 alpine white 1,380.00

Essence
Waste set for free standing bathtubs
 dual function of overflow and waste water drainage
 concealed overflow
 electric pressure sensor unlocks the overflow drainage
 mains supply necessary for installation




19 025 000 chrome 58.00

Talento
Waste and overflow set for bath tubs
 set for final installation
 escutcheon, waste plug, fixing set
in combination with
Talentofill 28 939/28 943
GROHE StarLight chrome finish




19 952 000 chrome 177.00

Talentofill
Inlet, pop-up and waste-system
 set for final installation
 consisting of:
 escutcheon, supply part, waste plug, fixing set
in combination with
Talentofill 28 990/28 991
GROHE StarLight chrome finish



28 943 000 chrome 121.00

Talento
Pop-up bath waste and overflow
 set for special baths
 with bowden cable
 without finishing trim set
 bottle trap
 45° waste elbow



28 991 000 chrome 157.00


Talentofill
Inlet, pop-up and waste-system
 for body formed bath tubs
 without finishing trim set
 with bottle trap and 45°-outlet-bend
 without anti-vacuum device
 installation acc. to DIN 1988
 only with anti-vacuum device
 A2 type
 or Talentofill connection set (28 995)

GROHE CUBE CERAMIC

Ref. No.

Colour

Price netto (€)




39 386 00H

alpine white

379.00

**Cube Ceramic
Wash basin 100**

wall hung
1 hole punched, 2 holes pre-punched
with overflow
1010 x 490 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
10 pieces per pallet




39 469 00H

alpine white

328.00

**Cube Ceramic
Wash basin 80**

wall hung
1 hole punched, 2 holes pre-punched
with overflow
800 x 490 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
10 pieces per pallet




39 473 00H

alpine white

178.00

**Cube Ceramic
Wash basin 60**

wall hung
1 hole punched, 2 holes pre-punched
with overflow
600 x 490 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet




39 474 00H

alpine white

167.00

**Cube Ceramic
Wash basin 50**

wall hung
1 hole punched, 2 holes pre-punched
with overflow
500 x 490 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
18 pieces per pallet




39 475 00H

alpine white

379.00

**Cube Ceramic
Counter top basin 100**

flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
1000 x 490 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
10 pieces per pallet



39 476 00H

alpine white

328.00

**Cube Ceramic
Counter top basin 80**

flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
800 x 490 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
10 pieces per pallet


CERAMICS

GROHE CUBE CERAMIC

Ref. No.

Colour

Price netto (€)




39 477 00H

alpine white

178.00

Cube Ceramic Counter top basin 60
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
600 x 490 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet




39 478 00H

alpine white

167.00

Cube Ceramic Counter top basin 50
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
500 x 490 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
18 pieces per pallet




39 481 00H

alpine white

160.00

Cube Ceramic Vessel basin 50
without overflow
500 x 470 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
20 pieces per pallet




39 482 00H

alpine white

142.00

Cube Ceramic Vessel basin 40
without overflow
400 x 400 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
24 pieces per pallet




39 480 00H

alpine white

160.00

Cube Ceramic Under-counter wash basin 50
installation from below
with overflow
492 x 370 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
18 pieces per pallet



39 479 00H

alpine white

171.00


Cube Ceramic Counter basin 60
flat back side glazed
built-in
1 hole punched, 2 holes pre-punched
with overflow
605 x 490 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet

GROHE CUBE CERAMIC

Ref. No.

Colour

Price netto (€)




39 483 00H

alpine white

138.00

**Cube Ceramic
Hand rinse basin 45**

wall hung
1 hole punched
with overflow
455 x 350 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
22 pieces per pallet




39 245 00H

alpine white

316.00

**Cube Ceramic
Wall hung WC**

for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 488 000 (soft close)




39 485 00H

alpine white

330.00

**Cube Ceramic
Floor standing back to wall WC**

for concealed cistern
universal trap for horizontal and vertical outlet
back to wall
wash down
rimless
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 488 000 (soft close)
8 pieces per pallet




39 484 00H

alpine white

354.00

**Cube Ceramic
Floor standing WC for close coupled combination**

close coupled
universal trap for horizontal and vertical outlet
rimless
flush volume 3/4.5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 488 000 (soft close)
6 pieces per pallet



39 489 000

alpine white

194.00

**Cube Ceramic
Exposed flushing cistern for close coupled combination**

side inlet
including flushing set GROHE AV1
including fixation set
sanitary ware
24 pieces per pallet


CERAMICS

GROHE CUBE CERAMIC

Ref. No.

Colour

Price netto (€)




39 490 000

alpine white

194.00

Cube Ceramic
Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
including fixation set
sanitary ware
24 pieces per pallet




39 488 000

alpine white

136.00

Cube Ceramic
WC seat soft close
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Cube Ceramic bowls




39 486 00H

alpine white

259.00

Cube Ceramic
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
6 pieces per pallet



39 487 00H


alpine white

268.00

Cube Ceramic
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
8 pieces per pallet


GROHE EURO CERAMIC

Ref. No. Colour Price netto (€)




39 585 00H alpine white 305.00

Euro Ceramic Vanity basin 100
wall hung
1 hole punched, 2 holes pre-punched
with overflow
1000 x 460 mm
suitable for vanity units
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
8 pieces per pallet




39 584 00H alpine white 236.00

Euro Ceramic Vanity basin 80
wall hung
1 hole punched, 2 holes pre-punched
with overflow
800 x 460 mm
suitable for vanity units
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
12 pieces per pallet




39 323 000 alpine white 66.00
39 323 00H alpine white 99.00

Euro Ceramic Wash basin 65
wall hung
1 hole punched
with overflow
650 x 515 mm
sanitary ware
optional: **PureGuard** anti scale coating and
anti bacterial glazing (00H)
18 pieces per pallet




39 335 000 alpine white 59.00
39 335 00H alpine white 92.00

Euro Ceramic Wash basin 60
wall hung
1 hole punched
with overflow
600 x 480 mm
sanitary ware
optional: **PureGuard** anti scale coating and
anti bacterial glazing (00H)
18 pieces per pallet



39 642 000 alpine white 169.00
39 642 KW0 supermatt black 195.00

Euro Ceramic Bundle wash basin 60 + Eurosmart Cosmopolitan basin mixer
consisting of:
Euro Ceramic wash basin 60 (39 335 000)
Eurosmart Cosmopolitan basin mixer M-Size (23 325 000)
TOX mounting set
Angle valve 1/2" (22 039 000)
P-trap 1 1/4" (28 947 000)



39 337 000 alpine white 65.00
39 337 00H alpine white 98.00


Euro Ceramic Counter top basin 60
1 hole punched
with overflow
600 x 480 mm
including fixation set
sanitary ware
optional: **PureGuard** anti scale coating and
anti bacterial glazing (00H)
18 pieces per pallet

GROHE EURO CERAMIC

Ref. No.

Colour

Price netto (€)




39 336 000
39 336 00H

alpine white
alpine white

58.00
91.00

Euro Ceramic Wash basin 55
wall hung
1 hole punched
with overflow
550 x 450 mm
sanitary ware
optional: **PureGuard** anti scale coating and
anti bacterial glazing (00H)
21 pieces per pallet




39 423 000

alpine white

71.00

Universal tap Undercounter wash basin 55
installation from below
with overflow
560 x 420 mm
sanitary ware
including fixation set
18 pieces per pallet




39 324 000
39 324 00H

alpine white
alpine white

43.00
76.00

Euro Ceramic Hand rinse basin 45
wall hung
1 hole punched
with overflow
450 x 400 mm
sanitary ware
optional: **PureGuard** anti scale coating and
anti bacterial glazing (00H)
27 pieces per pallet




39 327 000
39 327 00H

alpine white
alpine white

54.00
87.00

Euro Ceramic Mini hand rinse basin
wall hung
1 hole punched
370 x 180 mm
sanitary ware
no pedestals recommended
optional: **PureGuard** anti scale coating and
anti bacterial glazing (00H)
36 pieces per pallet




39 201 000

alpine white

46.00

Euro Ceramic Semi pedestal for wash basin
invisible fixation set
sanitary ware
suitable for all GROHE wash basins except
39 324 000, 39 324 00H, 39 327000, 39 327 00H
30 pieces per pallet



39 325 000


alpine white

46.00

Euro Ceramic Semi pedestal for hand rinse basin
invisible fixation set
sanitary ware
suitable for hand rinse basins 39 324 000/39 324 00H
30 pieces per pallet

GROHE EURO CERAMIC

Ref. No. Colour Price netto (€)




39 202 000

alpine white

52.00

Euro Ceramic
Full pedestal for wash basin
invisible fixation set
sanitary ware
suitable for all GROHE wash basins except
39 324 000, 39 324 00H, 39 327000, 39 327 00H
30 pieces per pallet



39 328 000

alpine white


183.00

39 328 00H

alpine white

216.00

Euro Ceramic
Wall hung WC
for concealed cistern
horizontal outlet
GROHE Triple Vortex flushing technology
wash down
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and
anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without
soft close)
16 pieces per pallet




39 554 000

alpine white

263.00

Euro Ceramic
Wall hung WC set
horizontal outlet
GROHE Triple Vortex flushing technology
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
Euro Ceramic WC seat
soft close
quick release function
detachable
material: Duroplast
4 pieces per pallet



39 206 000

alpine white

166.00

39 206 00H

alpine white

200.00

Euro Ceramic
Wall hung compact WC
for concealed cistern
horizontal outlet
GROHE Triple Vortex flushing technology
wash down
rimless
flush volume 3/5 l
49 cm width
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and
anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without
soft close)
16 pieces per pallet

CERAMICS


GROHE EURO CERAMIC

Ref. No. Colour Price netto (€)


		<p>39 693 000 alpine white 253.00</p> <p>Euro Ceramic Wall hung WC set consisting of: Euro Ceramic wall hung compact WC (39 206 000) horizontal outlet GROHE Triple Vortex flushing technology rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation</p> <p>Euro Ceramic WC seat with lid (39 330 001) soft close quick release function detachable material: Duroplast 6 pieces per pallet</p>
		<p>39 538 000 alpine white 147.00</p> <p>Euro Ceramic Wall hung WC, basic for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close) 12 pieces per pallet</p>
		<p>39 703 000 alpine white 232.00</p> <p>Euro Ceramic Wall hung WC set consisting of: Euro Ceramic wall hung WC, 3/5 l (39 538 000) for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware</p> <p>Euro Ceramic WC seat with lid (39 330 001) soft close quick release function detachable material: Duroplast including fixation set 8 pieces per pallet</p>
		<p>39 338 000 alpine white 142.00 39 338 00H alpine white 176.00</p> <p>Euro Ceramic Floor standing WC for close coupled combination close coupled universal trap for horizontal and vertical outlet GROHE Triple Vortex flushing technology wash down rimless flush volume 3/5 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close) 9 pieces per pallet</p>

GROHE EURO CERAMIC


Ref. No. Colour Price netto (€)




39 332 000 **alpine white** **133.00**
Euro Ceramic
Exposed flushing cistern
 bottom inlet
 inlet and outlet concealed
 including flushing set with dual flush
 including fixation set
 sanitary ware
18 pieces per pallet




39 333 000 **alpine white** **133.00**
Euro Ceramic
Exposed flushing cistern
 side or back inlet
 for back inlet please order mounting set 49 522 000 (sold separately)
 including flushing set with dual flush
 including fixation set
 sanitary ware
18 pieces per pallet



39 462 000 **alpine white** **316.00**
39 462 00H **alpine white** **316.00**
Euro Ceramic
Floor standing 2 piece WC
 close coupled
 universal trap for horizontal and vertical outlet
 GROHE Triple Vortex flushing technology
 rimless
 flush volume 6/3 l
 including cistern with bottom inlet, seat and cover soft close and fixation set
 sanitary ware
 optional: **PureGuard** anti scale coating and
 anti bacterial glazing (00H)




39 329 000 **alpine white** **137.00**
39 329 00H **alpine white** **171.00**
Euro Ceramic
Floor standing WC
 universal trap for horizontal and vertical outlet
 wash down
 rimless
 flush volume 3/5 l
 including fixation set
 sanitary ware
 fully skirted with invisible fixation
 anti bacterial glazing (00H)
 compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)
12 pieces per pallet



39 555 000 **alpine white** **210.00**
Euro Ceramic
Floor standing WC set
 universal trap for horizontal and vertical outlet
 rimless
 flush volume 3/5 l
 including fixation set
 sanitary ware
 Euro Ceramic WC seat
 soft close
 quick release function
 detachable
 material: Duroplast
4 pieces per pallet

GROHE EURO CERAMIC

Ref. No. Colour Price netto (€)




39 339 000
39 339 00H

alpine white
alpine white

142.00
175.00

Euro Ceramic
Floor standing back to wall WC
horizontal outlet
back to wall
GROHE Triple Vortex flushing technology
wash down
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and
anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without
soft close)
12 pieces per pallet




39 330 001

alpine white

66.00

Euro Ceramic
WC seat soft close
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set
suitable for all GROHE Euro Ceramic WCs




39 331 001

alpine white

45.00

Euro Ceramic
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
suitable for all GROHE Euro Ceramic WCs




39 208 000
39 208 00H

alpine white
alpine white

165.00
198.00

Euro Ceramic
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and
anti bacterial glazing (00H)
16 pieces per pallet



39 340 000
39 340 00H

alpine white
alpine white

145.00
179.00

Euro Ceramic
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and
anti bacterial glazing (00H)
12 pieces per pallet

GROHE EURO CERAMIC


Ref. No.

Colour

Price netto (€)

39 453 000


30.00



WC connection outlet
horizontal
320 mm from wall

39 454 000


55.00



WC connection outlet
horizontal and vertical
length adjustable
60 to 105 mm from wall

39 457 000


56.00



WC connection outlet
vertical
length adjustable
93.5 to 137 mm from wall

49 532 000


9.60



Escutcheon
for 39 457 000

39 551 000

56.00



WC connection outlet
vertical
length adjustable
200 to 250 mm from wall

49 522 000

62.00




Mounting set
for Euro Ceramic cistern
39 333 000
for back inlet installation

GROHE BAU CERAMIC

Ref. No.

Colour

Price netto (€)




39 420 000

alpine white

45.00

Bau Ceramic Wash basin 65
wall hung
1 hole punched with overflow
646 x 468 mm
sanitary ware
18 pieces per pallet




39 421 000

alpine white

39.00

Bau Ceramic Wash basin 60
wall hung
1 hole punched with overflow
609 x 442 mm
sanitary ware
18 pieces per pallet




39 440 000

alpine white

38.00

Bau Ceramic Wash basin 55
wall hung
1 hole punched with overflow
553 x 386 mm
sanitary ware
21 pieces per pallet




39 422 000

alpine white

71.00

Bau Ceramic Counter basin 55
built-in
1 hole punched with overflow
560 x 400 mm
sanitary ware
21 pieces per pallet




39 423 000

alpine white

71.00

Universal tap Undercounter wash basin 55
installation from below with overflow
560 x 420 mm
sanitary ware including fixation set
18 pieces per pallet



39 424 000


alpine white

38.00


Bau Ceramic Hand rinse basin 45
wall hung
1 hole punched with overflow
453 x 354 mm
sanitary ware
27 pieces per pallet

GROHE BAU CERAMIC


Ref. No. Colour Price netto (€)




39 426 000 **alpine white** **43.00**
Bau Ceramic
Half pedestal
 including fixation set
 sanitary ware
 suitable to all Bau Ceramic wash basins except 39 424 000
30 pieces per pallet




39 425 000 **alpine white** **38.00**
Bau Ceramic
Full pedestal
 including fixation set
 sanitary ware
30 pieces per pallet




39 427 000 **alpine white** **72.00**
Bau Ceramic
Wall hung WC
 for concealed cistern
 wash down
 rimless
 horizontal outlet
 flush volume 6/3 l
 sanitary ware
 compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)
16 pieces per pallet



39 491 000 **alpine white** **57.00**
Bau Ceramic
Wall hung WC
 for concealed cistern
 wash down
 open rim
 horizontal outlet
 flush volume 6/3 l
 sanitary ware
 compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)
16 pieces per pallet




39 428 000 **alpine white** **80.00**
Bau Ceramic
Floor standing WC for close coupled combination
 wash down
 boxed rim
 horizontal outlet
 flush volume 6/3 l
 including fixation set
 cistern to be ordered separately
 sanitary ware
 compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)
9 pieces per pallet



39 349 000 **alpine white** **89.00**
Bau Ceramic
Floor standing WC for close coupled combination
 wash down
 rimless
 horizontal outlet
 flush volume 6/3 l
 including fixation set
 cistern to be ordered separately
 sanitary ware
 compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)
9 pieces per pallet


GROHE BAU CERAMIC

Ref. No. Colour Price netto (€)




39 429 000 alpine white 89.00

Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
vertical outlet, concealed
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)
9 pieces per pallet




39 436 000 alpine white 69.00

Bau Ceramic
Exposed flushing cistern
bottom inlet
inlet and outlet concealed
including flushing set
sanitary ware
24 pieces per pallet




39 437 000 alpine white 69.00

Bau Ceramic
Exposed flushing cistern
side inlet
including flushing set
sanitary ware
24 pieces per pallet




39 494 000 alpine white 52.00

Bau Ceramic
Exposed flushing cistern
side inlet
including flushing set
sanitary ware
24 pieces per pallet



39 430 000 alpine white 60.00













Bau Ceramic
Floor standing WC
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
12 pieces per pallet



39 431 000 alpine white 60.00

Bau Ceramic
Floor standing WC
wash down
rimless
vertical outlet
flush volume 6/3 l
including fixation set
sanitary ware
12 pieces per pallet

GROHE BAU CERAMIC

	Ref. No.	Colour	Price netto (€)
	39 492 000 Bau Ceramic WC seat with lid quick release function detachable material: Duroplast including fixation set compatible with all Bau Ceramic bowls 168 pieces per pallet	alpine white	31.00
			
	39 493 000 Bau Ceramic WC seat soft close with lid quick release function detachable material: Duroplast including fixation set compatible with all Bau Ceramic bowls 168 pieces per pallet	alpine white	55.00
			
	39 433 000 Bau Ceramic Wall hung bidet 1 hole punched with overflow sanitary ware 16 pieces per pallet	alpine white	122.00
			
	39 432 000 Bau Ceramic Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware 12 pieces per pallet	alpine white	120.00
			
	39 438 000 Bau Ceramic Urinal concealed inlet flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately not compatible with temperature sensor 39 367 000 16 pieces per pallet	alpine white	137.00
			
	39 439 000 Bau Ceramic Urinal top inlet flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately 16 pieces per pallet	alpine white	137.00
			



39 732 000

42.00


Urinal trap
horizontal trap Ø 50 mm
flush volume 0.5 - 4 l
middle inlet and outlet 80 mm
for Bau Ceramic urinals 39 438 000 and 39 439 000
material: plastic



39 733 000

42.00

Urinal trap
vertical trap
flush volume 2 - 4 l
for Bau Ceramic urinals 39 438 000 and 39 439 000
material: plastic




39 351 000

alpine white

122.00

**Bau Ceramic
Wall hung WC set**
WC seat and lid with soft close feature
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
12 pieces per pallet




39 497 000

alpine white

94.00

**Bau Ceramic
Wall hung WC set**
WC seat and lid
for concealed cistern
wash down
open rim
horizontal outlet
flush volume 6/3 l
sanitary ware
12 pieces per pallet



39 347 000

alpine white


196.00

**Bau Ceramic
Bundle close coupled WC**
consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 428 000)
wash down
boxed rim
horizontal outlet, concealed
flush volume 6/3 l
including fixation set
sanitary ware

Bau Ceramic exposed flushing cistern (39 437 000)
side inlet
including flushing set
sanitary ware

Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set
4 pieces per pallet

39 346 000 alpine white 205.00




Bau Ceramic
Bundle close coupled WC
consisting of:
Bau Ceramic floor standing toilet with vertical outlet (39 429 000)
wash down
rimless
vertical outlet
flush volume 6/3 l
including fixation set
sanitary ware

Bau Ceramic exposed flushing cistern (39 437 000)
side inlet
including flushing set
sanitary ware

Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set
4 pieces per pallet

39 496 000 alpine white 175.00



Bau Ceramic
Bundle close coupled WC
consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware

Bau Ceramic exposed flushing cistern (39 494 000)
side inlet
including flushing set
sanitary ware

Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set
4 pieces per pallet

GROHE BAU CERAMIC


Ref. No.

Colour

Price netto (€)

39 453 000


30.00



WC connection outlet
horizontal
320 mm from wall

39 454 000


55.00



WC connection outlet
horizontal and vertical
length adjustable
60 to 105 mm from wall

39 457 000


56.00



WC connection outlet
vertical
length adjustable
93.5 to 137 mm from wall

49 532 000


9.60



Escutcheon
for 39 457 000

39 551 000

56.00



WC connection outlet
vertical
length adjustable
200 to 250 mm from wall

GROHE ACRYLIC SHOWER TRAYS











Ref. No. Colour Price netto (€)

		<p>39 300 000 alpine white 159.00</p> <p>Acrylic shower tray 1000 x 1000 dimensions: 1000 x 1000 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014416 recommended Schedel installation set SD 90083 20 pieces per pallet</p>
		<p>39 301 000 alpine white 118.00</p> <p>Acrylic shower tray 900 x 900 dimensions: 900 x 900 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014408 recommended Schedel installation set SD 90081 20 pieces per pallet</p>
		<p>39 302 000 alpine white 112.00</p> <p>Acrylic shower tray 800 x 800 dimensions: 800 x 800 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014411 recommended Schedel installation set SD 90080 20 pieces per pallet</p>
		<p>39 305 000 alpine white 199.00</p> <p>Acrylic shower tray 800 x 1200 dimensions: 800 x 1200 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA mounting frame SF (# 150183) extension set MR SF (# 150194) height adjustment easy lift (# 150193) wall rails for shower trays (# 190032) rim sealing (# 180040) recommended Poresta installation set # 17014413 recommended Schedel installation set SD 90084 20 pieces per pallet</p>

CERAMICS

GROHE ACRYLIC SHOWER TRAYS

Ref. No. Colour Price netto (€)

		<p>39 306 000</p> <p>Acrylic shower tray 800 x 1000 dimensions: 800 x 1000 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014412 recommended Schedel installation set SD 90082 20 pieces per pallet</p>	<p>alpine white</p> <p>130.00</p>
		<p>39 307 000</p> <p>Acrylic shower tray 900 x 1400 dimensions: 900 x 1400 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA mounting frame SF (# 150181) height adjustment easy lift (# 150193) wall rails for shower trays (# 190032) rim sealing (# 180040) recommended Poresta installation set # 17014415 recommended Schedel installation set SD 90086 20 pieces per pallet</p>	<p>alpine white</p> <p>286.00</p>
		<p>39 308 000</p> <p>Acrylic shower tray 900 x 1200 dimensions: 900 x 1200 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA mounting frame SF (# 150183) extension set MR SF (# 150194) height adjustment easy lift (# 150193) wall rails for shower trays (# 190032) rim sealing (# 180040) recommended Poresta installation set # 17014414 recommended Schedel installation set SD 90085 20 pieces per pallet</p>	<p>alpine white</p> <p>246.00</p>
		<p>49 533 000 49 533 SH0</p> <p>Waste set for universal shower tray Ø 112 mm vertical outlet GROHE StarLight chrome finish flow rate 1.1 l/s according to DIN EN 274</p>	<p>chrome</p> <p>alpine white</p> <p>34.00</p> <p>34.00</p>
		<p>49 534 000 49 534 SH0</p> <p>Waste set for universal shower tray Ø 112 mm horizontal outlet GROHE StarLight chrome finish flow rate 0.7 l/s (42 l/min) according to DIN EN 274</p>	<p>chrome</p> <p>alpine white</p> <p>34.00</p> <p>34.00</p>



GROHE INSTALLATION SYSTEMS






CONTENTS

Rapid SLX	Rapid SLX	600
Rapid SL	Rapid SL for WC	603
	Rapid SL for urinal	624
	Rapid SL for wash basin and bidet	626
	Rapid SL for the disabled	630
	Rapid SL free-standing installation	633
	Rapid SL fitting supports	635
	Rapid SL accessories	636
Uniset	Uniset frames and accessories	640

39 596 000

221.00



Rapid SLX

Element for WC, 1.13 m installation height with integrated socket and shower toilet connection

with flushing cistern GD 2, 6 - 9 l

with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overflow in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)

GROHE RAPID SLX


Ref. No.

Colour

Price netto (€)

39 597 000

217.00



**Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and
shower toilet connection**

with flushing cistern GD 2, 6 - 9 l
with integrated socket for shower toilets (power)
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
without outlet pipe
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:


adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to
German Noise Specification)
fully insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves

39 603 000

chrome

277.00




**Rapid SLX
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l**

consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Skate Cosmopolitan S flush plate, chrome (37 535 000)
Rapid SL wall brackets (38 558 00M)
including flow manager

39 598 000

228.00



**Rapid SLX
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l**

consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Rapid SL wall brackets (38 558 00M)
WC set for noise protection (37 131 000)
including flow manager

GROHE RAPID SLX

Ref. No.

Colour

Price netto (€)



39 607 000

68.00

**Rapid SLX
Accessory**


for WC bowls with a bearing area of less than 20 cm
vertical support for ceramics with
small bearing area (< 205 mm)

GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)




39 374 KS0

velvet black

775.00

GROHE glass module
for Rapid SL / Uniset
with flushing cistern GD 2
for connecting shower toilet Sensia Arena
or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate
is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection
for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
set for noise protection
including accessory for mounting glass plate and WC ceramic



39 374 LS0

moon white

771.00

GROHE glass module
for Rapid SL / Uniset
with flushing cistern GD 2
for connecting shower toilet Sensia Arena
or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate
is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection
for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
set for noise protection
including accessory for mounting glass plate and WC ceramic

GROHE RAPID SL FOR WC


Ref. No.

Colour

Price netto (€)

38 528 001

255.00



Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2, 6 - 9 I

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 I, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 528 10A

*

Rapid SL


Element for WC, 1.13 m installation height with flushing cistern GD 2, 6 - 9 I

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 I, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)
WRAS approved



GROHE RAPID SL FOR WC


Ref. No.

Colour

Price netto (€)

39 002 000

352.00



Rapid SL

Element for WC, 1.13 m installation height, for external odour extraction with flushing cistern GD 2, 6 - 9 l

with flush pipe for external odour extraction
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TUV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set


flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l
flush pipe with connection for odor extraction 50 mm
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

39 687 000

*



Rapid SL Slim

Element for WC with flushing cistern 88.9 mm, 1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
cistern volume 6 l
angle valve 1/2"
quick adjustment, lockable
2 WC fixing bolts
distance of fixing bolts 180/230 mm
GROHE EcoJoy technology for less water and perfect flow
Shortable inspection shaft incl. protection during construction phase,
for vertical use
for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)
flushing cistern SLIM, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from top
optional flow manager please order separately
for on-the-wall installation please order wall brackets 39 699 000 (sold separately)


INSTALLATION
SYSTEMS

GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)




39 502 000

chrome

282.00

Rapid SL
6-in-1 set for WC, 1.13 m installation height
flushing cistern GD 2, 6 - 9 I

consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan S flush plate, chrome (37 535 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL wall brackets (38 558 00M)
WC set for noise protection (37 131 000)
Bau Cosmopolitan toilet brush set (40 463 001)




39 500 000

chrome

249.00

Rapid SL
5-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 I

consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan S flush plate, chrome (37 535 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL wall brackets (38 558 00M)
WC set for noise protection (37 131 000)




38 827 000

chrome

395.00

Rapid SL
5-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 I

consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)



38 750 001

chrome

330.00

Rapid SL
4-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 I


consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, chrome, vertical installation (38 505 000)
Rapid SL wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)

GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)




38 775 001

chrome

231.00

Rapid SL
4-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l

consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
Rapid SL wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)




38 813 001

chrome

238.00

Rapid SL
4-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l

consisting of:
Rapid SL element for WC (38 528 001)
Nova Cosmopolitan flush plate, chrome (38 765 000)
Rapid SL wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)




38 860 000

chrome

309.00

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l

consisting of:
Rapid SL element for WC (38 528 001)
Nova Cosmopolitan flush plate, chrome (38 765 000)
Rapid SL wall brackets (38 558 00M)



38 860 10A

chrome

*

Rapid SL
4-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l


consisting of:
Rapid SL element for WC (38 528 001)
Nova Cosmopolitan flush plate, chrome (38 765 000)
GROHE Fresh retrofit set (38 796 000)
Rapid SL wall brackets (38 558 00M)
WRAS approved

GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)



38 929 000


chrome

243.00

Rapid SL
4-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 I

consisting of:

Rapid SL element for WC (38 528 001)
Arena Cosmopolitan flush plate, chrome, vertical installation (38 844 000)
Rapid SL wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)



38 888 000


chrome

376.00

Rapid SL
4-in-1 set for WC, 1.00 m installation height
with flushing cistern 6 - 9 I

consisting of:

Rapid SL element for WC (38 525 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL wall brackets (38 558 00M)



38 885 000


chrome

376.00

Rapid SL
4-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 9 I

consisting of:

Rapid SL element for WC (38 526 000)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL wall brackets (38 558 00M)



39 501 000

chrome

239.00

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 I

consisting of:


Rapid SL element for WC (38 528 001)
Skate Cosmopolitan S flush plate, chrome (37 535 000)
Rapid SL wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates

GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)



39 503 000

chrome

228.00


Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l

consisting of:

Rapid SL element for WC (38 528 001)

Skate Air S flush plate, chrome, vertical installation (37 965 000)

Rapid SL wall brackets (38 558 00M)



39 504 000

chrome

248.00

Rapid SL
3-in-1 set for WC, 1.13 m installation height
flushing cistern GD 2, 6 - 9 l


consisting of:

Rapid SL element for WC (38 528 001)

Arena Cosmopolitan S flush plate, chrome (37 624 000)

Rapid SL wall brackets (38 558 00M)

including revision shaft 40 911 000 for mounting of small flush plates



39 581 000

chrome

247.00


Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l

consisting of:

Rapid SL element for WC (38 528 001)

Nova Cosmopolitan S flush plate, chrome (37 601 000)

Rapid SL wall brackets (38 558 00M)



38 719 001

alpine white

204.00

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l

consisting of:

Rapid SL element for WC (38 840 000)

Skate Air flush plate, alpine white, vertical installation (38 505 SH0)

Rapid SL wall brackets (38 558 00M)


including adapter 38 338 000

GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)



38 721 001

chrome


302.00

Rapid SL

**3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 I**

consisting of:

- Rapid SL element for WC (38 528 001)
- Skate Air flush plate, chrome, vertical installation (38 505 000)
- Rapid SL wall brackets (38 558 00M)



38 721 10A

chrome


*

Rapid SL

**3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 I**

consisting of:

- Rapid SL element for WC (38 528 001)
- Skate Air flush plate, chrome, vertical installation (38 505 000)
- Rapid SL wall brackets (38 558 00M)
- WRAS approved



38 722 001

alpine white


282.00

Rapid SL

**3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 I**

consisting of:

- Rapid SL element for WC (38 528 001)
- Skate Air flush plate, alpine white, vertical installation (38 505 SH0)
- Rapid SL wall brackets (38 558 00M)



38 745 001

chrome

193.00

Rapid SL

**3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 I**

consisting of:


- Rapid SL element for WC (38 840 000)
- Skate Air flush plate, chrome, vertical installation (38 505 000)
- Rapid SL wall brackets (38 558 00M)

GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)




38 772 001

chrome

329.00

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l

consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
Rapid SL wall brackets (38 558 00M)




38 772 10A

chrome

*

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l

consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
Rapid SL wall brackets (38 558 00M)
WRAS approved



38 761 10A

chrome

*

Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 9 l

consisting of:
Rapid SL element for WC (38 526 000)
Skate Air flush plate, chrome, horizontal installation (38 506 000)
Rapid SL wall brackets (38 558 00M)
WRAS approved

38 773 000

chrome

318.00

Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 9 l


consisting of:
Rapid SL element for WC (38 526 000)
Skate Cosmopolitan flush plate, chrome (38 732 000)
Rapid SL wall brackets (38 558 00M)



GROHE RAPID SL FOR WC

Ref. No. Colour Price netto (€)

38 868 000 chrome 329.00




Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 9 l
consisting of:
Rapid SL element for WC (38 526 000)
Nova Cosmopolitan flush plate, chrome (38 765 000)
Rapid SL wall brackets (38 558 00M)

38 868 10A chrome *




Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 9 l
consisting of:
Rapid SL element for WC (38 526 000)
Nova Cosmopolitan flush plate, chrome (38 765 000)
Rapid SL wall brackets (38 558 00M)
WRAS approved

38 764 001 alpine white 262.00



Rapid SL
2-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, alpine white, vertical installation (38 505 SH0)

39 750 001 178.00




Rapid SL
2-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
consisting of:
Rapid SL element for WC (38 528 001)
Rapid SL wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates

GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)




38 947 000

281.00

Rapid SL
2-in-1 set for WC, 1.00 m installation height
with flushing cistern 6 - 9 l

consisting of:
Rapid SL element for WC (38 525 001)
Rapid SL wall brackets (38 558 00M)



38 948 000

281.00

Rapid SL
2-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 9 l

consisting of:
Rapid SL element for WC (38 526 000)
Rapid SL wall brackets (38 558 00M)

GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)


38 536 001

295.00

Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2, 6 - 9 I

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set



flushing cistern GD 2, 6 - 9 I, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)


38 539 001

185.00

Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2, 6 - 9 I

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set



flushing cistern GD 2, 6 - 9 I, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
including WC set for noise protection (37 131 000)
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)

38 624 001

229.00


**Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 I**

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 I, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
angle valve 1/2"
water inlet with pipe fixation
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)
including adapter 38 338 000



38 680 001

202.00


**Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 I**

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
NF approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
PVC outlet bend 100 mm
spacer Ø 80 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 I, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)



GROHE RAPID SL FOR WC


Ref. No.

Colour

Price netto (€)

38 897 000

303.00



Rapid SL

Element for WC, 1.13 m installation height, with vertical support for ceramics with small bearing area

with vertical support for WC bowls with a bearing area of less than 20 cm
with flushing cistern GD 2, 6 - 9 I
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting
 for dry-cladding, completely pre-assembled
 with fixed connections
 quick adjustment, lockable
 fixing material
 TÜV approved
 2 WC fixing bolts
 fixing device for ceramic
 distance of fixing bolts 180/230 mm
 outlet bend Ø 90 mm
 depth adjustable
 reducer Ø 90/110 mm
 inlet and outlet connecting set


flushing cistern GD 2, 6 - 9 I, containing following features:

adjustment ex factory 6 l and 3 l
 pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
 water supply from left/right or back
 low noise (group I acc. to German Noise Specification)
 insulated against condensation
 1/2" water supply connection including integrated angle valve and push fit flexible hose union
 no tools required for the installation
 of the inspection shaft incl. protection during construction phase
 for vertical or horizontal use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
 for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

39 112 001

276.00



Rapid SL

Element for GROHE Sensia shower WCs, 1.13 m installation height with flushing cistern GD 2, 6 - 9 I

with connections for GROHE Sensia shower toilets (Sensia IGS/Sensia Arena)
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting
 for dry-cladding, completely pre-assembled
 with fixed connections
 quick adjustment, lockable
 fixing material
 TÜV approved
 2 WC fixing bolts
 fixing device for ceramic
 distance of fixing bolts 180/230 mm
 PP outlet bend Ø 90 mm
 depth adjustable
 reducer Ø 90/110 mm
 inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 I, containing following features:

adjustment ex factory 6 l and 3 l
 pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
 water supply from back
 low noise (group I acc. to German Noise Specification)
 insulated against condensation
 1/2" water supply connection including integrated angle valve and push fit flexible hose union
 no tools required for the installation
 of the inspection shaft incl. protection during construction phase
 for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
 universal water connection for shower toilets
 Sensia Arena and Sensia IGS
 concealed socket for mains supply
 positioning help for electrical connection
 for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR WC


Ref. No.

Colour

Price netto (€)

39 062 000

406.00



Rapid SL

Element for WC with leakage box, 1.13 m installation height with flushing cistern GD 2, 6 - 9 l

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material

2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

leakage box

collection body with wastewater lead-through
and connection for spill, black
leakage / slash water protection


flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
angle valve 1/2"
water inlet with pipe fixation
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)
including adapter 38 338 000

38 675 001

360.00



Rapid SL

Element for WC, 1.13 m installation height, 0.42 m width with flush cistern 6 l for WC bowls 70 cm projection

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm

inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit
flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please order fixing element 38 559 001 (sold separately)

INSTALLATION
SYSTEMS

GROHE RAPID SL FOR WC


Ref. No.

Colour

Price netto (€)

38 588 001

370.00



Rapid SL

Element for WC, 1.13 m installation height, for shaft installation with flushing cistern GD 2, 6 - 9 I

for shaft installation 800 - 1100 mm width
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 I, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 994 000

337.00

Rapid SL


Element for WC with flushing cistern 80 mm, 1.13 m installation height element width 0.62 m

for small, narrow bathrooms
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 I, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from top or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
water supply 1/2" and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)



GROHE RAPID SL FOR WC


Ref. No.

Colour

Price netto (€)

38 995 000

343.00



Rapid SL

Element for WC with flushing cistern 80 mm, variable width 1.13 m installation height

for small, narrow bathrooms
variable element width 0.70 – 1.20 m
for on-the-wall installation
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set


flushing cistern 80 mm, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from top
low noise (group I acc. to German Noise Specification)
insulated against condensation
water supply 1/2" and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical use

including wall brackets 38 558 00M for on-the-wall installation
for installation in Scandinavia please order adapter 38 338 000 (sold separately)

38 525 001

319.00



Rapid SL

Element for WC, 1.00 m installation height with flushing cistern 6 - 9 l

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
Shortable inspection shaft incl. protection during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

GROHE RAPID SL FOR WC


Ref. No.

Colour

Price netto (€)

38 525 10A

*



Rapid SL

Element for WC, 1.00 m installation height with flushing cistern 6 - 9 l

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush


front or top actuation

water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
Shortable inspection shaft incl. protection during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)
WRAS approved

38 526 000

344.00



Rapid SL

Element for WC, 0.82 m installation height with flushing cistern 6 - 9 l

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

front or top actuation

water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
Shortable inspection shaft incl. protection during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

GROHE RAPID SL FOR WC


Ref. No.

Colour

Price netto (€)

38 526 10A

*



Rapid SL

Element for WC, 0.82 m installation height with flushing cistern 6 - 9 l

for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:


pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
Shortable inspection shaft incl. protection during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

WRAS approved

38 618 000

289.00



Rapid SL

Element for WC, 0.82 m installation height with flushing cistern 6 - 9 l

for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
angle valve 1/2"
water inlet with pipe fixation
Shortable inspection shaft incl. protection during construction phase

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)
including adapter 38 338 000

GROHE RAPID SL FOR WC


Ref. No.

Colour

Price netto (€)

38 519 001

339.00



Rapid SL

Element for WC with flush valve, 1.13 m installation height with flush valve 6 - 9 l

for manual / electronic actuation

for on-the-wall installations or studded walls
steel frame with foil coating/hot galvanized,
self-supporting

for dry-cladding, completely pre-assembled
quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts

distance of fixing bolts 180/230 mm

WC ceramics with small bearing area (less than 205 mm)

require additional accessory 38 779 000

PP outlet bend Ø 90 mm

depth adjustable

PP reducer Ø 90/110 mm

inlet and outlet connecting set

manual/electronic actuation

adjustable

low noise (group I acc. to

German Noise Specification)

¾"

stop valve

6 l flush

flush bend

flow rate adjustment

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

40 899 000

37.00



Retrofit kit for shower toilets Sensia Arena and IGS

retrofit of existing Rapid SL and Uniset installations to
shower toilets Sensia Arena or IGS

including:

conduit pipe with locking ring and flat seal


and cable ties

WC connecting pipe Ø 45 mm

waste sleeve Ø 90 mm

38 558 00M

23.00



Rapid SL

Wall brackets

for on-the-wall installations

for fixing the elements at the brick-wall

or in front of the studded wall

steady vertical adjustment from

130 - 230 mm


cladding for single or series installation

fixing material

2 pieces

42 333 000

20.00



4.5 l adapter for GD2

to reduce the maximum flush volume to 4.5 liters


suitable for all elements with flushing cistern GD 2

GROHE RAPID SL FOR WC

Ref. No.

Colour


Price netto (€)



42 327 000

PP-outlet bend Ø 90 mm
variable depth adjustment

17.00



42 946 000

Elbow
made of PE
Ø 80/100 mm


26.00

GROHE RAPID SL FOR URINAL

Ref. No.

Colour

Price netto (€)




38 786 001

289.00

Rapid SL
Element for urinal with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for the ceramic
inlet connection and inlet connecting set
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
Shortable inspection shaft incl. protection
during construction phase for sets for final
installation with dimensions 116 x 144 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)




38 803 001

282.00

Rapid SL
Element for urinal with infra-red electronic
with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
inlet connection and inlet connecting set
fixing bolts M8, with fixing device for the ceramic
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
Shortable inspection shaft incl. protection
during construction phase for sets for final
installation with dimensions 116 x 144 mm
including wall brackets 38 558 00M for on-the-wall installation



39 376 000

266.00

Rapid SL
Element for urinal with temperature sensor
with roughing-in set for T sensor
1.13 and 1.30 m installation height


for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for the ceramic
inlet connection and inlet connecting set
box for concealed installation
including roughing-in box
water group with stop valve and flush elbow
for T sensor electronic please order installation set 39 368 000 or 39 369 000 (sold separately)
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE RAPID SL FOR URINAL

Ref. No.

Colour

Price netto (€)



38 517 001

223.00

Rapid SL
Element for urinal without fitting
1.13 and 1.30 m installation height
for manual / electronic actuation
for exposed fittings

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material


TÜV approved

HT-outlet bend Ø 50 mm

fixing bolts M8, with fixing device for the ceramic

inlet connection and inlet connecting set

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 558 00M

23.00

Rapid SL
Wall brackets

for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm

cladding for single or series installation

fixing material

2 pieces



42 824 000

700.00

Pull-off device for urinal


for 505.00.200, 508.00.200 and 809.00.200

GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.

Colour

Price netto (€)



38 554 001

151.00


Rapid SL
Element for wash basin, single hole installation
with noise protection

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm

2 noise protected fitting connections 1/2"

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



39 052 000

147.00


Rapid SL
Element for wash basin, single hole installation, height adjustable
with noise protection

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
fixing and connecting traverse, height adjustable
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm

2 noise protected fitting connections 1/2"

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 557 001

115.00

Rapid SL
Element for wash basin, single hole installation
1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE RAPID SL FOR WASH BASIN AND BIDET


Ref. No.

Colour

Price netto (€)

38 625 001

294.00



Rapid SL

Element for wash basin with concealed trap

for single hole installation or wall mounted fittings

1.13 m installation height

with concealed trap Ø 50 mm

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

single installation or fitting to a rail

quick adjustment, lockable

fixing material

TÜV approved

wash basin fixing bolts M10 with

fixing device for ceramic

variable distance of fixing bolts

2 noise protected fitting connections 1/2"

concealed syphon

for concealed wall installation

including cover plate for concealed trap, stainless steel

including adjustable brass outlet bend

chrome plated


height adjustable

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 748 002

chrome

446.00



Rapid SL

Element for wash basin with roughin-in set for infra-red electronic

for wall mounted fittings

suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000

and Eurocube E 36 442 000

1.13 m installation height

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

quick adjustment, lockable

fixing material

wash basin fixing bolts M10 with

fixing device for ceramic

variable distance of fixing bolts

HT-outlet bend Ø 50 mm

seal Ø 32 mm

pre-mounted roughin-in set

with protecting block

fire-proof pipe for laying electronic cables

installation box with water group, stop valve and flush elbow

connection with noise protected fitting holder 1/2"

connecting box for mains supply 230 V


CE approved

for installation with pre-mixed or cold water

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 546 000

119.00



Rapid SL

Element for wash basin, for wall mounted fittings

1.30 m installation height

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

quick adjustment, lockable

fixing material

TÜV approved

wash basin fixing bolts M10 with

fixing device for ceramic

variable distance of fixing bolts

HT-outlet bend Ø 50 mm

seal Ø 32 mm

2 noise protected fitting connections 1/2"

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE RAPID SL FOR WASH BASIN AND BIDET


Ref. No.

Colour

Price netto (€)

38 541 000

126.00




Rapid SL
Element for wash basin, single hole installation
1.00 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 544 000

227.00





Rapid SL
Element for hospital waste sink
for wall mounted fittings

1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
waterproof plywood
HT-outlet bend Ø 50 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 553 001

266.00




Rapid SL
Element for bidet, 1.13 m installation height

vertical support for ceramics with
small bearing area (< 205 mm)
powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 597 001

226.00



Rapid SL
Element for bidet, 1.13 m installation height


powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
fixing material
TÜV approved
bidet fixing bolts
seal Ø 32 mm
HT-outlet bend Ø 50 mm
2 noise protected fitting connections 1/2"
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.

Colour

Price netto (€)





38 545 000

268.00

Rapid SL

Element for bidet, 1.00 m installation height

powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)




38 543 000

285.00

Rapid SL

Element for bidet, 0.82 m installation height

powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 558 00M

23.00

Rapid SL

Wall brackets

for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces

GROHE RAPID SL FOR THE DISABLED


Ref. No.

Colour

Price netto (€)

38 675 001

360.00



Rapid SL

Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 l

for WC bowls 70 cm projection

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union


for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

for the mounting of support rails for the disabled please

order fixing element 38 559 001 (sold separately)

39 140 000

659.00



	1060	1080
A	1060	1080
B	230	230
C	910	910
D	950	950
E	1010	1010
F	410	410

Rapid SL

Element for WC, 1.13 m installation height

with fixing element for back support and support rails

with flushing cistern GD 2, 6 - 9 l

for the disabled

for WC bowls 70 cm projection

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts

4 wall brackets

fixing device for ceramic

distance of fixing bolts 180/230 mm

PP outlet bend Ø 90 mm

depth adjustable

PP reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation

for mounting of small flush plates please order


revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR THE DISABLED

Ref. No.

Colour

Price netto (€)



38 599 001

*

Rapid SL

Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 l

for installation **in front of studed walls**
or **free-standing installation**

powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

PVC outlet bend 100 mm

inlet and outlet connecting set

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit


flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 759 SDO

stainless steel

778.00



Radio electronic

for WC

receiver modul 868,4 MHz

for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen,
Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB

for flushing cistern GD 2, for flushing cistern 6 l

concealed installation, front plate 156 x 197 mm

servo motor

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

adjustable flush volume

adjustable flow time

72 h flushing can be activated

with extension cable, 3.00 m length,

for connecting transformer and


electronic

CE approved

38 934 SDO

stainless steel

474.00



WC control for manual remote actuation

for concealed flushing cisterns, 6 - 9 l

for connecting one or more potential-free actuation buttons via cable

suitable for support rails for the disabled with integrated actuation button

from Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB

stainless steel wall plate 156 x 197 mm

transformer for external installation

operating voltage 230 V AC, 50/60 Hz, 4.0 VA

servo motor

3 m connecting cable

for the connection of transformer and electronic


3 m connection cable with plug

CE approved

delivery range without actuation button/support rails

39 141 000

539.00



Radio electronic

for WC with flushing cistern GD2

receiver modul 868,4 MHz

for wall sender 39 142 000 or radio transmitter 38 758 000

for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen,
Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB

servo motor

integrated battery box for 4 x 1.5 V Mono D (LR20)

adjustable flush volume

72 h flushing can be activated

Dual Flush possible (6/3 or 9/4.5 l)

WC actuation plate and batteries are not included


CE approved

GROHE RAPID SL FOR THE DISABLED

Ref. No.

Colour

Price netto (€)




39 142 000

216.00

Radio transmitter

for WC receiver module 39 141 000, 38 759 SD0
frequency 868.4 MHz
with option for Dual Flush
can be integrated into a standard electricity box
(measurements according to DIN 49073)
CE approved




38 625 001

294.00

Rapid SL

Element for wash basin with concealed trap

for single hole installation or
wall mounted fittings
1.13 m installation height
with concealed trap Ø 50 mm
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
single installation or fitting to a rail
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
2 noise protected fitting connections 1/2"
concealed syphon
for concealed wall installation
including cover plate for concealed trap, stainless steel
including adjustable brass outlet bend
chrome plated
height adjustable
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)




38 541 000

126.00

Rapid SL

Element for wash basin, single hole installation

1.00 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 559 001

196.00

Rapid SL

Fixing element, 1.13 m installation height

to fix **support** for the disabled in
lightweight studded wall partitions
or on-the-wall installations
0.31 m wide
powder coated steel frame
waterproof plywood
fixing material
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE RAPID SL FREE-STANDING INSTALLATION

Ref. No.

Colour

Price netto (€)


38 584 001

226.00

Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2, 6 - 9 I

for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
lockable
fixing material
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm) require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set



flushing cistern GD 2, 6 - 9 I, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)


38 340 001

238.00

Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2, 6 - 9 I

for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
lockable
fixing material
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PVC outlet bend 100 mm
spacer Ø 80 mm
inlet and outlet connecting set



flushing cistern GD 2, 6 - 9 I, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FREE-STANDING INSTALLATION


Ref. No.

Colour

Price netto (€)

38 587 000

330.00



Rapid SL

Element for WC, 0.82 m installation height with flushing cistern 6 - 9 l

for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections

lockable

TÜV approved

fixing material

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

front or top actuation

water supply from left/right or back

low noise (group I acc. to German Noise Specification)

insulated against condensation


1/2" water supply connection including integrated angle valve and push fit

flexible hose union

Shortable inspection shaft incl. protection during construction phase

38 581 001

520.00



Rapid SL

Element for bidet, 1.13 m installation height

for free-standing installation, for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

pre-assembled

height adjustable fitting connections

lockable

TÜV approved

fixing material

bidet fixing bolts

HT-outlet bend Ø 50 mm

seal Ø 32 mm


2 noise protected fitting connections 1/2"

fixing material for bidet

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 558 00M

23.00



Rapid SL

Wall brackets

for on-the-wall installations

for fixing the elements at the brick-wall

or in front of the studded wall

steady vertical adjustment from

130 - 230 mm

cladding for single or series installation

fixing material

2 pieces

GROHE RAPID SL FITTING SUPPORTS


Ref. No.

Colour

Price netto (€)

37 998 000

79.00




Rapid SL
Fitting support for exposed fittings
for **studded walls**
for empty frames
2 noise protected fitting connections 1/2"
fixing material

GROHE RAPID SL ACCESSORIES

Ref. No.

Colour


Price netto (€)



38 636 001

175.00


Rapid SL
Cladding for wall mounted WC
1.13 m installation height
gypsum fibre boards 1190 x 480 x 12.5 mm
with all cut-outs
self-tapping screws
2 zinc coated support angles with
fixing screws



38 558 00M

23.00


Rapid SL
Wall brackets
for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces



38 629 000

46.00


Rapid SL
Extension
for floor constructions from 200 up to 350 mm
fixing material
not suitable for project elements



38 733 000

29.00


Rapid SL
Xtra wall brackets, flexible placing
for additional fixation of WC elements
or installation without floor fixing
mounting angles including wall bracket and fixing material
2 pieces



38 562 001

86.00

Rapid SL
Set for corner installation
for WC, bidet, wash basin and urinal
single installation or fitting to a rail
fitting maximum 625 mm from the corner
fixing material for corner installation
2 wall brackets **1.13 m**
135°



38 779 000

156.00

Rapid SL
Accessory
for WC bowls with a bearing area of less than 20 cm
vertical support for ceramics with
small bearing area (< 205 mm)

GROHE RAPID SL ACCESSORIES

Ref. No.

Colour

Price netto (€)




39 607 000

68.00

**Rapid SLX
Accessory**

for WC bowls with a bearing area of less than 20 cm
vertical support for ceramics with
small bearing area (< 205 mm)



37 131 000

13.00

Set for noise protection

for WC
sound insulation
2 rubber pipes



42 397 000

20.00


Tube



42 766 000

7.20


Distance pipe 3"



38 338 000

10.00

Connecting box



40 911 000

14.00

Revision shaft for small flush plates

for combination with Rapid SL and Uniset GD 2 cisterns

GROHE RAPID SL ACCESSORIES


Ref. No.

Colour

Price netto (€)

40 950 000

16.00




Revision shaft for small flush plates

for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height

40 949 000

21.00



Revision shaft for small flush plates

for combination with 80 mm cistern

66 791 000

10.00





Inspection shaft

for combination with Rapid SLX cisterns

43 617 000

87.00



Motor support device

for Rapid SL 38 675
for the disabled
as of mid 2008
for installation of infra-red electronic

42 216 000

17.50



PVC waste bend

diameter 90/100 mm

39 691 000

47.00




Seal kit S for small maintenance shaft

including sealing sleeve for WC and sealing tape
based on ETAG 022 attachment F

GROHE RAPID SL ACCESSORIES

Ref. No. Colour Price netto (€)




39 692 000 **47.00**
Seal kit
including sealing sleeve for WC and sealing tape
based on ETAG 022 attachment F

GROHE UNISSET FRAMES AND ACCESSORIES

Ref. No.

Colour

Price netto (€)




39 683 000

*

Uniset Slim

Element for WC with flushing cistern 88.9 mm

cistern volume 6 l
inlet and outlet connecting set
angle valve 1/2"
2 WC fixing bolts
distance of fixing bolts 180/230 mm
GROHE EcoJoy technology for less water and perfect flow
Shortable inspection shaft incl.
protection during construction phase,
for vertical use
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)
flushing cistern SLIM, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from top
optional flow manager please order separately
for on-the-wall installation please order wall brackets 39 699 000 (sold separately)



39 452 000


chrome

191.00

Uniset

3-in-1 set for WC with flushing cistern GD 2, 6 - 9 l

consisting of:
Uniset element for WC (38 643 001)
Skate Air flush plate, chrome, vertical installation (38 505 000)
support feet (37 304 000)



38 723 001


chrome

204.00

Uniset

2-in-1 set for WC with flushing cistern GD 2, 6 - 9 l

consisting of:
Uniset element for WC (38 643 001)
Skate Air flush plate, chrome, vertical installation (38 505 000)



38 724 001

251.00

Uniset

2-in-1 set for WC with flushing cistern GD 2, 6 - 9 l


consisting of:
Uniset element for WC (38 643 001)
Skate Air flush plate, alpine white, vertical installation (38 505 SH0)

GROHE UNISSET FRAMES AND ACCESSORIES

Ref. No.

Colour

Price netto (€)




38 825 000

chrome

174.00

Uniset
2-in-1 set for WC
with flushing cistern GD 2, 6 - 9 I
consisting of:
Uniset element for WC (38 643 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)



38 643 001

209.00

Uniset
Element for WC with EPS housing
with flushing cistern GD 2, 6 - 9 I
sound-insulating EPS module for
masonry-in
830 x 470 x 130 mm
rail adaptors for modular fixing
for single or rail installation
wall rail with fixing accessories for
single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 I, containing following features:

- adjustment ex factory 6 l and 3 l
- pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
- water supply from left/right/back or top
- low noise (group I acc. to German Noise Specification)
- insulated against condensation
- 1/2" water supply connection including integrated angle valve and push fit flexible hose union
- for vertical or horizontal use
- no tools required for the installation
- of the inspection shaft incl. protection during construction phase

- preparation for shower toilets with additional accessory 40 899 000 (sold separately)
- for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE UNISSET FRAMES AND ACCESSORIES


Ref. No.

Colour

Price netto (€)

38 642 001

162.00



Uniset

Element for WC with EPS housing and support feet with flushing cistern GD 2, 6 - 9 I

sound-insulating EPS module for masonry-in
830 x 470 x 130 mm
rail adaptors for modular fixing
wall rail with fixing accessories for single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm


flushing cistern GD 2, 6 - 9 I, containing following features:

inlet and outlet connecting set
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase

preparation for shower toilets with additional accessory 40 899 000 (sold separately)
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

39 165 000

118.00



Uniset

Element for WC with flushing cistern GD 2, 6 - 9 I

778 x 440 x 116 mm
for single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 I, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
cistern insulated against condensation
1/2" angle valve with push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use


preparation for shower toilets with additional accessory 40 899 000 (sold separately)
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE UNISSET FRAMES AND ACCESSORIES

Ref. No.

Colour


Price netto (€)



38 729 000

289.00

Uniset
Element for WC with flushing cistern 80 mm
6 l flush
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
PE outlet bend Ø 80 mm
inlet and outlet connecting set
steel frame, hot galvanized, with 4 fixing brackets
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
water supply connection from top
low noise (group I acc. to German Noise Specification)
with plaster base coating made of vinyl fleece
angle valve 1/2"
with push fit flexible hose union
Shortable inspection shaft incl.
protection during construction phase, for vertical use
for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)



38 415 001

253.00

Uniset
Element for WC, 0.82 m installation height
with flushing cistern 6 - 9 l
front or top actuation
sound-insulating EPS module for masonry-in
rail adaptors for modular fixing
for single or rail installation
wall rail with fixing accessories for single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
depth adjustable
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection
angle valve 1/2"
Shortable inspection shaft incl. protection during construction phase

preparation for shower toilets with additional accessory 40 899 000 (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

GROHE UNISSET FRAMES AND ACCESSORIES


Ref. No.

Colour

Price netto (€)

38 785 000



191.00



Uniset
Element for urinal with infra-red electronic
with GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
sound-insulating EPS module for
masonry-in with closed surface
rail adaptors for modular fixing
for single or series installation
fixing accessories for single installation
height adjustable fitting connections
inlet connection and inlet connecting set
HT-outlet bend Ø 50 mm
threaded bolts M8
fixing material for urinal bowl
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
Shortable inspection shaft incl. protection
during construction phase for sets for final
installation with dimensions 116 x 144 mm

37 576 000



203.00



Uniset
Element for wash basin, single hole installation
sound-insulating EPS module for
masonry-in with closed surface
rail adaptors for modular fixing
for single or series installation
fixing accessories for single installation
height adjustable fitting and
outlet connections
wash basin fixing bolts
distance of fixing bolts 280 mm
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 fitting connections 1/2"
fixing material for wash basin
for on-the-wall installation please order support feet 37 304 000 (sold separately)

37 578 001


203.00



Uniset
Element for bidet with EPS housing
sound-insulating EPS module for
masonry-in with closed surface
rail adaptors for modular fixing
for single or series installation
wall rail with fixing accessories for
single installation
bidet fixing bolts
height adjustable fitting and
outlet connections
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 variable fitting connections
fixing material for bidet
for on-the-wall installation please order support feet 37 304 000 (sold separately)

38 703 000

*




Uniset
Element for bidet
steel frame, hot galvanized, with 4 fixing brackets
2 bidet fixing bolts
height adjustable fitting and
outlet connections
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 variable fitting connections 1/2"
fixing material for bidet

GROHE UNISET FRAMES AND ACCESSORIES

Ref. No.

Colour

Price netto (€)



37 304 000

41.00


**Uniset
Support feet**
matching **Uniset** for **WC and bidet**
made of hot galvanized steel
fixing material
for on-the-wall installations



40 899 000

37.00

Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL and Uniset installations to
shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe \varnothing 45 mm
waste sleeve \varnothing 90 mm



40 911 000

14.00

Revision shaft for small flush plates
for combination with Rapid SL and Uniset GD 2 cisterns

40 950 000

16.00

ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height

40 949 000

21.00

ditto, for combination with 80 mm cistern

GROHE
FLUSHING SYSTEMS





CONTENTS


WC	Flushing cisterns	648
	Accessories for flushing cisterns	652
	WC flush valves	663
	Electronic actuations for WC	668
Urinal	Electronic actuations for urinal	672
	Urinal flush valves	678

GROHE FLUSHING CISTERNS

Ref. No.

Colour

Price netto (€)




37 355 SH0

alpine white

94.00

Flushing cistern for WC

6 l flush
exposed installation
interruptible flush cycle
servo actuation
low level
made of ABS
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
angle valve 1/2"
copper pipe
mounting template
flush pipe bend
WC inlet connector




38 372 SH0

alpine white

*

Flushing cistern for WC

6 l flush
exposed installation
interruptible flush cycle
hidden flush pipe connection
servo actuation
low level
made of ABS
low noise (group I acc. to German Noise Specification)
insulated against condensation
angle valve 1/2"
copper pipe
mounting template
flush pipe bend
WC inlet connector




37 762 SH0

alpine white

93.00

Flushing cistern for WC

6 l
exposed installation
with top
for concealed bath furniture installation
made of ABS
non-interruptible flush cycle
pneumatic actuation
filling valve
1/2"
min. recommended static pressure 0.2 bar
mounting template
flush pipe bend
WC inlet connector
ABS flush pipe 180 mm x 320 mm
connection from left / right or back side inlet



37 791 SH0

alpine white

132.00

Flushing cistern for WC

6 l flush
exposed installation
interruptible flush cycle
hidden flush pipe connection
servo actuation
low level
made of PS
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
angle valve 1/2"
copper pipe
mounting template
flush pipe bend
WC inlet connector

GROHE FLUSHING CISTERNS

Ref. No.


Colour

Price netto (€)

38 895 000

chrome

191.00



GD2 set

6 l flush

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right/back or top

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

flush pipe insulated against condensation

fixing brackets

inlet and outlet connecting set

fixing device for ceramic

Skate Air wall plate

vertical installation

156 x 197 mm

chrome


made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow

38 661 000

165.00



Flushing cistern GD 2

6 l flush

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right/back or top

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

flush pipe insulated against condensation

fixing brackets

without wall plate/actuation


GROHE EcoJoy technology for less water and perfect flow

for mounting of small flush plates please order

revision shaft 40 911 000 (sold separately)

38 987 000

98.00



Flushing cistern GD 2

6 l flush

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right/back or top

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

flush pipe insulated against condensation

fixing brackets

without wall plate/actuation

GROHE EcoJoy technology for less water and perfect flow

with inlet pipe and connector

for mounting of small flush plates please order


revision shaft 40 911 000 (sold separately)

GROHE FLUSHING CISTERNS

Ref. No.

Colour

Price netto (€)




38 863 000

108.00

**Flushing cistern for WC 80 mm
6 l flush**

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply connection from top
low noise (group I acc. to German Noise Specification)
with plaster base coating made of vinyl fleece
with push fit flexible hose union
angle valve 1/2"
Shortable inspection shaft incl. protection during construction phase,
for vertical use
fixing brackets
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow
for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)





38 422 000

138.00

**Flushing cistern for WC
6 l flush**

concealed installation
0.82 m installation height
dual flush discharge valve, pneumatic
front or top actuation
water supply from left/right or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
415 x 410 x 360 mm
1/2" water supply connection
fixing brackets
flush pipe
Shortable inspection shaft incl. protection during construction phase
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow



38 691 000

155.00

**Eau2
WC flushing cistern 0.82 m
6 l / 3l**

Dual Flush
low noise filling valve
6 l flush
concealed installation
0.82 m installation height
water supply from left/right or back
connection from left / right or back
non-interruptible flush cycle
front or top single 6 l only flush
water supply from left/right or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
415 x 410 x 360 mm
with angle stop valve 1/2" and flush pipe
1/2" water supply connection
angle valve 1/2"
fixing brackets
flush pipe
without wall plate/actuation
protecting block
min. recommended static pressure 0.2 bar
air button
front or top actuation
extended hose length for flexibility when positioning the actuation
sleek and minimal styling allows the button to be fitted in any 360degree orientation
GROHE EcoJoy technology for less water and perfect flow

GROHE FLUSHING CISTERNS

Ref. No.


Colour

Price netto (€)

38 771 000

chrome

37.00



Pneumatic push button actuation












for dual flush or start & stop actuation
Ø 48 mm

in combination with bath furniture or
removable claddings for cistern
inspection












for material thickness from 18 -24 mm
pneumatic hose 600 mm

GROHE StarLight chrome finish




GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	37 095 000 Filling valve 3/8" universal application without adapter for the pipe connection cap, restrictor **) max. shortening 100 mm		33.00
	37 093 000 ditto, but with stand pipe for bottom inlet		50.00
	37 092 000 ditto, with adaptor		34.00
 	37 502 000 Filling valve cap, restrictor		25.00
 	43 537 000 Filling valve for concealed flushing cisterns 6 l		23.00
 	37 501 PI0 Eco-discharge valve for close-coupled cisterns dual flush discharge valve AV1 push button actuation with Eco-knob for ceramic lid hole \varnothing 16-50 mm with fixing device for lid fixing set with 100 mm screws and cellular rubber joint 100 mm dia. GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow	matt chrome/chrome	55.00
 	42 297 PI0 Eco-discharge valve dual flush discharge valve AV1 push button actuation \varnothing 40 mm with Eco-knob with fixing device for lid GROHE EcoJoy technology for less water and perfect flow fixing set with 100 mm screws and cellular rubber joint 100 mm dia.	matt chrome/chrome	56.00
	42 253 000 Discharge valve, Dual Flush		54.00












GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	37 078 PI0 Servo-set retrofit unit for close-coupled flushing cisterns connection from the side with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes GROHE StarLight chrome finish **) max. shortening 100 mm	matt chrome/chrome	86.00
 	37 088 PI0 Servo discharge valve interruptible flush cycle with short discharge cycle valve housing decide for maintenance opening and complete before installation escutcheon push button for lid holes \varnothing 16 - 35 mm fixing material GROHE StarLight chrome finish 37 085 PI0 ditto, with push button for lid hole \varnothing 40 mm	matt chrome/chrome	61.00
 	37 497 PI0 Servo discharge valve interruptible flush cycle for close-coupled ceramic cisterns push button actuation with escutcheon \varnothing 38 mm fixing set with 100 mm screws and cellular rubber joint 100 mm dia. GROHE StarLight chrome finish	matt chrome/chrome	50.00
 	37 086 PI0 Servo discharge valve interruptible flush cycle flush volume 3 l minimum short discharge valve housing push button actuation \varnothing 40 mm escutcheon fixing set with 100 mm screws and cellular rubber joint 100 mm dia.	matt chrome/chrome	*
 	37 100 SH0 Flush pipe 390 x 350 mm	alpine white	27.00
	43 536 000 Valve head		4.30

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
	43 733 000		4.10
	Membrane filling valve		
	43 758 00M		25.00
	ditto, 10 pieces per set		
<hr/>			
	42 271 00M		66.00
	Nipple multi-packaging: 10 pieces		
			
<hr/>			
	37 099 K00	black	70.00
	Flush pipe for low level flushing cistern behind the wall for remote control two-parts 180 x 70 mm 300 mm extension including protecting plug		
			
<hr/>			
	38 735 000		50.00
	Retro-fit set for flushing cistern 6 l concealed installation dual flush discharge valve AV1 including valve seat for 6 l or 3 l angle valve 1/2" guiding pipe for screws without wall plate GROHE EcoJoy technology for less water and perfect flow		
			
<hr/>			
	38 736 000		41.00
	Retro-fit set dual flush for flushing cistern GD 2 6 l flush dual flush discharge valve AV1 including valve seat without wall plate/actuation GROHE EcoJoy technology for less water and perfect flow		
			
<hr/>			
	42 320 000		42.00
	Dual Flush discharge valve AV1 AV1 complete with pipe extension 6 l flush without valve seat without actuation		
			

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	42 137 000		29.00
<p>Servo discharge valve non-interruptible flush cycle for concealed bath furniture cistern without actuation</p>			
 	43 486 000		23.00
<p>Servo discharge valve 50 pieces per carton</p>			
 	42 265 000		159.00
<p>Discharge valve, Dual Flush for flushing cistern 0.82 m pneumatic actuation for 6 l or 3 l including valve seat</p>			
 	42 774 000		56.00
<p>Waste pneumatic</p>			
	42 233 000	chrome	10.00
<p>Tube</p>			
 	43 908 000		25.00
<p>Flush pipe, concealed complete for concealed cisterns with polystyrene insulation and protective cover length 280 mm</p>			









GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	37 311 K00	black	29.00
	WC inlet and outlet connecting set for wall hung WC connecting pipe \varnothing 45 mm waste sleeve \varnothing 90 mm 150 mm long cover for WC fixing bolts		
 	37 489 000		6.60
	Extension for concealed flush pipe length 200 mm		
	43 352 000		7.20
	ditto, length 300 mm		
 	37 103 SH0	alpine white	11.00
	Inlet set connecting pipe from flush pipe of concealed flush valve 6 to 9l and concealed flushing cistern to pedestal WC connector escutcheon		
 	37 104 K00	black	32.00
	WC inlet and outlet connecting set for wall hung WC connecting pipe \varnothing 45 mm length 200 mm connector waste sleeve \varnothing 110 mm 150 mm long cover for WC fixing bolts		
 	37 105 K00	black	32.00
	Extension for concealed flush pipe length 300 mm		
 	37 115 PI0	matt chrome/chrome	10.00
	Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole \varnothing 40 mm GROHE StarLight chrome finish		

GROHE ACCESSORIES FOR FLUSHING CISTERNS








	Ref. No.	Colour	Price netto (€)
	37 117 P10 Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 16 - 35 mm GROHE StarLight chrome finish	matt chrome/chrome	9.90
 	37 119 000 Connector 55 mm for low level flushing cistern		3.00
 	37 125 000 Dummy plug and escutcheon cap for ceramic flushing cisterns lid hole Ø 40 mm GROHE StarLight chrome finish	chrome	8.10
 	42 327 000 PP-outlet bend Ø 90 mm variable depth adjustment		17.00
 	42 333 000 4.5 l adapter for GD2 to reduce the maximum flush volume to 4.5 liters suitable for all elements with flushing cistern GD 2		20.00
 	42 946 000 Elbow made of PE Ø 80/100 mm		26.00

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	37 131 000		13.00
	Set for noise protection for WC sound insulation 2 rubber pipes		
	42 773 000		11.00
	Valve seat for concealed cisterns, dual flush		
	42 315 000		8.30
	Valve seat for GD2		
	43 542 000		7.00
	Valve seat with o-ring valve seat for concealed flushing cisterns 6 - 9 l / 6 l 0.82 m installation height (until 02.97) for Variella Compact Ø 41 mm		
	43 545 000		19.00
	Valve seat with o-ring for concealed flushing cisterns 6 - 9 l / 6 l 0.82 m installation height (until 02.97) for Variella Compact Ø 55 mm		
 	43 535 000		3.90
	Push Bar for Servo discharge valve 350 mm		

FLUSHING SYSTEMS

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	43 540 000 Pop-up rod for Servo discharge valve 451 mm		4.80
	43 544 000 Outlet piston for Servo discharge valve		11.00
	43 722 000 Set of seals		7.30
	43 734 000 Lever		4.00
	43 735 000 Screw cap		2.60
	43 745 000 Seal		5.30

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
	43 770 00M Seal multi-packaging: 10 pieces		8.00
	43 976 000 Lever		3.20
	42 242 000 4" outlet adaptor for Rapid SL		9.80
	42 075 000 Flow restrictor reduces flow rate for exposed flushing cisterns installation in flush pipe shorten if necessary		6.00
	42 300 000 Flow restrictor reduces flow rate for flushing cistern GD 2 installation in valve seat to eliminate water splashes coming out of the bowl		17.00
	38 714 000 Extension set 70 mm for wall plates/actuators for flushing cistern GD 2, 6 - 9 l with pneumatic discharge valve		14.00

GROHE ACCESSORIES FOR FLUSHING CISTERNS

Ref. No.

Colour

Price netto (€)













42 593 000

28.00













Valve seat

including flow manager
reduces flow of the flush
prevents overflow in rimless toilets
easy flow regulation via inspection shaft without removing the valves
suitable for flushing cistern GD 2





GROHE WC FLUSH VALVES

	Ref. No.	Colour	Price netto (€)
 	37 347 000	chrome	221.00
<p>Rondo A.S. Flush valve for WC 3/4" brass GROHE StarLight chrome finish for wash-down and wash-out bowls control cap and connection to plastic flush pipe with flow rate adjustment 6 l flush with escutcheon flow pressure min 1.2 bar operating pressure max 5 bar low noise (group I acc. to German Noise Specification)</p>			
 	37 349 000	chrome	221.00
<p>Rondo A.S. Flush valve for WC 3/4" brass integrated stop valve GROHE StarLight chrome finish for wash-down and wash-out bowls control cap and connection to plastic flush pipe with flow rate adjustment 6 l flush with escutcheon flow pressure min 1.2 bar operating pressure max 5 bar low noise (group I acc. to German Noise Specification)</p>			
 	37 141 000	chrome	96.00
<p>DAL-Full-automatic flush valve for WC 3/4" brass GROHE StarLight chrome finish for wash-down and wash-out bowls with automatic flow rate flow pressure range from 1.2 - 5.0 bar low noise (group II according to German noise specification)</p>			
 	37 139 000	chrome	100.00
<p>DAL-Automatic flush valve for WC 3/4" brass GROHE StarLight chrome finish for wash-down and wash-out bowls with flow rate adjustment</p>			
 	37 636 000	chrome	138.00
<p>Stop valve 3/4" exposed installation with inside lying spindle escutcheon for roughing-in set for concealed installation GROHE StarLight chrome finish</p>			

GROHE WC FLUSH VALVES

	Ref. No.	Colour	Price netto (€)
 	37 132 000	chrome	31.00
	Fixing device hidden fixing screws for flush pipes Ø 28 mm for distance to the wall from 15 - 85 mm		
 	37 133 000	chrome	95.00
	Inlet adaptor for corner installation 3/4"		
 	37 107 000	chrome	96.00
	Flush pipe for WC flush valve Ø 28 x 26 mm 600 x 200 mm brass flush pipe fixing device for distance to the wall from 15 - 85 mm connector		
 	37 112 000	chrome	124.00
	Flush pipe for flush valves Ø 28 x 26 mm adjustable, 500 - 750 mm brass		
 	37 108 000	chrome	90.00
	Flush pipe for WC flush valve Ø 28 x 26 mm 1000 x 200 mm straight brass without flush pipe fixing device for distance to the wall from 15 - 85 mm connector		
 	37 114 000	chrome	33.00
	Flush pipe extension Ø 28 x 26 mm 260 mm brass		

GROHE WC FLUSH VALVES

	Ref. No.	Colour	Price netto (€)
 	<p>42 041 000</p> <p>Flush pipe set for WC flush valve Rondo A.S. for squatting WC flush pipe 850 mm distributor for the flush pipe flush pipe fixing device</p>	<p>chrome</p>	<p>148.00</p>
 	<p>37 135 000</p> <p>Connector 55 mm for flush valve to pedestal WC</p>	<p>chrome</p>	<p>8.20</p>


* price upon request

GROHE WC FLUSH VALVES

Ref. No.

Colour

Price netto (€)




37 153 000

297.00

Flush valve for WC
concealed installation
3/4"

stop valve
6 l flush

flow pressure range from 1.2 - 5.0 bar
with flow rate adjustment
box for concealed installation with
flush elbow
flush pipe adjustable in length
without wall plate/actuation
low noise (group I acc. to
German Noise Specification)




37 157 000

238.00

Flush valve for WC
concealed installation
3/4"

stop valve
6 - 14 l adjustable

for low pressure
for wash-down and wash-out bowls
flow pressure range from 0.6 - 3.0 bar
(min. static pressure 1.5 bar)
with flow rate adjustment
box for concealed installation with
flush elbow
flush pipe adjustable in length
without wall plate/actuation
volume needed: 1.6 l/sec



37 048 000



324.00

Flush valve for WC
concealed installation
3/4"

with **connection** to solenoid valve
stop valve

6 l flush

flow pressure range from 1.2 - 5.0 bar
with flow rate adjustment
2 m connecting cable
box for concealed installation with
flush elbow
concealed flush pipe
without electronic actuation




43 996 000

204.00

Flush valve for WC
concealed installation
3/4"

retrofit for 677.00.200/677.03.200/680.00.200
without stop valve
without flush pipe



43 997 000





236.00

Flush valve for WC
3/4"

retrofit for 677.00.500/677.03.500/680.00.500
for low pressure
without stop valve
without flush pipe

reference:
Model 677. with stainless steel actuation is to be replaced
by ref. 43 997 and 43 179 P00 (plastic actuation).

GROHE WC FLUSH VALVES


	Ref. No.	Colour	Price netto (€)
	<p>42 902 000</p> <p>Flush valve for WC concealed installation 3/4" 6 l flush stainless steel wall plate without stop valve without flush pipe to replace against model 663.04.200 (G1)</p>	<p>chrome</p>	<p>498.00</p>
	<p>42 901 000</p> <p>Flush valve for WC 3/4" concealed installation 6 l flush wall plate Classic, 220 x 255 mm GROHE StarLight chrome finish without stop valve without flush pipe retrofit for 623.03.200 (G3/4)</p>	<p>chrome</p>	<p>383.00</p>
	<p>37 102 SH0</p> <p>Inlet set connecting pipe from flush pipe of concealed flush valve 6 to 9l and concealed flushing cistern to pedestal WC connector escutcheon</p>	<p>alpine white</p>	<p>17.00</p>
	<p>37 131 000</p> <p>Set for noise protection for WC sound insulation 2 rubber pipes</p>		<p>13.00</p>

GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.

Colour

Price netto (€)



38 698 SD1

stainless steel

607.00


Tectron Skate

Infra-red electronic for WC flushing cistern

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2

servo motor
concealed installation
front plate 156 x 197 mm

infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved



38 699 001

chrome

519.00

Tectron Surf


Infra-red electronic for WC flushing cistern

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

GROHE StarLight chrome finish
with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2

servo motor
concealed installation
front plate 156 x 197 mm

infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved



37 419 000

chrome

822.00

37 419 SD0

stainless steel

841.00

Tectron Skate

Infra-red electronic for WC flushing cistern


with additional manual actuation with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC

for single flush actuation

for flushing cistern GD 2

servo motor
concealed installation
hidden fixing screws
front plate 156 x 197 mm

7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved



38 393 SD1

stainless steel

531.00

Tectron Skate

Infra-red electronic for WC flush valve

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

concealed installation
front plate 156 x 197 mm

infra-red control
solenoid valve
7 pre-set programs:


CE approved

GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.

Colour

Price netto (€)


 	<p>43 617 000 87.00</p> <p>Motor support device for Rapid SL 38 675 for the disabled as of mid 2008 for installation of infra-red electronic</p>
 	<p>38 759 SD0 778.00 stainless steel</p> <p>Radio electronic for WC receiver modul 868,4 MHz for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB for flushing cistern GD 2, for flushing cistern 6 l concealed installation, front plate 156 x 197 mm servo motor with transformer 100-230 V AC, 50-60 Hz, 6 V DC adjustable flush volume adjustable flow time 72 h flushing can be activated with extension cable, 3.00 m length, for connecting transformer and electronic CE approved</p>
 	<p>38 778 000 630.00</p> <p>Radio electronic for an additional wall plate for manual actuation for WC receiver modul 868,4 MHz for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB for flushing cistern GD 2, for flushing cistern 6 l concealed installation servo motor with transformer 100-230 V AC, 50-60 Hz, 6 V DC adjustable flush volume adjustable flow time 72 h flushing can be activated with extension cable, 3.00 m length, for connecting transformer and electronic</p>
 	<p>39 141 000 539.00</p> <p>Radio electronic for WC with flushing cistern GD2 receiver modul 868,4 MHz for wall sender 39 142 000 or radio transmitter 38 758 000 for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB servo motor integrated battery box for 4 x 1.5 V Mono D (LR20) adjustable flush volume 72 h flushing can be activated Dual Flush possible (6/3 or 9/4,5 l) WC actuation plate and batteries are not included CE approved</p>
 	<p>39 142 000 216.00</p> <p>Radio transmitter for WC receiver module 39 141 000, 38 759 SD0 frequency 868.4 MHz with option for Dual Flush can be integrated into a standard electricity box (measurements according to DIN 49073) CE approved</p>

GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.

Colour

Price netto (€)



38 934 SD0

stainless steel

474.00

WC control for manual remote actuation

for concealed flushing cisterns, 6 - 9 l
 for connecting one or more potential-free actuation buttons via cable
 suitable for support rails for the disabled with integrated actuation button
 from Hewi, Keuco, Lehen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
 stainless steel wall plate 156 x 197 mm
 transformer for external installation
 operating voltage 230 V AC, 50/60 Hz, 4.0 VA
 servo motor
 3 m connecting cable
 for the connection of transformer and electronic
 3 m connection cable with plug
 CE approved
 delivery range without actuation button/support rails



36 340 000

60.00

Power extension cable
 length 3.00 m



36 341 000

92.00

Power extension cable
 length 10.00 m

GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.


Colour

Price netto (€)

43 977 000

chrome

431.00




Pneumatic actuation
GROHE StarLight chrome finish
 remote **hand-actuation** for
institutional requirements
 push button with escutcheon Ø 100 mm
 for walls of 80 - 240 mm thickness
 actuation stop
 pneumatic hose 1.50 m

37 059 000

chrome

183.00




Pneumatic actuation
GROHE StarLight chrome finish
 remote hand actuation
 push button actuation with
 escutcheon Ø 100 mm
 vertical and horizontal installation
 wall plate Surf 156 x 197 mm
 pneumatic hose 1.50 m

37 060 000

chrome


80.00



Pneumatic actuation
GROHE StarLight chrome finish
 push button actuation with
 escutcheon Ø 100 mm
 pneumatic hose 1.50 m
without wall plate

36 407 001

360.00



Remote control
 for all GROHE one eye infra-red products as of 06/2015
 and GROHE Blue Home until 12/2018
monitoring
 consumption and usage data
 thermal disinfection cycles (infrared faucets)
 auto flush cycles (infrared faucets)
 cleaning mode cycles (GROHE Blue Home)
 filter and CO₂ capacity (GROHE Blue Home)
configuration
 cleaning mode on/off
 thermal disinfection (infrared faucets)
 detection range
 shut off delay (infrared faucets)
 auto flush (infrared faucets)
 filter capacity (GROHE Blue Home)
service
 send and save profile
 reset to factory or user settings
 filter capacity (GROHE Blue Home)
 demo mode
 error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 421 000

chrome

477.00



Tectron Rondo

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

flow pressure min 0.5 bar

operating pressure max 10 bar

G 1/2

with **integrated stop valve**

flush pipe with rubber connector

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407


adjustable flow time by hand or remote

CE approved

37 426 000

chrome

405.00



Tectron Rondo

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

flow pressure min 0.5 bar

operating pressure max 10 bar

G 1/2

with **integrated stop valve**

flush pipe with rubber connector

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings


by remote control 36 407

CE approved

37 427 000

chrome

348.00



Tectron retro-fit unit 1/2"

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

for urinal flush valve 37 021 and variants

flow pressure min 0.5 bar

operating pressure max 10 bar

with piston

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407

adjustable flow time by hand or remote

CE approved

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 428 000

chrome

296.00



Tectron retro-fit unit 1/2"

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

for urinal flush valve 37 339 000 and variants

flow pressure min 0.5 bar

operating pressure max 10 bar

with piston

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407

adjustable flow time by hand or remote

CE approved

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 336 001

chrome

463.00



Tectron Surf


Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
**set for final installation
for Rapido U**
CE approved

37 337 001

chrome

463.00



Tectron Surf

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
infra-red control
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
**set for final installation
for Rapido U or Rapido UMB**
CE approved

37 321 001

chrome

559.00

37 321 SH1

alpine white

557.00

37 321 SD1


stainless steel

565.00

Tectron Skate

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
**set for final installation
for Rapido U**
CE approved



GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 324 001
37 324 SD1

chrome
stainless steel

559.00
554.00



Tectron Skate

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

cartridge with solenoid valve and dirt strainer

front plate 116 x 144 mm

flow pressure min 0.5 bar

operating pressure max 10 bar

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407

adjustable flow time by hand or remote

set for final installation


for Rapido U or Rapido UMB

CE approved

37 751 001

chrome

464.00



Tectron

Retro-fit unit

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

exposed installation

for concealed urinal flush valve 37 017

and DAL 509

metal housing 145 x 90 x 45 mm

solenoid valve with dirt strainer

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings


by remote control 36 407

adjustable flow time by hand or remote

CE approved

37 338 000

134.00



GROHE Rapido U

roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V or 230 V

water group with stop valve

flow pressure min 0.5 bar

operating pressure max 10 bar

flush aid

functional unit checked ex factory

water supply connections 1/2" outer thread

connecting box for mains supply


installation box with gasket

fixing points for dry cladding and masonry-in

shortable inspection shaft incl. protection

38 787 000

108.00



GROHE Rapido UMB

roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V

water group with stop valve

flow pressure min 0.5 bar

operating pressure max 10 bar

flush aid

functional unit checked ex factory

water supply connections 1/2" outer thread

installation box with gasket

fixing points for dry cladding and masonry-in

GROHE ELECTRONIC ACTUATIONS FOR URINAL


Ref. No.

Colour

Price netto (€)

36 407 001

360.00



Remote control

for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)


service

send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

39 368 000

580.00



Temperature sensor for urinal

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC


can be used with 39 376 000
siphon with temperature sensor
cartridge with solenoid valve
and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar

7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off

CE approved

39 367 000

580.00



**Temperature sensor for urinal
6 V lithium battery, type CR-P2**

with water connection set and stop valve

siphon with temperature sensor
cartridge with solenoid valve
and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar

7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off

CE approved

only for certain urinal ceramics, check online TPI

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.

Colour

Price netto (€)

39 369 000

772.00

Temperature sensor with Bluetooth for urinal

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

siphon with temperature sensor

cartridge with solenoid valve

and dirt strainer

flow pressure min 0.5 bar

operating pressure max 10 bar

with Bluetooth module for bi-directional communication

for monitoring, configuration and service purpose

with Bluetooth 4.0* for wireless data communication

bluetooth transmitter frequency: 2.4 GHz

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

for Apple** and Android devices

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day / 30 days

configuration

shut-off delay

auto flush

cleaning mode

2 on/off timers

identification by name


service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved



Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.


*** Available for free via iTunes app or Google Play store.

GROHE URINAL FLUSH VALVES

Ref. No.

Colour

Price netto (€)




37 339 000

chrome

128.00

Rondo
Flush valve for urinal
1/2"
brass
integrated stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar




37 342 000

chrome

152.00

Rondo
Flush valve for urinal
1/2", brass
vandal proof by metal actuation knob
integrated stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar




37 345 000

chrome

139.00

Rondo
Flush valve for urinal
1/2"
brass
integrated stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar




37 346 000

chrome

97.00

Rondo
Flush valve for urinal
1/2"
brass
without stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar



37 396 000

chrome

96.00

Press urinal flush valve
1/2"
brass
GROHE StarLight chrome finish
with wall escutcheon

GROHE URINAL FLUSH VALVES


Ref. No.

Colour

Price netto (€)

37 044 000

18.00




Inlet connecting set 1/2"
for urinal bowls with inlet from back
connector Ø 33.5 - 38 mm

37 035 000

chrome

12.50




Urinal flush pipe
Ø 18 mm
200 mm
brass
chrome plated
straight

37 036 000

chrome

20.00



Urinal flush pipe
Ø 18 mm
200 mm
brass
chrome plated
offset 10 mm

37 037 000

chrome


19.50

Offset 20 mm

37 038 000

chrome

17.50



Urinal flush pipe
Ø 18 mm
200 mm
brass
chrome plated
offset 30 mm

37 039 000

chrome


17.50

ditto, offset 40 mm

37 040 000

chrome

23.00



Urinal flush pipe
Ø 18 mm
200 mm
brass
chrome plated
offset 50 mm

37 043 000

chrome

32.00




Urinal flush pipe
Ø 18 mm
400 mm
brass
straight

GROHE URINAL FLUSH VALVES

Ref. No.

Colour

Price netto (€)



37 042 000

chrome

15.00


Flush pipe extension
Ø 16 mm
200 mm
brass

GROHE URINAL FLUSH VALVES

Ref. No.

Colour


Price netto (€)



37 338 000

134.00



GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and
masonry-in
shortable inspection shaft incl. protection



38 787 000

108.00


GROHE Rapido UMB
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
installation box with gasket
fixing points for dry cladding and
masonry-in



38 896 000

71.00

Extension-set, 50 mm
for Rapido U or Rapido UMB
shaft extension with fixing material



43 040 000

32.00

Converter set
for wall plate Surf
for manual urinal flush valve
concealed installation
for installation on model 509.
without wall plate/actuation



43 310 000

chrome

62.00

Fixing nut



43 818 000

chrome

4.20

Adapter for urinal
with inlet pipe
1/2"
GROHE StarLight chrome finish

GROHE
ACTUATIONS






CONTENTS

WC	Wall plates for WC	684
	GROHE Fresh	691
	Wall plates for WC flush valves	692
Urinal	Wall plates for urinal	693

GROHE WALL PLATES FOR WC

Ref. No. Colour Price netto (€)



37 535 000	chrome	69.00
37 535 P00	matt chrome	69.00
37 535 SH0	alpine white	57.00
37 535 DC0	supersteel	147.00
37 535 BE0	polished nickel	144.00
37 535 EN0	brushed nickel	144.00
37 535 GL0	cool sunrise	144.00
37 535 GN0	brushed cool sunrise	144.00
37 535 DA0	warm sunset	144.00
37 535 DL0	brushed warm sunset	144.00
37 535 A00	hard graphite	144.00
37 535 AL0	brushed hard graphite	144.00

Skate Cosmopolitan S

Wall plate

for dual flush or start & stop actuation

for pneumatic discharge valve AV1

GD 2 cistern

vertical installation

130 x 172 mm

made of ABS


GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow

flush plate with magnetic holder

and fixing brackets included

small shaft 40 911 000 sold separately



37 601 000	chrome	85.00
37 601 P00	matt chrome	81.00
37 601 SH0	alpine white	66.00
37 601 DC0	supersteel	144.00
37 601 BE0	polished nickel	144.00
37 601 EN0	brushed nickel	144.00
37 601 GL0	cool sunrise	144.00
37 601 GN0	brushed cool sunrise	144.00
37 601 DA0	warm sunset	144.00
37 601 DL0	brushed warm sunset	144.00
37 601 A00	hard graphite	144.00
37 601 AL0	brushed hard graphite	144.00

Nova Cosmopolitan S

Wall plate

for dual flush or start & stop actuation

for pneumatic discharge valve AV1

GD 2 cistern

vertical installation

130 x 172 mm

made of ABS


GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow

flush plate with magnetic holder

and fixing brackets included

small shaft 40 911 000 sold separately



37 624 000	chrome	85.00
37 624 P00	matt chrome	82.00
37 624 SH0	alpine white	67.00
37 624 DC0	supersteel	144.00
37 624 BE0	polished nickel	144.00
37 624 EN0	brushed nickel	144.00
37 624 GL0	cool sunrise	144.00
37 624 GN0	brushed cool sunrise	144.00
37 624 DA0	warm sunset	144.00
37 624 DL0	brushed warm sunset	144.00
37 624 A00	hard graphite	144.00
37 624 AL0	brushed hard graphite	144.00

Arena Cosmopolitan S

Wall plate

for dual flush or start & stop actuation

for pneumatic discharge valve AV1

GD 2 cistern

vertical installation

130 x 172 mm

made of ABS

GROHE StarLight chrome finish









GROHE EcoJoy technology for less water and perfect flow

flush plate with magnetic holder











and fixing brackets included

small shaft 40 911 000 sold separately

GROHE WALL PLATES FOR WC


	Ref. No.	Colour	Price netto (€)
	37 965 000	chrome	54.00
	37 965 SH0	alpine white	45.00
	Skate Air S Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 GD 2 cistern vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included small shaft 40 911 000 sold separately		
	40 911 000	chrome	14.00
	40 950 000	chrome	16.00
	40 949 000	chrome	21.00
	Revision shaft for small flush plates for combination with Rapid SL and Uniset GD 2 cisterns ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height ditto, for combination with 80 mm cistern		
	38 915 KS0	velvet black	940.00
	38 915 LS0	moon white	799.00
	Veris Light Wall plate for dual flush or start & stop actuation for SoftTouch flushing activation external highlighted outline with LEDs in blue, red, yellow, green light colour individually adjustable on/off timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation servo motor 110 V to 240 V 50/60 Hz broad range power supply 9 VA CE approved with function check lamps for GD 2 cisterns with pneumatic discharge valve AV1 200 x 200 mm made of security glass GROHE EcoJoy technology for less water and perfect flow not suitable for GROHE Fresh		
	38 809 000	chrome	512.00
		Nova Cosmopolitan Light Wall plate for dual flush or start & stop actuation external highlighted outline with LEDs in blue, red, yellow, green light colour individually adjustable, on/off button timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation operating voltage 230 V AC 50/60 Hz, 2.0 VA, this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ CE approved for pneumatic discharge valve AV1 vertical and horizontal installation, 156 x 197 mm, made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow	

GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
 	38 765 000 38 765 SH0 38 765 P00	chrome alpine white matt chrome	65.00 64.00 71.00
	Nova Cosmopolitan Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		
 	38 845 K50 38 845 LS0 38 845 MF0	velvet black moon white chrome/ daVinci satin	249.00 243.00 249.00
	Skate Cosmopolitan Wall plate with glass surface for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of security glass mounting-set not suitable for flushing cistern 6 l GROHE StarLight finish GROHE EcoJoy technology for less water and perfect flow		
 	38 916 0A0	mirror glass	293.00
Skate Cosmopolitan Wall plate with mirror surface plastic actuation buttons, titanium for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of security glass mounting-set GROHE EcoJoy technology for less water and perfect flow			
 	38 957 000	chrome	95.00
Mounting set for wall-aligned installation of Skate Cosmopolitan with glass surface for GD 2 and flushing cistern 80 mm plastic mounting frame, chrome plated minimum 8 mm tile thickness for vertical or horizontal use protection plate dismantling tool for wall plate fixing material			
 	38 821 000	chrome	209.00
Skate Cosmopolitan Wall plate for dual flush or start & stop actuation vandal-proof for pneumatic discharge valve AV1 vertical installation 156 x 197 mm made of brass GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			

GROHE WALL PLATES FOR WC


Ref. No. Colour Price netto (€)



38 732 SD0 stainless steel 164.00

**Skate Cosmopolitan
Wall plate, stainless steel**
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
plastic fixing frame
hidden fixing screws
not suitable for GROHE Fresh
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow


38 776 SD0 stainless steel 163.00
ditto, horizontal installation



38 732 000 chrome 75.00
38 732 DC0 supersteel 121.00
38 732 SH0 alpine white 64.00
38 732 P00 matt chrome 60.00
38 732 BE0 polished nickel 124.00
38 732 EN0 brushed nickel 124.00
38 732 GL0 cool sunrise 126.00
38 732 GN0 brushed cool sunrise 124.00
38 732 DA0 warm sunset 126.00
38 732 DL0 brushed warm sunset 126.00
38 732 A00 hard graphite 124.00
38 732 AL0 brushed hard graphite 124.00

**Skate Cosmopolitan
Wall plate**
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow


38 732 BR0 titanium 124.00
ditto, with anti-fingerprint surface



38 844 000 chrome 71.00
38 844 SH0 alpine white 63.00
38 844 P00 matt chrome 72.00

**Arena Cosmopolitan
Wall plate**
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
made of ABS
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish

38 858 000 chrome 70.00
38 858 SH0 alpine white 62.00
38 858 P00 matt chrome 71.00
ditto, horizontal installation



38 505 000 chrome 67.00
38 505 SH0 alpine white 60.00
38 505 P00 matt chrome 76.00


**Skate Air
Wall plate**
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

38 506 000 chrome 76.00
38 506 SH0 alpine white 68.00
38 506 P00 matt chrome 75.00
ditto, horizontal installation

ACTUATIONS

GROHE WALL PLATES FOR WC

Ref. No. Colour Price netto (€)



38 862 000
38 862 SH0
38 862 P00
38 862 SD0

chrome
alpine white
matt chrome
stainless steel

68.00
49.00
61.00
145.00


Skate

Wall plate

for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow



38 861 000

chrome

73.00

Surf






Wall plate







for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow

GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
	38 564 000	chrome	74.00
	38 564 SH0	alpine white	66.00
	38 565 000	chrome	69.00
	38 565 SH0	alpine white	33.00
	38 573 000	chrome	74.00
	38 573 SH0	alpine white	66.00
	38 573 P00	matt chrome	79.00
	38 672 SD0	stainless steel	126.00
	38 574 000	chrome	49.00
	37 059 000	chrome	183.00
	43 977 000	chrome	431.00



Skate Air
Wall plate
for single flush actuation
for pneumatic discharge valve
vertical installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

Skate
Wall plate
for single flush actuation
for pneumatic discharge valve
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow









Skate
Wall plate, stainless steel
for single flush actuation
vandal-proof
for pneumatic discharge valve
vertical installation
156 x 197 mm
push button actuation
plastic fixing frame
hidden fixing screws
GROHE EcoJoy technology for less water and perfect flow

Surf
Wall plate
for single flush actuation
for pneumatic discharge valve
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

Pneumatic actuation
GROHE StarLight chrome finish
remote hand actuation
push button actuation with
escutcheon Ø 100 mm
vertical and horizontal installation
wall plate Surf 156 x 197 mm
pneumatic hose 1.50 m

Pneumatic actuation
GROHE StarLight chrome finish
remote **hand-actuation** for
institutional requirements
push button with escutcheon Ø 100 mm
for walls of 80 - 240 mm thickness
actuation stop
pneumatic hose 1.50 m

GROHE WALL PLATES FOR WC


	Ref. No.	Colour	Price netto (€)
 	37 060 000	chrome	80.00
	Pneumatic actuation GROHE StarLight chrome finish push button actuation with escutcheon Ø 100 mm pneumatic hose 1.50 m without wall plate		
	38 488 000	chrome	*
	Pneumatic actuation air button Ø 63 mm pneumatic hose 750 mm for panel thickness up to 30 mm made of ABS GROHE StarLight finish		
 	38 496 000	chrome	*
	Pneumatic actuation air button Ø 63 mm pneumatic hose 750 mm for panel thickness up to 30 mm only for use with a removable shelf / panel chrome plated brass GROHE StarLight finish		
 	38 771 000	chrome	37.00
	Pneumatic push button actuation for dual flush or start & stop actuation Ø 48 mm in combination with bath furniture or removable claddings for cistern inspection for material thickness from 18 -24 mm pneumatic hose 600 mm GROHE StarLight chrome finish		
 	37 761 000	chrome	56.00
	Pneumatic actuation push button with escutcheon Ø 100 mm pneumatic hose 750 mm without wall plate without roughing-in set GROHE StarLight chrome finish		
 	38 714 000	chrome	14.00
	Extension set 70 mm for wall plates/actuators for flushing cistern GD 2, 6 - 9 l with pneumatic discharge valve		

GROHE FRESH

Ref. No.

Colour

Price netto (€)



38 805 000

chrome


135.00

Skate Cosmopolitan Set Fresh Wall plate

for dual flush or start & stop actuation
with GROHE Fresh
fixing frame with opening function
with box for support of aromatic tabs
for chlorine-free tabs only
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow



38 796 000

73.00

GROHE Fresh Retro-fit set

for GROHE flushing cistern GD 2 with pneumatic
discharge valve and regular inspection shaft
not suitable for Skate Cosmopolitan with
wood or glass or metal surface
fixing frame with opening function
with box for support of aromatic tabs
for chlorine-free tabs only
for all GROHE wall plates
156 x 197 mm



38 882 000

9.00





GROHE Fresh Tabs

2 x 50 g WC tabs
every flush creates foam which cleans the toilet
fragrance ensures long-lasting freshness
protects against re-pollution and maintains long term cleanliness
reduces limescale and ensures radiant purity in the toilet
true feeling of freshness
This product is a hazardous substance. Find more information
in the safety data sheet. You can download the safety data at:
www.grohe.com/safety-data-sheets/


GROHE WALL PLATES FOR WC FLUSH VALVES

	Ref. No.	Colour	Price netto (€)
 	37 547 000 37 547 SH0 37 547 P00	chrome alpine white matt chrome	55.00 61.00 68.00
<p>Skate Wall plate vertical installation 156 x 197 mm manual activation push button actuation made of ABS GROHE StarLight chrome finish</p>			
 	38 445 SD0	stainless steel	106.00
<p>Skate Wall plate, stainless steel vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws</p>			
 	37 063 000 37 063 SH0	chrome alpine white	37.00 52.00
<p>Surf Wall plate 156 x 197 mm manual activation push button actuation made of ABS GROHE StarLight chrome finish</p>			
 	37 069 000	chrome	316.00
<p>Surf Wall plate vertical installation 156 x 197 mm for concealed flush valve 6 - 9 l brass push button actuation fixing frame hidden fixing screws GROHE StarLight chrome finish</p>			
 	43 193 000	stainless steel	279.00
<p>Wall plate push button actuation chrome plated for flush valves GROHE StarLight finish</p>			


GROHE WALL PLATES FOR URINAL

	Ref. No.	Colour	Price netto (€)
	38 846 LS0	moon white	280.00
	38 846 KS0	velvet black	280.00
	38 784 000	chrome	121.00
	38 784 SH0	alpine white	118.00
	38 784 P00	matt chrome	117.00
	38 784 SD0	stainless steel	157.00
	38 804 000	chrome	120.00
	38 804 SH0	alpine white	117.00
	38 804 P00	matt chrome	107.00


Skate Cosmopolitan
Actuation plate
with glass surface
made of security glass
manual activation for urinal
plastic actuation button, chrome plated
set for final installation
for Rapido U or Rapido UMB
fixing frame with mounting-set
116 x 144 mm, mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable, low noise (group II according to German noise specification)




Skate Cosmopolitan
Actuation plate
manual activation for urinal
set for final installation
for Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to German noise specification)
GROHE StarLight chrome finish











Skate Cosmopolitan
Wall plate, stainless steel
manual activation for urinal
set for final installation
for Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to German noise specification)
plastic fixing frame
hidden fixing screws



Nova Cosmopolitan
Actuation plate
manual activation for urinal
set for final installation
for Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to German noise specification)
GROHE StarLight chrome finish



GROHE WALL PLATES FOR URINAL

	Ref. No.	Colour	Price netto (€)
	38 857 000	chrome	118.00
	38 857 SH0	alpine white	111.00
	38 857 P00	matt chrome	107.00
	Arena Cosmopolitan Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) GROHE StarLight chrome finish		
	38 808 000	chrome	105.00
	38 808 SH0	alpine white	84.00
	38 808 P00	matt chrome	93.00
	Surf Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) GROHE StarLight chrome finish		
	37 018 000	chrome	55.00
	37 018 P00	matt chrome	56.00
	37 018 SH0	alpine white	30.00
	Surf Wall plate 116 x 144 mm with push button actuation GROHE StarLight chrome finish		
	38 595 000	chrome	55.00
	38 595 P00	matt chrome	60.00
	38 595 SH0	alpine white	27.00
	Skate Wall plate 116 x 144 mm with push button actuation GROHE StarLight chrome finish		



GROHE
CONNECTION AND SECURITY TECHNOLOGY





CONTENTS

Angle valves

698









WAS valves

703

Safety systems

707









GROHE ANGLE VALVES

	Ref. No.	Colour	Price netto (€)	
	22 039 000	chrome	9.00	
	22 039 DC0	supersteel	9.70	
	22 039 BE0	polished nickel	10.50	
	22 039 EN0	brushed nickel	11.00	
	22 039 GL0	cool sunrise	10.50	
	22 039 GN0	brushed cool sunrise	11.00	
	22 039 DA0	warm sunset	10.50	
	22 039 DL0	brushed warm sunset	11.00	
	22 039 A00	hard graphite	10.50	
	22 039 AL0	brushed hard graphite	11.00	
		<p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>		
		22 043 000	chrome	6.50
		<p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>		
	22 037 000	chrome	8.00	
	22 037 DC0	supersteel	8.40	
	22 037 BE0	polished nickel	9.00	
	22 037 EN0	brushed nickel	9.60	
	22 037 GL0	cool sunrise	9.00	
	22 037 GN0	brushed cool sunrise	9.60	
	22 037 DA0	warm sunset	9.00	
	22 037 DL0	brushed warm sunset	9.60	
	22 037 A00	hard graphite	9.00	
	22 037 AL0	brushed hard graphite	9.60	
		<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>		
		22 041 000	chrome	5.70
		<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>		













GROHE ANGLE VALVES

	Ref. No.	Colour	Price netto (€)
 	22 045 000	chrome	6.90
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish</p>			
 	22 046 000	chrome	6.70
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish</p>			
 	22 023 00M	chrome	51.00
<p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm sales unit 10 pieces GROHE StarLight finish</p>			
	22 023 000	chrome	5.30
<p>ditto, 1 piece</p>			
 	22 018 00M	chrome	49.00
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish sales unit 10 pieces</p>			
	22 018 000	chrome	5.00
<p>ditto, 1 piece</p>			
 	22 025 00M	chrome	51.00
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish sales unit 10 pieces</p>			

GROHE ANGLE VALVES

	Ref. No.	Colour	Price netto (€)
 	22 031 000	chrome	5.40
<p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish</p>			
 	22 029 000	chrome	4.70
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish</p>			
 	22 032 000	chrome	5.10
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish</p>			
 	22 052 000	chrome	9.60
<p>Angle valve 3/8" self-sealing connection thread wall connection 3/8" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm</p>			
 	22 053 000	chrome	8.40
<p>Angle valve 3/8" pre-roughened connection thread for easy sealing wall connection 3/8" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm</p>			

GROHE ANGLE VALVES


	Ref. No.	Colour	Price netto (€)
 	22 017 00M	chrome	53.00
<p>Universal angle valve 1/2" with compression coupling 3/8" for copper pipe Ø 10 mm plastic handle marking: neutral screw escutcheon metal GROHE StarLight finish sales unit 10 pieces</p>			
 	22 016 00M	chrome	49.00
<p>Universal angle valve 1/2" with connection 1/2" plastic handle marking: neutral screw escutcheon metal GROHE StarLight finish sales unit 10 pieces</p>			
	22 016 000	chrome	9.50
<p>ditto, blister pack, 1 piece</p>			
 	22 939 000	chrome	20.00
<p>Angle valve 1/2" connector set 3/8" for copper pipe Ø 10 mm TDL handle marking: neutral sliding escutcheon GROHE StarLight finish</p>			
 	22 940 000	chrome	17.50
<p>Angle valve 1/2" without connector set 1/2" for copper pipe Ø 10 mm TDL handle marking: neutral sliding escutcheon GROHE StarLight finish</p>			
 	41 263 000	chrome	23.00
<p>EGAPLUS service valve 1/2" wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm ergonomic handle marking: neutral metal push-on escutcheon</p>			
 	22 958 00M	chrome	344.00
<p>Angle valve connection thread 1/2" TDL handle marking: neutral escutcheon GROHE StarLight finish sales unit 1 pieces</p>			

GROHE ANGLE VALVES

Ref. No.

Colour

Price netto (€)



22 013 000


chrome

42.00

Eurocube
Angle valve 1/2"
wall connection 1/2"
outlet 1/2"
Cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon

GROHE WAS VALVES


Ref. No. Colour Price netto (€)



22 036 000 chrome 28.00

Original WAS combination service valve 1/2"
self-sealing connection thread
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10mm
outlet 3/4"
with hose connection
grease chamber headpart
non-return valve type EB
long connecting shaft
ergonomic handles
marking: neutral
metal push-on escutcheon Ø 55 mm
for combination with pipe ventilating valve type HB 41 239 000


22 035 000 chrome 20.00
ditto, non self-sealing



22 034 000 chrome 23.00

Original WAS combination service valve 3/8"
self-sealing connection thread
wall connection 3/8"
outlet thread 3/8"
with length compensation
with compression nut Ø 10mm
outlet 3/4"
with hose connection
grease chamber headpart
non-return valve type EB
long connecting shaft
ergonomic handles
marking: neutral
metal push-on escutcheon Ø 55 mm
for combination with pipe ventilating valve type HB 41 239 000


22 033 000 chrome 19.50
ditto, non self-sealing



41 073 000 chrome 29.00


Original WAS combination service valve 1/2"
wall mounted
Cartridge headpart for closable
copper pipe connection
grease chamber headpart 3/8" for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish

41 082 000 chrome 59.00
ditto, 1/2", with pipe ventilating valve



41 070 000 chrome 36.00

Original WAS combination service valve 3/8"
wall mounted
Cartridge headpart for closable
copper pipe connection
grease chamber headpart 3/8" for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000





41 030 000 chrome 42.00

Original WAS valve „Eckfix“ 3/8"
Installation on service valve
Axis dimension 60 mm
grease chamber headpart 3/8" for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000


GROHE WAS VALVES

Ref. No. Colour Price netto (€)




41 031 000 chrome 43.00

Original WAS valve „Eckfix“ 3/8"
Installation on service valve
Axis dimension 60 mm
grease chamber headpart 3/8" for closable hose connection
non-return valve type EB
Spacer
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000



41 033 000 chrome 67.00


Original WAS valve „Eckfix“ 3/8"
Installation on service valve
Axis dimension 60 mm
with safety unit type HD (pipe ventilating valve combined with non-return valve)
grease chamber headpart 3/8" for closable hose connection
protected against backflow
GROHE StarLight chrome finish



41 010 000 chrome 29.00


Original WAS connecting valve 1/2"
wall mounted
grease chamber headpart 1/2" for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish

41 015 000 chrome 60.00
ditto, 1/2", with pipe ventilating valve




41 190 000 chrome 53.00

Fitting combination 1/2"
wall mounted
slanted seat model
with safety unit type HD (pipe ventilating valve combined with non-return valve)
grease chamber headpart 1/2" for closable hose connection
protected against backflow
GROHE StarLight chrome finish



41 154 000 chrome 56.00

Fitting combination 1/2"
wall mounted
with safety unit type HD (pipe ventilating valve combined with non-return valve)
grease chamber headpart 1/2" for closable hose connection
protected against backflow
GROHE StarLight chrome finish




41 043 000 chrome 90.00

Original WAS valve „Mixer“ 3/4"
wall mounted
for wall mixers 1/2"
right-hand connection
grease chamber headpart 1/2" for closable hose connection
non-return valve type EB
Spacer
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000

41 040 000 chrome 81.00
ditto, left hand connection


GROHE WAS VALVES

Ref. No. Colour Price netto (€)




41 110 000 chrome 46.00

Original WAS valve „Electro“ 1/2"
wall mounted
grease chamber headpart 3/8" for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000



41 050 000 chrome 91.00

Original WAS under-basin valve 1/2"
Sink installation
adjustable up to 50 mm
grease chamber headpart 1/2" for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish
for combination with pipe ventilating valve type HB 41 239 000




41 130 000 chrome 59.00

Eggemann
Original WAS connection adapter 1/2"
Sink installation
adjustable up to 70 mm
coupling nut 3/4"
Connecting pipe diameter 12 mm
GROHE StarLight chrome finish




41 133 000 chrome 47.00

Eggemann
Original WAS connecting pipe 3/4"
coupling nut 3/4"
Connecting pipe diameter 12 mm
GROHE StarLight chrome finish



41 007 000 chrome 27.00

Eggemann
Original WAS T-piece 3/8"
for service valve
connector set 3/8"
GROHE StarLight chrome finish




41 020 000 chrome 86.00

Original WAS double valve „Simple“ 1/2"
wall mounted
grease chamber headpart 1/2" for closable hose connection
non-return valve type EB
female thread 1/2"
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000

GROHE WAS VALVES

Ref. No. Colour Price netto (€)



41 022 000 chrome 85.00

Original WAS double valve „Simple“ 1/2“
 wall mounted
 grease chamber headpart 1/2“ for closable hose connection
 non-return valve type EB
 protected against backflow
GROHE StarLight chrome finish
 for combination with pipe ventilating valve type HB 41 239 000



41 816 000 chrome 23.00

Headpart 3/8“
 WAS handle
 with grease chamber
 non-return valve
GROHE StarLight chrome finish

41 818 000 chrome 25.00

Headpart 1/2“

GROHE SAFETY SYSTEMS

	Ref. No.	Colour	Price netto (€)
 	41 230 000	chrome	34.00
	Pipe-ventilating valve 1/2" with safety unit type HD (pipe ventilating valve combined with non-return valve) vertical installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717		
	41 231 000	chrome	42.00
	ditto, 3/4"		
 	41 238 000	chrome	27.00
	Pipe-ventilating valve 1/2" type HB vertical installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717 GROHE StarLight chrome finish		
	41 239 000	chrome	25.00
	ditto, 3/4"		
 	41 270 000	chrome	35.00
	Non-return valve 3/8" for service valve connector set Ø 10 mm (3/8") coupling nut 3/8" safety unit type EB Vertical or horizontal installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717		
 	41 126 000	chrome	53.00
	Original WAS hose-connecting elbow 1/2" wall mounted pipe ventilating valve type HB protected against backflow GROHE StarLight chrome finish		
	41 125 000	chrome	28.00
	ditto, without pipe ventilating valve		
 	41 001 000	chrome	27.00
	Original WAS hose-burst protection 3/4" for 1/2" hoses female thread 3/4" male thread 3/4" GROHE StarLight chrome finish		
 	41 275 000	chrome	74.00
	Original WAS inclined filter 3/4" suitable for cold and warm water up to + 80° C Transparent cap mesh width 315 µm stainless steel filter insert GROHE StarLight chrome finish		
	41 827 000		19.00
	Strainer for original WAS inclined filter Transparent cap mesh width 315 µm stainless steel filter insert		

GROHE
SPARE PARTS





CONTENTS

Cartridges	710
Thermo elements and thermostatic compact cartridges	713
Aquadimmer	715
Head parts	716
Spare parts for two-handle faucets	719
Extension sets	721
Unions	722
Outlets and spouts	725
Flow straighteners	727
Waste sets and traps	732
Connections and non-return valves	734
Spare parts GROHE Sense	735
Spare parts for electronics	736
Diverter	737
Hoses	739
Spare parts for kitchen faucets	740
Spare parts for showers	744
Spare parts for accessories	746
Seals	747
Miscellaneous	748
Special tools	750
Cleaning and care	751
Spare parts for sanitary systems	752
Spare parts for shower toilet	755
Spare parts for Ceramics	757

GROHE CARTRIDGES


	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	46 580 000		42.00		46 963 000		22.00
	Cartridge 28 mm GROHE SilkMove with ceramic sealing system with temperature limiter for single lever mixers				Cartridge 28 mm GROHE SilkMove with ceramic sealing system with temperature limiter for single lever sink mixer		
	46 907 000		43.00		46 374 000		44.00
	Cartridge 29 mm GROHE SilkMove Joystick cartridge with ceramic sealing system with o-ring for cartridge fixation nut for single lever mixers				Cartridge 35 mm GROHE SilkMove with ceramic sealing system with temperature limiter adjustable flow rate limiter for single lever mixers		
	46 863 000		15.00		46 048 000		45.00
	Cartridge 35 mm GROHE SilkMove ES with cold start function with ceramic sealing system with temperature limiter adjustable flow rate limiter for single lever mixers				Cartridge 46 mm GROHE SilkMove with ceramic sealing system adjustable flow rate limiter for single lever mixers		
					46 409 000		35.00
					ditto, for open water heater		
	46 386 000		124.00		46 558 000		30.00
	Cartridge 56 mm GROHE SilkMove with ceramic sealing system for bath mixers				Cartridge for low pressure 35 mm GROHE SilkMove with ceramic sealing system for single lever mixers		
	46 278 000		73.00		46 308 000		17.00
	Cartridge with ceramic sealing system for Euroeco safety mixer batteries				Temperature limiter for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media		
	46 375 000		10.00		46 277 000		9.30
	Temperature limiter for cartridge 46 374 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media				Temperature limiter for cartridge 46 278 for Euroeco safety mixer batteries		

GROHE CARTRIDGES









	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	08 791 000		7.80		48 297 000		44.00
	Temperature limiter for cartridges 46 588 000, 46 589 000, 46 824 000, 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			Cartridge for Rainshower system SmartControl push button including fixation			
	46 989 000		39.00		48 359 000		76.00
	Cartridge for SmartControl mixer including fastening nut			Cartridge for SmartControl concealed push button including fastening nut and fitting template including extension and spindle from extension set 14 048 000			
	49 088 000		9.00		07 800 000		275.00
	Spindle for SmartControl concealed push for ON-OFF cartridge 48 359 000 including fitting template multi-packaging: 3 pieces			Cartridge			
	07 000 000		90.00		08 201 000		60.00
	Cartridge from 1974 for Euromix and Ladylux			Cartridge for Moen			
	42 383 000	chrome	78.00		42 384 000	chrome	74.00
	Cartridge for Euroeco Cosmopolitan T self-closing valves 1/2": pillar tap, wall mounted, exposed shower marking: blue/red GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)			Cartridge for Euroeco Cosmopolitan T self-closing gate valve 1/2" marking: blue/red GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)			
	42 713 000		174.00		42 717 000		316.00
	Cartridge for Controecon for self-closing pillar, shower and gate taps 1/2" from 2001			Cartridge for Controecon for self-closing concealed gate taps 1/2" from 2001			

* price upon request

GROHE CARTRIDGES


	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	43 981 000		112.00		43 982 000		192.00
	Cartridge for Controecon for self-closing pillar, shower and gate taps 1/2" until 2001				Cartridge for Controecon for self-closing concealed gate taps 1/2" until 2001		
							
	43 981 000		160.00		42 982 000		62.00
	Cartridge for Contromix Surf/Public for self-closing basin and shower mixer 1/2"				Cartridge		
							
	42 985 000		57.00				
	Cartridge for Contropress for self-closing pillar, shower and gate taps 1/2" marking: blue						

GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES





	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	47 450 000		81.00	Thermo-element 1/2" wax element with slider made of stainless steel to avoid corrosion	47 310 000		109.00
	47 282 000		192.00	ditto, for inverted waterways, 1/2"	47 379 000		465.00
					ditto, for inverted waterways, 3/4"		
	47 349 000		80.00	Thermo-element 3/8" wax element	47 217 000		61.00
					47 657 000		484.00
					ditto, for inverted waterways, 1/2"		
	47 220 000		102.00	Thermo-element 3/4" wax element with non-rising spindle	47 010 000		93.00
	47 658 000		984.00	ditto, for inverted waterways, 3/4"			
	47 111 000		174.00	Thermo-element 1/2" wax element for Grohmix thermostats	47 012 000		148.00
					47 019 000		162.00
	47 025 000		206.00	Thermo-element 3/4" wax element for Grohmix thermostats			
					47 019 000		162.00
					Thermo-element 3/4" bimetal for Grohmix thermostats		
	47 565 000		293.00	Thermo-element wax element for Grohtherm XL thermostats	47 574 000		157.00
					Thermo-element wax thermoelement 3/4"		
							

* price upon request

GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES


	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	47 532 000		388.00		47 386 000		199.00
	Thermo-element				Thermo-element		
	47 050 000		82.00		47 024 000		286.00
	Thermo-element 1/2"				Thermo-element 1/2" wax element for Grohmix thermostats		
	00 798 000	chrome	29.00		47 598 000		354.00
	Wax thermo-element				Control unit		
	47 600 000		283.00		47 439 000		82.00
	Control unit				Thermostatic compact cartridge 1/2" GROHE TurboStat compact cartridge with wax thermoelement		
	47 885 000		43.00		47 483 000		48.00
	Thermostatic compact cartridge 1/2" GROHE TurboStat C3 compact cartridge with wax thermoelement				Thermostatic compact cartridge 3/4" GROHE TurboStat compact cartridge with wax thermoelement		
	49 028 000		52.00		47 167 000		45.00
	Thermostatic compact cartridge 3/4" for Grohtherm SmartControl concealed GROHE TurboStat compact cartridge with wax thermoelement including fastening nut				Stop ring + regulating nut		

GROHE AQUADIMMER













	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	49 084 000		40.00		47 364 000		71.00
	Aquadimmer for thermostatic mixers				Aquadimmer for thermostatic mixers		
	12 433 000		32.00		47 262 000		145.00
	Aquadimmer for exposed fittings				Aquadimmer for concealed thermostatic shower mixer 3/4" for three and four-hole bath combination 3/4"		

* price upon request

GROHE HEAD PARTS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	11 003 000	chrome	18.00		11 101 000	chrome	19.00
	Headpart 3/8" Trecorn handle marking: blue GROHE StarLight chrome finish				Headpart 1/2" Trecorn handle marking: blue GROHE StarLight chrome finish		
	11 006 000	chrome	18.00		11 102 000	chrome	19.00
	45 966 000	chrome	17.50		45 968 000	chrome	19.00
	ditto, marking blue, in cartons of 10			45 969 000	chrome	19.00	
	45 967 000	chrome	17.50	ditto, marking red, in cartons of 10			
	ditto, marking red, in cartons of 10						
	11 104 000	chrome	41.00		11 048 000	chrome	125.00
	Headpart 3/4" Trecorn handle marking: blue GROHE StarLight chrome finish				Headpart 3/8" Trecorn-de-Luxe handle marking: blue GROHE StarLight chrome finish		
	11 105 000	chrome	40.00	ditto, marking red			
	ditto, marking red						
	11 049 000	chrome	125.00		45 951 000	chrome	18.00
	Headpart 3/8" Trecorn-de-Luxe handle marking: red GROHE StarLight chrome finish				Headpart 1/2" brilliant handle marking: blue in cartons of 10		
	ditto, marking red						
	45 956 000	chrome	17.00		11 118 000	chrome	22.00
	Headpart 1/2" brilliant handle marking: red in cartons of 10				Headpart 1/2" marking: blue GROHE StarLight chrome finish		
	ditto, marking red						
	11 083 000	chrome	26.00		11 086 000	chrome	23.00
	Headpart 3/8" heat-insulated screwable with Treflor handle marking: blue/red GROHE StarLight chrome finish				Headpart 1/2" with Treflor handle heat-insulated screwable marking: blue/red GROHE StarLight chrome finish		
	ditto, marking blue/red						
	06 170 000		7.10		07 146 000		8.00
	Headpart short spindle, 3/8"				Headpart 1/2" short spindle, 1/2" multi-packaging: 10 pieces		
	ditto, marking blue/red			45 964 000		7.50	
				ditto, packaging unit 20			

GROHE HEAD PARTS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	45 346 000		28.00		45 342 000		16.50
	Ceramic headpart, 1/2" with ceramic sealing discs rotation angle 180° stop: right-hand				Ceramic headpart, 1/2" with ceramic sealing discs rotation angle 180° stop: left-hand		
	45 978 000		17.00				
	ditto, packaging unit 20						
	48 509 000		31.00		45 885 000		38.00
	Ceramic headpart, 1/2" for single lever sink mixer with filter function with ceramic sealing discs rotation angle 90° stop: left-hand				Ceramic headpart 3/4" with ceramic sealing discs rotation angle 180° stop: right-hand		
	45 869 000		23.00		45 882 000		25.00
	Concealed headpart 1/2" with ceramic sealing discs rotation angle 180° stop: right-hand				Ceramic headpart, 1/2" with ceramic sealing discs rotation angle 90° stop: right-hand		
	45 883 000		25.00		45 888 000		48.00
	Ceramic headpart, 1/2" with ceramic sealing discs rotation angle 90° stop: left-hand				Ceramic headpart 3/4" with ceramic sealing discs rotation angle 90° stop: left-hand		
	06 188 000		79.00		07 156 000		17.50
	Headpart without lever without cap without escutcheon for 3- and 4-way-diverter, 1/2"				Headpart 3/4", concealed valve short spindles for 3/4" handles		
					07 025 000		12.00
					ditto, short spindle for 1/2" handles for concealed valves, 3/4"		
					07 026 000		29.00
					ditto, short spindle for concealed valves 1"		
	07 513 000		38.00		11 504 000	chrome	49.00
	Headpart 1/2" for concealed valves, 1/2", depth 40 mm				Headpart 3/4" for concealed valves, 3/4" Trecorn handle sliding escutcheon marking: blue GROHE StarLight chrome finish		
	06 185 000		31.00				
	ditto, for concealed valves, 3/4" depth 46 mm						
	06 186 000		125.00				
	ditto, for concealed valves 1" depth 44 mm						
	06 179 000		96.00				
	ditto, for concealed valves, 1 1/4" depth 47 mm				11 505 000	chrome	49.00
					ditto, marking red		

* price upon request

GROHE HEAD PARTS




	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	11 507 000	chrome	85.00		11 541 000	chrome	31.00
	Headpart 1" for concealed valves 1" Trecorn handle sliding escutcheon marking: blue GROHE StarLight chrome finish				11 508 000	chrome	84.00
	11 542 000	chrome			11 542 000	chrome	31.00
	Concealed headpart 1/2" for concealed valves, 1/2" depth 40 mm Trecorn handle sliding escutcheon marking: blue/red GROHE StarLight chrome finish				11 544 000	chrome	78.00
	19 470 000	chrome	68.00		07 147 000		12.00
	Grontherm 3000 Cosmopolitan Concealed valve exposed part set for final installation for 35 028 000 GROHE StarLight chrome finish for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20-80 mm metal escutcheon with wall sealing shut-off handle				11 148 000	chrome	27.00
	07 150 000		21.00		11 148 000	chrome	27.00
Headpart 3/4" for concealed valves, 3/4"				Headpart 1/2" socket spanner closed cap GROHE StarLight chrome finish			

GROHE SPARE PARTS FOR TWO-HANDLE FAUCETS










	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	45 180 000	chrome	27.00		06 706 000	chrome	12.50
	Florida Handle marking: blue/red single packed GROHE StarLight chrome finish				Brilliant handle 1/2" marking: blue		
	06 707 000	chrome	9.50		45 124 000	chrome	19.00
	Brilliant handle 1/2" marking: red				Treflor handle 1/2" with handle fixing marking: blue/red GROHE StarLight chrome finish		
	45 144 000	chrome	8.60		45 970 000	chrome	8.40
	Costa ABS handle heat insulated plastic chrome plated marking: blue/red GROHE StarLight chrome finish				Costa ABS handle 1/2" heat-insulated screwable marking: blue/red in cartons of 10 GROHE StarLight chrome finish		
	45 258 000	chrome	17.00		45 080 000	chrome	12.50
	Metal handle 1/2"				Trecorn handle 1/2" marking: blue with cap GROHE StarLight chrome finish		
	45 081 000	chrome	12.50		10 099 00M	chrome	4.90
	Trecorn handle 1/2" marking: red with cap GROHE StarLight chrome finish				Cover cap multi-packaging: 2 pieces		
	02 490 P0M	matt chrome	12.50		45 605 000	chrome	5.20
	Cover cap for shut-off valve temperature scale handle in units of 2				Replacement handle connection kit handle insulator for Atrio/Arden/Talia		

* price upon request

GROHE SPARE PARTS FOR TWO-HANDLE FAUCETS

Ref. No.	Colour	Price netto (€)	Ref. No.	Colour	Price netto (€)
45 123 000	chrome	4.60	45 186 000		7.50
 <p>Handle fixation</p>			 <p>Replacement handle connection kit single packed</p>		
05 386 00M		9.20			
 <p>Snap insert</p>					

GROHE EXTENSION SETS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	06 427 000	chrome	8.80		45 202 000		7.10
	Extension-set, 40 mm for concealed valves, 1/2"				06 428 000	chrome	13.50
	ditto, for concealed valves 3/4", 1", 1 1/4" and multi-way diverters, 1/2"			ditto, for GROHE concealed valves, 1/2", 3/4", 1" ditto, 200 mm			
	46 627 000		95.00		46 943 000		393.00
	Extension 25 mm for single-lever two-hole basin mixer 1/2" for concealed body 23 200, 23 319, 32635				Extension 25 mm for single-lever two-hole basin mixer 1/2" for concealed body 23 200 002, 23 571		
	46 901 000		63.00		14 048 000		134.00
	Extension-set, 25 mm for 23 429 000 Joystick mixer 1/2", concealed body for 2-hole basin mixers wall installation including disassembly-key				Rapido SmartBox Universal extension set single-lever mixers, 25 mm 25 mm fits Grohtherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox		
	14 056 000		98.00		14 057 000		194.00
	Universal extension set single-lever mixers, 25 mm fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox				Universal extension set single-lever mixers, 50 mm fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox		
	14 058 000		130.00				
	Universal extension set 2-handle thermostats, 25 mm fits for concealed 2-handle thermostats in combination with GROHE Rapido SmartBox						

GROHE UNIONS







	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	12 001 000	chrome	9.00		12 000 00M	chrome	45.00
	12 001 00M	chrome	16.00		<p>S-union 3/8" x 1/2" adjustment range 10 mm screw escutcheon GROHE StarLight chrome finish in dispense of 2 piece at 00M</p> <p>12 050 000 chrome 33.00 12 050 00M chrome 56.00 ditto, 3/8" x 3/4", 17 mm adjustable</p> <p>12 004 000 chrome 30.00 ditto, 1/2" x 1/2", 10 mm adjustable</p>		
	12 400 000	chrome	48.00		12 051 000	chrome	61.00
	12 400 00M	chrome	94.00		<p>S-union, lockable 1/2" x 3/4" adjustment range 10 mm sliding escutcheon lockable for service GROHE StarLight chrome finish</p> <p>S-union, lockable 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish</p>		
	12 005 000	chrome	21.00		12 023 000	chrome	21.00
	12 465 000	chrome	53.00		<p>S-union 1/2" x 3/4" adjustment range 7.5 mm sliding escutcheon for Chiara/Grohtherm 3000 wall mounted mixers GROHE StarLight chrome finish</p> <p>ditto, 1/2" x 3/4", adjustment range 55 mm</p>		
	12 058 000	chrome	16.50		12 075 000	chrome	12.50
					<p>S-union 1/2" x 3/4" escutcheon adjustment range 7.5 mm GROHE StarLight chrome finish</p> <p>S-union 1/2" x 3/4" adjustment range 7.5 mm with sound absorber screw escutcheon diameter: 70 mm / depth: 26 mm GROHE StarLight chrome finish content: 1 piece</p>		
	12 411 000	chrome	202.00		12 662 000	chrome	12.00
					<p>S-union nut 1 1/4" x 1" male thread adjustment range 50 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish in units of 1</p> <p>S-union 1/2" x 3/4" adjustment range 7.5 mm with sound absorber screw escutcheon diameter: 70 mm / depth: 26 mm GROHE StarLight chrome finish content: 1 piece</p>		
	12 693 000	chrome	24.00		48 453 000	chrome	17.00
	12 693 DC0	supersteel	70.00		48 453 DC0	supersteel	68.00
				48 453 AL0	brushed hard graphite	80.00	
				<p>S-union 1/2" x 3/4" adjustment range 7.5 mm with sound absorber screw escutcheon GROHE StarLight chrome finish content: 1 piece</p>			

GROHE UNIONS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	12 018 00M	chrome	34.00		12 013 000	chrome	23.00
	Wall union male thread 3/4" x Ø 15 mm soldered union in dispense of 2 piece at 00M GROHE StarLight chrome finish				Wall union male thread 3/4" x 1/2" GROHE StarLight chrome finish		
	12 015 000	chrome	24.00		18 862 000	chrome	53.00
	Wall unions male thread 3/4" x 1/2" GROHE StarLight chrome finish				Wall union GROHE StarLight chrome finish		
	12 041 000	chrome	124.00		12 030 000	chrome	54.00
	Pillar union 1/2" angle 3/4" stop screw 1/2" diameter of nut 10.5 mm adjustment range 12.5 mm projection 30 mm GROHE StarLight chrome finish				Pillar union 1/2" for all series with 3/4" visible nuts angle 3/4" x 1/2" mounting set 1/2" projection 47 mm GROHE StarLight chrome finish		
	14 012 000	chrome	50.00		14 013 000	chrome	92.00
	Pillar union connection thread 1/2" mounting set 1/2" height 75 mm projection 49.5 mm with connection nipple G3/4 GROHE StarLight chrome finish				Pillar union connection thread 1/2" mounting set 1/2" height 70 mm projection 31 mm with connection nipple G3/4 GROHE StarLight chrome finish		
	12 060 000	chrome	269.00		12 036 000	chrome	294.00
	Pillar union 1/2" plug-in connection connection thread 1/2" mounting set 1/2" projection 57 mm 70 mm high without connection nipple GROHE StarLight chrome finish				Pillar union 1/2" for Europlus and Florida plug-in connection connection thread 1/2" mounting set 1/2" projection 57 mm 150 mm high without connection nipple GROHE StarLight chrome finish		
	47 327 000	chrome	23.00		18 121 000	chrome	117.00
	Nipple M 20 x 1				Pillar union GROHE StarLight chrome finish		

* price upon request

GROHE UNIONS




	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	12 063 000	chrome	73.00		12 407 000	chrome	160.00
	Elbow union male thread 1/2" x 3/4" sliding escutcheon for Vertica-mixers GROHE StarLight chrome finish				Wall union, male 1/2" without thermometer connection pipe Ø 18 mm connector set 3/4" male thread 1/2" sliding escutcheon GROHE StarLight chrome finish		
	12 901 00M	chrome	9.50		13 911 000	chrome	23.00
	Coupling nut 1/2" drilling 10.5 mm nickel-plated in dispense of 2 piece at 00M GROHE StarLight chrome finish				Flexible tube outlet M 22 x 1 female thread M 22 x 1 mousseur 150 mm GROHE StarLight chrome finish		
	02 210 00M	chrome	8.70		02 201 000	chrome	3.30
	Escutcheon multi-packaging: 2 pieces				Escutcheon 1/2" Ø 65 mm GROHE StarLight chrome finish		

GROHE OUTLETS AND SPOUTS








	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	13 005 000	chrome	22.00		13 051 000	chrome	23.00
	Swivel tube spout for kitchen wall mixers, 1/2" tubular spout, projection 150 mm mousseur, coupling nut 3/4" DR-brass GROHE StarLight chrome finish				Tubular spout for kitchen wall mixer swivelling mousseur coupling nut M 22 x 1 projection 200 mm DR-brass GROHE StarLight chrome finish		
	13 084 000	chrome	23.00		13 052 000	chrome	24.00
	ditto, projection 200 mm				ditto, projection 150 mm		
	13 017 000	chrome	30.00				
	ditto, projection 300 mm						
	13 028 000	chrome	23.00		13 076 000	chrome	25.00
	Swivel tube spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 200 mm coupling nut 3/4" DR-brass GROHE StarLight finish				Tubular spout swivelling with stop mousseur coupling nut 3/4" projection 140 mm DR-brass GROHE StarLight chrome finish		
	13 034 000	chrome	33.00		13 071 000	chrome	23.00
	ditto, projection 300 mm				ditto, without stop		
	13 072 000	chrome	23.00		13 073 000	chrome	25.00
	Tubular spout swivelling mousseur coupling nut M 22 x 1 projection 140 mm DR-brass GROHE StarLight chrome finish				Tubular swivel spout for kitchen pillar mixers, 1/2" tubular spout mousseur projection 185 mm DR-brass GROHE StarLight chrome finish		
	13 070 000	chrome	28.00		13 108 000	chrome	37.00
	Tubular spout for kitchen pillar mixers, 1/2" mousseur coupling nut 3/4" projection 185 mm without stop DR-brass GROHE StarLight chrome finish				Tubular spout swivelling projection 400 mm coupling nut 3/4" mousseur GROHE StarLight chrome finish		
	13 077 000	chrome	28.00				
	ditto, projection 235 mm						
	13 057 000	chrome	25.00		13 049 000	chrome	39.00
	Tubular spout projection 200 mm M 22 x 1 mousseur GROHE StarLight chrome finish				Tubular spout stop limiter mousseur projection 225 mm GROHE StarLight chrome finish		
	13 041 000	chrome	29.00		13 037 000	chrome	24.00
	Tubular spout for kitchen pillar mixers, 1/2" Sistra flow straightener coupling nut 3/4" projection 185 mm without stop DR-brass GROHE StarLight chrome finish				Tubular spout Sistra flow straightener coupling nut 3/4" projection 140 mm GROHE StarLight chrome finish		

* price upon request

GROHE OUTLETS AND SPOUTS

Ref. No.	Colour	Price netto (€)	Ref. No.	Colour	Price netto (€)
13 043 000	chrome	44.00	48 454 000	chrome	41.00
 <p>C-spout for Minta single lever sink mixer GROHE StarLight chrome finish</p>			 <p>Pull out shower with pull-out spout for single lever basin mixers single hole installation GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur including disassembly-key GROHE StarLight chrome finish</p>		
46 103 000	chrome	74.00			
 <p>Extractable outlet</p>					

GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)	
	48 189 000	chrome	19.00	<p>Water saving set includes two supply adapters incl. flow regulator and one mousseur insert connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence</p>		48 190 000	chrome 18.00	<p>Water saving set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence</p>
	48 191 000	chrome	18.00	<p>Water saving set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence</p>		13 935 000	chrome 20.00	<p>Mousseur internal thread M 22 x 1 5.7 l/min. at 3 bar including metal connection nipple for better exchange service SpeedClean anti-lime system GROHE StarLight finish</p>
	48 417 000	chrome	5.10	<p>Mousseur internal thread M 22 x 1 6.6 l/min GROHE StarLight chrome finish</p>		13 959 000	chrome 12.00	<p>Flow straightener internal thread M 22 x 1 flow class Z 7.5 - 9.0 l/min at 3 bar GROHE StarLight finish</p>
	13 954 000	chrome	10.00	<p>Flow straightener internal thread M 22 x 1 flow class PCA 7.8 l/min. at 3.5 bar SpeedClean anti-lime system GROHE StarLight finish</p>		13 950 000	chrome 3.10	<p>Economy Mousseur internal thread M 22 x 1 flow class Z 9.0 l/min at 3 bar GROHE StarLight finish</p>
	13 928 000	chrome	3.10	<p>Mousseur internal thread M 22 x 1 flow class A 13.5 - 15.0 l/min at 3 bar GROHE StarLight finish</p>		48 418 000	chrome 4.60	<p>Mousseur internal thread M 22 x 1 flow class A 15.0 l/min at 3 bar GROHE StarLight chrome finish</p>
					48 418 DC0	supersteel 22.00		
	13 900 000	chrome	6.40	<p>Sistra internal thread M 22 x 1 no limitation of flow rate including metal connection nipple for better exchange service GROHE StarLight finish</p>		48 159 000	chrome 9.10	<p>Mousseur external thread M 24 x 1 flow class PCA 5.7 l/min. at 3 bar SpeedClean anti-lime system</p>
					48 159 DC0	supersteel 31.00		

* price upon request

727

GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)	
  	46 837 000	chrome	16.00		13 960 000	chrome	7.20	
	46 837 DC0	supersteel	31.00		Flow straightener external thread M 24 x 1 flow class Z 7.5 - 9.0 l/min at 3 bar GROHE StarLight finish			
	46 837 G00	gold	17.00		Flow straightener external thread M 24 x 1 flow class PCA 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE StarLight finish			
	36 133 000	chrome	16.00		13 955 000	chrome	6.60	
				Mousseur external thread M 24 x 1 flow class Z 7.5 - 9.0 l/min at 3 bar including disassembly-key theft proof GROHE StarLight finish	Flow straightener external thread M 24 x 1 flow class: X 8.3 l/min at 4.14 bar GROHE StarLight finish			
	64 451 000	chrome	8.10		13 929 000	chrome	5.00	
				Flow straightener external thread M 24 x 1 flow class A 13.5 - 15.0 l/min at 3 bar GROHE AquaGuide adjustable mousseur GROHE StarLight finish	Mousseur external thread M 24 x 1 flow class A 13.5 - 15.0 l/min at 3 bar GROHE StarLight finish	13 929 G00	gold	78.00
						13 929 L00	white	36.00
	13 952 000	chrome	5.00		13 961 000	chrome	3.00	
				Mousseur external thread M 24 x 1 flow class C 30 l/min. at 3 bar GROHE StarLight finish	Mousseur external thread M 24 x 1 flow class: B 25.2 l/min at 3 bar GROHE StarLight finish			
  	49 015 000	chrome	6.30		13 941 000	chrome	4.80	
				Flow straightener external thread M 24 x 1 flow class C 27 - 30 l/min at 3 bar GROHE StarLight chrome finish	Mousseur external thread M 24 x 1 flow class D 34.8 - 37.8 l/min at 3 bar GROHE StarLight finish	13 941 DC0	supersteel	35.00
	13 927 000	chrome	8.00		13 930 000	chrome	8.20	
	13 927 G00	gold	112.00	Mousseur external thread M 28 x 1 flow class C 30 l/min. at 3 bar GROHE StarLight finish	Mousseur external thread M 28 x 1.5 55 l/min. at 3 bar for pull out shower (46 108) GROHE StarLight finish			

GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	13 907 000	chrome	*		13 943 000		10.00
	Sistra external thread M 28 x 1 flow class M 60.0 - 70.0 l/min at 3 bar GROHE StarLight finish				Mousseur external thread M 16.5 x 1 flow class PCA 5.0 l/min integrated including disassembly-key		
	46 765 000		12.00		13 937 000		18.00
	Mousseur external thread M 16.5 x 1 5.7 l/min. at 3 bar integrated including disassembly-key				Mousseur set consisting of: mousseur 14.9 l/min at 3 bar mousseur 7.2 l/min at 3 bar external thread M 16.5 x 1 including disassembly-key		
	48 408 000		8.40		13 994 000		13.00
	Flow straightener external thread M 18.5 x 1 5.7 l/min integrated including disassembly-key				Mousseur external thread M 18.5 x 1 flow class: A + PCA 15.0 l/min + 5.7 l/min at 3 bar integrated including disassembly-key		
	48 470 000		11.50		13 989 000		4.00
	Flow control set consisting of: flow control 13.5 - 15 l/min at 3 bar flow class A laminar flow straightener flow class max. external thread M 18.5 x 1 integrated including disassembly-key				Mousseur external thread M 18.5 x 1 flow class V 17.8 l/min at 3 bar integrated including disassembly-key		
	48 376 000		8.40	 	48 449 000		13.50
	Flow straightener external thread M 21.5 x 1 flow class PCA 5.7 l/min integrated including disassembly-key				Mousseur external thread M 24 x 1 5.7 l/min integrated including disassembly-key GROHE AquaGuide adjustable mousseur SpeedClean anti-lime system		
	13 926 000		10.00		46 711 000		18.00
	Mousseur external thread M 24 x 1 flow class C 27.0 l/min at 3 bar integrated including disassembly-key				Mousseur contains 2 different inserts: flow class A and D 13.5 l/min and 34.8 - 37.8 l/min at 3 bar SpeedClean anti-lime system integrated including disassembly-key		

* price upon request

729

GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	13 925 000	chrome	13.00		13 915 000	chrome	13.50
	Ball-joint aerator internal thread M 22 x 1 flow class A 13.5 - 15.0 l/min at 3 bar GROHE StarLight finish				Ball-joint aerator external thread M 24 x 1 flow class A 13.5 - 15.0 l/min at 3 bar GROHE StarLight finish		
	13 220 000		17.00		46 895 000	chrome	6.80
	Mousseur flow class Z 7.5 - 9.0 l/min at 3 bar including disassembly-key				46 895 DC0	supersteel	37.00
					Mousseur internal thread M 22 x 1 15 l/min. at 0.2 bar dual flow straightener GROHE Blue for Minta Mono GROHE StarLight finish		
	48 196 000	chrome	50.00		48 194 000	chrome	21.00
	48 196 DC0	supersteel	60.00		48 194 DC0	supersteel	43.00
	Mousseur internal thread M 22 x 1 19.0 l/min dual flow straightener GROHE Blue for K7 GROHE StarLight finish				Mousseur internal thread M 22 x 1 19.0 l/min dual flow straightener GROHE Blue for Minta GROHE StarLight finish		
	64 374 000	chrome	19.00		48 343 000	chrome	31.00
	64 374 DC0	supersteel	51.00		48 343 DC0	supersteel	48.00
	Mousseur external thread M 28 x 1 19.0 l/min at 3 bar dual flow straightener GROHE Blue GROHE StarLight finish				Flow control internal thread M 26 x 1 19.0 l/min at 3 bar for GROHE Blue Home single-lever sink mixer with filter function and C- or U-spout GROHE StarLight chrome finish		
	48 379 000	chrome	20.00		13 999 000	chrome	42.00
	48 379 DC0	supersteel	44.00		13 999 DC0	supersteel	61.00
	Mousseur external thread M 24 x 1 19.0 l/min at 3 bar dual flow straightener GROHE Blue GROHE StarLight chrome finish				Mousseur internal thread M 22 x 1 7.5 - 9.0 l/min at 3 bar hot water flow straightener for GROHE Red GROHE StarLight finish		
	48 370 000	chrome	58.00		13 263 000	chrome	23.00
	48 370 DC0	supersteel	75.00		13 263 DC0	supersteel	43.00
	Flow control internal thread M 26 x 1 7.5 - 9.0 l/min at 3 bar for GROHE Red single lever sink mixer GROHE StarLight chrome finish				Mousseur external thread M 28 x 1 7.5 - 9.0 l/min at 3 bar hot water flow straightener for GROHE Red GROHE StarLight finish		

GROHE FLOW STRAIGHTENERS










Ref. No.	Colour	Price netto (€)	Ref. No.	Colour	Price netto (€)
----------	--------	-----------------	----------	--------	-----------------



13 931 DC0	supersteel	*
------------	------------	---

Flow straightener
external thread
M 24 x 1
flow class PCA
4.5 l/min
GROHE StarLight finish

GROHE WASTE SETS AND TRAPS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)		
	28 910 000	chrome	42.00		28 900 000	chrome	150.00		
	28 910 DC0	supersteel	122.00						
	28 910 L00	white	240.00						
<p>Waste set 1 1/4" for wash basins with overflow for basin/bidet fittings complete GROHE StarLight chrome finish</p>				<p>Pop-up waste set 1 1/4" for basins GROHE StarLight chrome finish</p>					
	28 957 000	chrome	44.00		28 940 000	chrome	51.00		
	<p>Waste fitting GROHE StarLight chrome finish</p>							<p>Waste fitting with plug and chain GROHE StarLight chrome finish</p>	
	40 565 000	chrome	83.00		65 807 000	chrome	52.00		
	40 565 DC0	supersteel	96.00			65 807 BE0	polished nickel	60.00	
	40 565 A00	hard graphite	103.00		65 807 GL0	cool sunrise	60.00		
	40 565 AL0	brushed hard graphite	110.00		65 807 DA0	warm sunset	60.00		
	<p>Plug incl. cup for wash basins with overflow for standard pop-up waste set 1 1/4" GROHE StarLight chrome finish</p>				<p>Waste fitting with push-open cover removable cover closable GROHE StarLight chrome finish</p>				
	65 807 DC0	supersteel	56.00		65 808 000	chrome	51.00		
	65 807 EN0	brushed nickel	64.00						
	65 807 GN0	brushed cool sunrise	64.00						
	65 807 DL0	brushed warm sunset	64.00						
	65 807 AL0	brushed hard graphite	64.00						
	<p>Waste fitting with push-open cover removable cover, closable GROHE StarLight finish</p>							<p>Waste 1 1/4" for wash basins without overflow removable cover non-closable GROHE StarLight chrome finish</p>	
	40 824 000	chrome	20.00		07 182 000	chrome	13.00		
	<p>Waste set with push-open plug for wash basins with overflow removable plug closable</p>					07 182 DC0	supersteel	56.00	
						07 182 G00	gold	123.00	
				<p>Plug for waste set 1 1/4" GROHE StarLight chrome finish</p>					
	07 052 000	chrome	22.00		07 341 000	chrome	39.00		
	<p>Eccentric rod for waste set 1 1/4" length 180 mm GROHE StarLight chrome finish</p>							<p>Eccentric rod for waste set 1 1/4" length 350 mm GROHE StarLight chrome finish</p>	




GROHE WASTE SETS AND TRAPS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	06 844 000	chrome	16.50		28 947 000	chrome	32.00
	Joint piece for eccentric rods of waste set 1 1/4" GROHE StarLight chrome finish				P-trap 1 1/4" for basins wall connection sliding escutcheon GROHE StarLight chrome finish		
	28 961 000	chrome	40.00		28 946 000	chrome	45.00
	Trap for bidet sliding escutcheon wall connection GROHE StarLight chrome finish				P-trap 1 1/4" for bidet wall connection sliding escutcheon wall support 250 - 265 mm GROHE StarLight chrome finish		
	28 920 000	chrome	41.00		40 564 000	chrome	274.00
	Trap 1 1/4" for basins with fixed dip tube wall connection sliding escutcheon GROHE StarLight chrome finish				40 564 DC0	supersteel	314.00
					40 564 A00	hard graphite	336.00
					40 564 AL0	brushed hard graphite	358.00
					Bottle trap for wash basin GROHE StarLight chrome finish brass body		
	28 912 000	chrome	232.00		28 912 DC0	supersteel	202.00
	28 912 BE0	polished nickel	217.00		28 912 EN0	brushed nickel	231.00
	28 912 GL0	cool sunrise	217.00		28 912 GN0	brushed cool sunrise	231.00
	28 912 DA0	warm sunset	217.00		28 912 DL0	brushed warm sunset	231.00
	28 912 A00	hard graphite	217.00		28 912 AL0	brushed hard graphite	231.00
	Trap 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE StarLight chrome finish				Trap 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE StarLight finish		

GROHE CONNECTIONS AND NON-RETURN VALVES

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	14 165 00M	chrome	18.00		47 189 000	chrome	53.00
	14 165 ENM	brushed nickel	*				
	Non-return valve male thread 1/2" female thread 1/2" GROHE StarLight chrome finish multi-packaging: 2 pieces			Non-return valve multi-packaging: 2 pieces GROHE StarLight chrome finish			
	14 116 00M		41.00		14 117 00M		47.00
Non-return valve 1/2" multi-packaging: 2 pieces				Non-return valve 3/4" multi-packaging: 2 pieces			
	14 114 00M	chrome	63.00		08 565 000		3.80
Non-return valve multi-packaging: 2 pieces GROHE StarLight chrome finish				Non-return valve			
	47 373 000		82.00		42 572 00M		12.50
Non-return valve + shut-off				Non-return valve for specific connection hoses multi-packaging: 5 pieces			
	48 277 000		33.00		49 085 000		15.50
Non-return valve for Eurosmart Cosmopolitan E infra-red electronic wall basin mixer				Non-return valve including plugs and O rings			

GROHE SPARE PARTS GROHE SENSE

	Ref. No.	Colour	Price netto (€)	
		48 373 LN0	white	70.00
Mains adaptor for GROHE Sense Guard consisting of: mains supply 100-240 V AC, 50-60 Hz secondary connection with plug cable length 1500 mm				
	48 358 000			11.50
Seal kit for GROHE Sense Guard				

GROHE SPARE PARTS FOR ELECTRONICS











	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	26 646 000	chrome	186.00		42 229 000		108.00
	Wireless remote control for Rainshower SmartConnect showers wireless and water resistant (IP57) to change and combine spray patterns LED indicator for pairing and battery change screw or glue holder to wall including 1 x CR 2032 button cell GROHE StarLight finish				Solenoid valve for Europlus E		
	48 213 000		163.00		42 471 000		212.00
	Solenoid valve for electronic single-lever sink mixer				Solenoid valve for Eurosmart Cosmopolitan E infra-red electronic wall basin mixer with thermostatic temperature control and infra-red electronic thermostatic basin mixer, wall mounted		
	42 475 000		138.00		42 394 000		168.00
	Solenoid valve for Europlus E infra-red electronic basin mixer 1/2" for open water heater				Solenoid valve for infra-red electronic wall basin tap without mixing device		
	42 886 000		23.00		42 393 000		45.00
	Battery 6 V lithium battery, type CR-P2				Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer		
	42 388 000		47.00				
	Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery						

GROHE DIVERTERS













	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	08 915 000	chrome	39.00	Diverter for single-lever and thermostatic bath mixer 1/2", wall mounted automatic diverter: bath/shower		65 655 000 65 655 DC0	supersteel 10.00 54.00
	48 407 000 48 407 DC0	chrome supersteel	11.50 30.00	Diverter for bath mixers 1/2", wall and floor mounted automatic diverter: bath/shower mechanical parts GROHE StarLight chrome finish		46 947 000 46 947 DC0	chrome supersteel 43.00 48.00
	48 448 000		87.00	Diverter for single lever mixer set for final installation with 3-way diverter		06 106 000	chrome 44.00
	07 531 000	chrome	38.00	Diverter for concealed single lever bath mixers and bath module 1/2", wall mounted automatic diverter: bath/shower including diverter knob GROHE StarLight chrome finish		46 058 000	chrome 50.00
	45 048 000	chrome	41.00	Diverter for wall mounted bath mixers including diverter knob GROHE StarLight chrome finish		46 056 000	chrome 26.00
	47 238 000	chrome	28.00	Diverter for single-lever and thermostatic bath mixer 1/2", wall mounted lockable automatic diverter: bath/shower including diverter knob GROHE StarLight chrome finish		46 920 000 46 920 DC0 46 920 AL0	chrome supersteel brushed hard graphite 37.00 64.00 67.00

* price upon request

GROHE DIVERTERS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)	
	48 405 000	chrome	64.00	Diverter for single-lever bath mixer 1/2", wall and floor mounted automatic diverter: bath/shower including diverter knob GROHE StarLight chrome finish		48 451 000	chrome	49.00
	48 405 DC0	supersteel	113.00			Diverter for single lever bath mixer wall mounted and floor mounted including diverter knob GROHE StarLight chrome finish		
	48 442 000	chrome	64.00	Diverter for concealed single lever bath mixers including diverter knob GROHE StarLight chrome finish		48 444 000	chrome	79.00
	48 442 DC0	supersteel	177.00			48 444 DC0	supersteel	235.00
	48 442 EN0	brushed nickel	105.00			48 444 EN0	brushed nickel	135.00
	48 442 AL0	brushed hard graphite	*			48 444 AL0	brushed hard graphite	*
	48 445 000	chrome	104.00	Diverter for concealed single lever bath mixers 50 mm including diverter knob GROHE StarLight chrome finish		48 447 000	chrome	16.50
	48 445 DC0	supersteel	265.00			48 447 DC0	supersteel	47.00
	48 445 EN0	brushed nickel	166.00			48 447 EN0	brushed nickel	47.00
	48 445 AL0	brushed hard graphite	*			48 447 AL0	brushed hard graphite	64.00
	49 111 000	chrome	18.00	Diverter knob, square for single lever mixer set for final installation with 3-way diverter GROHE StarLight chrome finish		49 112 000	chrome	15.50
	49 111 DC0	supersteel	72.00			Diverter knob, cube for single lever mixer set for final installation with 3-way diverter GROHE StarLight chrome finish		
	49 111 AL0	brushed hard graphite	88.00					
	48 494 000	chrome	44.00	Diverter knob for three an four hole single lever bath combinations GROHE StarLight chrome finish		48 411 000	chrome	35.00
						48 411 DC0	supersteel	71.00
						48 411 EN0	brushed nickel	70.00

GROHE HOSES

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)	
	48 488 000		30.00	<p>Shower hose for sink mixers with SmartControl GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position approx. 1425 mm M12 x 1 GROHE StarLight finish</p>		48 378 000	chrome 61.00	<p>Hose for pull-out shower for GROHE Blue single-lever sink mixer with sheath made of plastic fabric including weight and assembly aid length 1425 mm</p>
	48 472 000		34.00	<p>Shower hose for sink mixer with pull-out dual spray or mousseur GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position including weight approx. 1425 mm M15 x 1</p>		45 484 000	chrome 36.00	<p>Flexible connection hose, 470 in units of 2</p>
	46 322 000	chrome	19.00	<p>Connector M12x1, 530</p>		28 112 000	chrome 28.00	<p>Metal hose for sink mixers 1500 mm M 15 x 1 x 3/8" nut GROHE StarLight chrome finish</p>
	46 104 000	chrome	29.00	<p>Metalflex hose</p>		46 092 000	chrome 38.00	<p>Metal hose for sink mixers with extractible outlet 1500 mm</p>
	46 174 000	chrome	35.00	<p>Metalflex hose</p>		48 293 000	43.00	<p>Shower hose for sink mixer with pull-out dual spray or mousseur GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position including weight and knurled nuts G 1/2 approx. 1425 mm M15 x 1 GROHE StarLight finish</p>
	48 355 000		46.00	<p>Shower hose for sink mixer Zedra 31 203 000 GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position including weight approx. 1425 mm M15 x 1</p>		07 240 000	27.00	<p>Spring</p>

* price upon request

739

GROHE SPARE PARTS FOR KITCHEN FAUCETS

Ref. No.	Colour	Price netto (€)	Ref. No.	Colour	Price netto (€)	
		48 481 000 35.00		42 573 SD0 stainless steel 91.00	GROHE Blue Professional Adapter cable to connect old GROHE Blue Professional faucets produced until 12/2018 to new GROHE Blue Professional cooler and carbonisator produced since 01/2019 length 1000 mm	Turning handle for kitchen sinks with automatic waste fitting including fixation shape: round, Ø 55.4 mm GROHE StarLight finish
	42 574 SD0 stainless steel 53.00	Turning handle for kitchen sinks with automatic waste fitting including fixation shape: square, 45.36 x 45.36 mm GROHE StarLight finish		42 575 SD0 stainless steel 36.00	Turning handle for kitchen sinks with automatic waste fitting including fixation shape: round, Ø 47 mm GROHE StarLight finish	
	42 586 SD0 stainless steel 13.50	Turning handle for kitchen sinks with automatic waste fitting including fixation form: square 46 x 46 mm GROHE StarLight finish		42 587 SD0 stainless steel 13.50	Turning handle for kitchen sinks with automatic waste fitting including fixation form: round Ø 46 mm GROHE StarLight finish	
	42 580 SD0 stainless steel 13.00	Plug basket strainer waste for kitchen sinks without automatic waste fitting including lip seal Ø 83 mm GROHE StarLight finish		42 576 SD0 stainless steel 18.00	Plug basket strainer waste for kitchen sinks with automatic waste fitting an adjustable screw below the basket offers the adjustment including lip seal Ø 83 mm GROHE StarLight finish	
	42 577 SD0 stainless steel 46.00	Plug basket strainer waste with steel cap for kitchen sinks with automatic waste fitting an adjustable screw below the basket offers the adjustment including lip seal Ø 83 mm GROHE StarLight finish		42 588 SD0 stainless steel 8.60	Plug basket strainer waste for kitchen sinks with automatic waste fitting an adjustable screw below the basket offers the adjustment including lip seal Ø 79 mm GROHE StarLight finish	
	42 589 SD0 stainless steel 7.70	Plug basket strainer waste for kitchen sinks without automatic waste fitting including lip seal Ø 79 mm GROHE StarLight finish		42 578 SD0 stainless steel 28.00	Cover element overflow cover element for kitchen sinks consisting of frame and cover, printed dimensions: 90.2 mm x 30 mm GROHE StarLight finish	

GROHE SPARE PARTS FOR KITCHEN FAUCETS

Ref. No.	Colour	Price netto (€)	Ref. No.	Colour	Price netto (€)
	42 579 SD0 stainless steel	24.00		42 590 SD0 stainless steel	7.70
Cover element overflow cover element for kitchen sinks consisting of frame and cover, printed dimensions: 55.3 mm x 30.3 mm GROHE StarLight finish			Cover element overflow cover element for kitchen sinks consisting of frame, cover and mounting printed dimensions: 109.99 x 22.41 mm GROHE StarLight finish		
	42 595 SD0 stainless steel	16.00		48 519 000 chrome 48 519 DC0 supersteel	98.00 177.00
Cover element overflow cover element for kitchen sinks printed including fixation dimensions: 109.99 x 22.41 mm GROHE StarLight finish			Pull out spray for sink mixers with SmartControl pull-out spray with laminar GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position GROHE SmartControl push for ON-OFF GROHE StarLight chrome finish		
	48 487 000 chrome 48 487 DC0 supersteel 48 487 BE0 nickel 48 487 EN0 brushed nickel 48 487 GL0 cool sunrise 48 487 GN0 brushed cool sunrise 48 487 DA0 warm sunset 48 487 DLO brushed warm sunset 48 487 A00 hard graphite 48 487 AL0 brushed hard graphite	98.00 177.00 173.00 180.00 226.00 266.00 206.00 239.00 205.00 238.00		48 473 000 chrome 48 473 DC0 supersteel	87.00 96.00
Pull out spray for sink mixers with SmartControl pull-out spray with laminar GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position GROHE SmartControl push for ON-OFF GROHE StarLight chrome finish			Pull out spray for single lever sink mixer 1/2" pull-out spray with 3 spray types diverter: laminar spray/ SpeedClean shower jet/ GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance) stop function - pause button to stop the water flow automatic return to laminar spray adjustable flow rate limiter GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position GROHE StarLight chrome finish		
	48 474 000 chrome 48 474 DC0 supersteel	44.00 51.00		48 475 000 chrome 48 475 DC0 supersteel	30.00 34.00
Pull out spray for single lever sink mixer 1/2" pull out spray with 2 spray types diverter: laminar spray/ SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position GROHE StarLight chrome finish			Pull out spray for single lever sink mixer 1/2" pull out spray with 2 spray types diverter: laminar spray/ SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position GROHE StarLight chrome finish		
	46 312 LC0 white/pale grey 46 312 IE0 chrome / light grey 46 312 SD0 stainless steel 46 312 UU0 grani-creme 46 312 KH0 black softfeeling/ black	54.00 51.00 82.00 101.00 66.00		46 173 KH0 black softfeeling/ black 46 173 IE0 chrome / light grey	94.00 77.00
Pull out spray diverter: mousseur/shower jet automatic return to mousseur for sink mixers 33 727, 33 707, 33 933			Pull out spray		

GROHE SPARE PARTS FOR KITCHEN FAUCETS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	46 575 DC0 46 575 000	supersteel chrome	104.00 79.00		46 592 000	chrome	*
	Pull out spray GROHE StarLight chrome finish				Minta Pull out spray incl. hose		
	46 710 000	chrome	58.00		46 731 000	chrome	67.00
	Pull out spray GROHE StarLight chrome finish				Pull out spray professional spray regular flow/shower jet automatic return to mousseur SpeedClean anti-lime system GROHE StarLight chrome finish		
	46 769 000	chrome	40.00		46 246 000 46 246 SDO	chrome stainless steel	47.00 130.00
	Pull out spray GROHE StarLight chrome finish				Extractable outlet removable for single-hole sink mixers Zedra single-lever sink mixer (33 708) Zedra (33 738) Europlus (33 858)		
	46 576 000	chrome	43.00		46 590 000	chrome	55.00
	K4 Extractable outlet for K4 single-lever shower mixer GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position including weight approx. 1425 mm M15 x 1				Extractable outlet		
	46 925 000 46 925 DC0	chrome supersteel	13.00 56.00		46 757 000	chrome	15.00
	Pull out spray for Minta single lever sink mixer with pull out mousseur GROHE StarLight finish				Extractable outlet		
	46 857 000 46 857 DC0	chrome supersteel	56.00 103.00		46 858 000 46 858 DC0	chrome supersteel	19.50 72.00
	Pull out spray diverter: mousseur/SpeedClean shower jet automatic return to mousseur GROHE StarLight chrome finish SpeedClean anti-lime system				Pull out spray for single lever sink mixer mousseur jet		

GROHE SPARE PARTS FOR KITCHEN FAUCETS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)	
	46 956 000	chrome	*	<p>Pull out spray Laminar spray/shower spray automatic return to laminar spray SpeedClean anti-lime system GROHE StarLight chrome finish including disassembly key for laminar spray for Eurosmart 2015 and Start 2015 sink mixers</p>		48 427 000	chrome	65.00
	46 956 DC0	supersteel	53.00			48 427 DC0	supersteel	107.00
	46 999 000	chrome	46.00	<p>Pull out spray for GROHE Blue single-lever sink mixer L-spout includes Dual flow straightener for GROHE Blue extractable GROHE StarLight chrome finish</p>		48 380 000	chrome	36.00
	46 999 DC0	supersteel	87.00			48 380 DC0	supersteel	78.00
	48 416 000	chrome	29.00	<p>Pull out spray Laminar spray/shower spray automatic return to laminar spray SpeedClean anti-lime system GROHE StarLight chrome finish including disassembly-key</p>		46 519 000	chrome	46.00
	48 416 DC0	supersteel	38.00			46 519 DC0	supersteel	46.00
	46 338 000		17.00	<p>Coupling piece</p>		46 315 000		27.00
						46 315 DC0		27.00
	05 334 000		3.00	<p>Support plate</p>				





GROHE SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	28 815 000	black	13.50		45 899 000		15.00
	Snap coupling				Quick coupling		
							
	28 635 XX0	dark grey	6.00		28 634 XX0	dark grey	39.00
	Relaxa Coupling piece as replacement connector for new hand shower and hose each hand shower is equipped with a coupling piece				Relaxa Quick coupling for combination with average showers without integrated Grohclick with new system only in connection with coupling piece (28 635/28 637)		
							
	28 637 XX0	dark grey	6.80		28 785 000	black	12.50
	Relaxa Coupling piece as replacement connector for new hand shower and hose each hand shower is equipped with a coupling piece with flow regulating valve 9.5 l/min. maximum flow rate at 1 - 6 bar water saving				Swivel adaptor 1/2" black (to combine Relaxa hand showers with shower rails of other manufacturers)		
							
	45 900 000		8.00		48 279 000	chrome	21.00
	Shower nipple				48 279 AL0	brushed hard graphite	59.00
					Shower bar holder for shower systems with thermostat for wall mounting including fixation set GROHE StarLight chrome finish		
	48 333 000	chrome	45.00		48 423 000	chrome	15.50
	Shower bar holder metal including fastening set as replacement for former metal version 06 667 00M and 45 403 000 including disassembly key to loosen former plastic version 64 245 00M and 48 010 000 packaging unit: 2 pieces GROHE StarLight chrome finish				Shower bar holder for shower systems with thermostat for wall mounting including fixation set GROHE StarLight chrome finish		
							
	48 425 000	chrome	34.00		06 765 000	chrome	*
	Shower bar holder suitable for shower rails Rainshower SmartActive metal including fixation set GROHE StarLight chrome finish				Sliding piece suitable for shower rails of Relaxa, Rainshower and Euphoria range with diameter of 24.7 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish		
							







GROHE SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	07 659 000	chrome	51.00		12 140 000	chrome	41.00
	Sliding piece suitable for shower rails of Tempesta range with diameter of 24.7 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish				Sliding piece suitable for shower rails with diameter of 22.0 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish		
	45 650 IPO	chrome/ matt chrome	33.00		12 435 000	chrome	50.00
	Sliding piece suitable for shower rails Relexa 28 620/28 621 with diameter of 27.8 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish				Relaxa Plus Gliding element with metal sleeve for shower rail 28 620/28 621, Ø 28 mm angle of inclination adjustable by click stop device height adjustment by click stop GROHE StarLight chrome finish		
	48 099 000	chrome	18.00		48 424 000	chrome	19.00
	Sliding piece suitable for shower rails of Tempesta range with diameter of 21.8 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish				Sliding piece suitable for shower rails Rainshower SmartActive with diameter 22 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish		
	48 426 000		19.00		08 864 000	chrome	35.00
	Soap dish suitable for shower rails Rainshower SmartActive with diameter 22 mm				08 864 DC0 supersteel 24.00 Cone nut for three-, four- and five-hole single-lever bath combinations to connect hand shower with shower hose GROHE StarLight chrome finish		
	48 177 000	chrome	38.00		45 282 000	chrome	11.00
	48 177 ALO	brushed hard graphite	118.00		Flow limiter for hand showers and side showers 8 l/min. at 1-10 bar		
	48 177 ENO	brushed nickel	102.00				
	Sliding piece suitable for shower rails range with diameter 24.7 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish						
	45 363 000	chrome	7.00		45 656 XX0	dark grey	12.00
	Cover plate for shower rail Relexa and Tempesta ø 25 mm				Repl.kit f.shower		













GROHE SPARE PARTS FOR ACCESSORIES

	Ref. No.	Colour	Price netto (€)
	40 212 000 Spare pump GROHE StarLight chrome finish	chrome	48.00
	43 897 000 Soap dish	white	50.00
	40 951 000 40 951 DC0 40 951 EN0 Spare brush GROHE StarLight chrome finish	chrome supersteel brushed nickel	50.00 67.00 66.00
	40 952 000 Spare glass		33.00

GROHE SEALS

	Ref. No.	Colour	Price netto (€)
	46 077 000 Seal kit for kitchen fittings		26.00
	46 429 K00 Seal kit	black	15.00
	46 090 000 Seal kit		15.50
	01 386 00M Seal multi-packaging: 10 pieces		10.50
	03 214 00M Seal multi-packaging: 1 x 6 pcs. and 1 x 3 pcs.		3.20
	01 285 00M Sealing washer Ø13,5 x Ø2,75 multi-packaging: 20 pieces		12.00

GROHE MISCELLANEOUS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	07 653 000	chrome	13.50		03 758 000	chrome	56.00
	Stop ring 1/2" GROHE StarLight chrome finish				Stop ring		
	04 853 00M	chrome	8.90		08 065 00M	chrome	17.00
	Safety ring multi-packaging: 5 pieces				Safety ring multi-packaging: 5 pieces		
	07 002 00M	chrome	11.00		07 264 00M	chrome	5.00
	Dirt strainer multi-packaging: 2 pieces				Dirt Strainer multi-packaging: 2 pieces		
	46 739 000	chrome	18.50		06 048 000	chrome	11.00
	46 739 EN0	brushed nickel	12.00		Pop-up rod for Chiara before 2004 and Europlus from 1988 to 1999		
	06 329 000	chrome	*		46 249 000	chrome	11.50
	Pop-up rod for Eurosmart and Eurostyle				Shank mounting kit		
	46 345 000		17.00		48 477 000		12.00
	Shank mounting kit				Mounting set with fastening nut M33 x 1.5 including seals		

GROHE MISCELLANEOUS

Ref. No.	Colour	Price netto (€)	Ref. No.	Colour	Price netto (€)
48 384 000		14.00	46 436 000	chrome	31.00
 <p>Shank fastening assembly with fastening nut M33 x 1.5 including screws and seals</p>			 <p>Cap</p>		
46 242 000		7.90	46 243 000	chrome	11.50
 <p>Cap</p>			 <p>Cap</p>		
45 023 000		3.20	45 052 000		14.00
 <p>Seat</p>			 <p>Valve seat 3/4"</p>		
07 587 000	chrome	10.00	45 044 000	chrome	15.00
 <p>Slide</p>			 <p>Screw connection 1/2"</p>		

GROHE SPECIAL TOOLS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	02 276 000	chrome	4.60		02 277 000	chrome	4.00
	Socket Spanner multiple interlocking 11 mm for headparts with e.g. 3/4", 1" or 5/4"				Socket spanner 1/2" multiple interlocking 8 mm for 11 148 and 22 917		
	18 283 00M	chrome	23.00		49 059 000	chrome	132.00
	Fitting aid for mounting of 1/2" fittings in units of 10				Socket Spanner wrench size 36 mm, for dis-/assembly fastening nut of GROHE TurboStat thermostatic compact cartridge 3/4" (Grotherm SmartControl) 49 028 000 fastening nut of cartridge (GROHE SmartControl mixer) 46 898 000 fastening nut of all Taron products with 35 mm cartridge 43 374 000, produced until mid 1999, wrench size 34 mm, for dis-/assembly, fastening nut of GROHE SmartControl push for ON-OFF cartridge 48 359 000		
	19 332 000	chrome	33.00		19 132 000	chrome	71.00
	Socket Spanner 34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge 32 mm for dis-/assembly of 35 mm cartridge				Disassembling key to disassemble / assemble thread connected copper tubes and flexible connection hoses		
	45 654 000	chrome	1.60		48 021 000	chrome	7.00
	Disassembling key				Disassembling key for Grotherm 1000 after 2006 (M 22 x 1, M 24 x 1, M 28 x 1) for integrated mousseurs: M 16.5 x 1, M 18.5 x 1, M 21.5 x 1, M 24 x 1 sales unit 1 pieces		
	19 377 000	chrome	61.00		19 017 000	chrome	63.00
	Special spanner 30 mm for dis-/assembly exposed faucets with covered S-unions 34 mm for dis-/assembly of GROHE TurboStat thermostatic compact cartridge				Mounting wrench SW 13 for installation of the Rapid system multi-packaging: 10 pieces		
	19 001 000	chrome	74.00				
	Adjusting Thermometer (°C) temperature range 0 to 100 °C						










GROHE CLEANING AND CARE

Ref. No.	Colour	Price netto (€)	Ref. No.	Colour	Price netto (€)
45 937 000		10.00	48 166 000		20.00
 Grohe Special grease 25 g sales unit 15 pieces			 Grohclean Detergent for fittings and bathrooms 500 ml spray bottle based on citric acid in display box sales unit 10 pieces		

GROHE SPARE PARTS FOR SANITARY SYSTEMS





	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	42 302 000	chrome	66.00		42 303 000	chrome	67.00
	42 302 SH0	alpine white	69.00		42 303 SH0	alpine white	72.00
	Surf Wall plate for retrofit for dual flush or start & stop actuation for pneumatic discharge valve with 2 hoses (42 253 and 42 774) vertical and horizontal installation 156 x 197 mm, made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow				Skate Wall plate for retrofit for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for dual flush or start & stop actuation vertical and horizontal installation 156 x 197 mm, made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		
	42 304 000	chrome	56.00		42 305 000	chrome	62.00
	42 304 SH0	alpine white	52.00		42 305 SH0	alpine white	49.00
	42 304 P00	matt chrome	82.00		42 305 P00	matt chrome	85.00
	Skate Air Wall plate for dual flush or start & stop actuation for retrofit for pneumatic discharge valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) vertical installation 156 x 197 mm, made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow				Skate Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) horizontal installation 156 x 197 mm, made of ABS GROHE EcoJoy technology for less water and perfect flow GROHE StarLight chrome finish		
	37 115 P10	matt chrome/ chrome	10.00		37 117 P10	matt chrome/ chrome	9.90
	Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 40 mm GROHE StarLight chrome finish				Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 16 - 35 mm GROHE StarLight chrome finish		
	43 122 000		27.00		43 247 000	chrome	99.00
	Cover				Cover		
	43 248 000	chrome	137.00		43 056 000	chrome	5.30
	Metal cover				Lever for flush valves GROHE StarLight chrome finish		

GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	42 740 000		144.00		43 544 000		11.00
	Solenoid Valve				Outlet piston for Servo discharge valve		
	43 535 000		3.90		43 540 000		4.80
	Push Bar for Servo discharge valve 350 mm				Pop-up rod for Servo discharge valve 451 mm		
	43 422 000		120.00		43 405 000		57.00
	Safety valve				Supply stop		
	43 451 000		19.00		43 506 000		4.00
	Piston				Bellow		
	42 315 000		8.30		42 593 000		28.00
	Valve seat for GD2				Valve seat including flow manager reduces flow of the flush prevents overspill in rimless toilets easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2		
	43 533 000		*		42 764 00M		19.00
	Seat				Threaded bolt for WC fixation for Rapid SL / Uniset multi-packaging: 2 pieces		

* price upon request

GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	42 775 000		5.20		43 745 000		5.30
	Tubes				Seal		
	43 722 000		7.30		43 714 000		38.00
	Set of seals				Set of seals		
	43 758 00M		25.00				
	Membrane filling valve multi-packaging: 10 pieces						

GROHE SPARE PARTS FOR SHOWER TOILET

Ref. No.	Colour	Price netto (€)	Ref. No.	Colour	Price netto (€)
14 913 000		507.00	14 915 000		1,060.00
		WC seat and lid for Sensia IGS shower WC system including hinges without operating unit			Remote control for Sensia IGS shower WC system with wall holder including fixation including batteries
14 916 000		612.00	14 917 000		135.00
		Operating unit for Sensia IGS shower WC system with adjusting knob including battery			Connecting pipe for Sensia IGS shower WC system flush- and waste pipe
14 918 000		940.00	14 900 000	alpine white	3,090.00
		Bearing bracket for Sensia IGS shower WC system retrofit kit with cushion and hinge with fixation			WC ceramic for Sensia IGS shower WC system
14 925 SH0	alpine white	106.00	14 926 002		294.00
		GROHE Sensia Arena WC lid for Sensia Arena shower toilet system, wall hung automatic opening/close function suitable WC seat: 14 924 SH0			GROHE Sensia Arena Remote control for 39 354 SH0 and 39 354 SH1 for Sensia Arena shower toilet system, wall hung including wall holder
14 926 001		294.00	14 926 000		294.00
		GROHE Sensia Arena Remote control for 39 354 SH0 and 39 354 SH1 for Sensia Arena shower toilet system, wall hung including wall holder			GROHE Sensia Arena Remote control for 39 354 SH0 for Sensia Arena shower toilet system, wall hung including wall holder
14 930 000		24.00	14 937 000	alpine white	941.00
		Nozzle guard for Sensia Arena shower toilet system, wall hung and floor standing			GROHE Sensia Arena WC ceramic for Sensia Arena shower toilet system, wall hung

* price upon request

GROHE SPARE PARTS FOR SHOWER TOILET











	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	14 969 000		24.00		14 971 000		24.00
GROHE Sensia Arena Fixing member rear for Sensia Arena shower toilet system, wall hung				GROHE Sensia Arena Hose clip for Sensia Arena shower toilet system, wall hung			
	14 974 000		71.00		14 933 000		24.00
GROHE Sensia Arena Connection hose assembly for Sensia Arena shower toilet system, wall hung				GROHE Sensia Arena Air filter for Sensia Arena shower toilet system, wall hung			
	14 972 000		24.00		14 919 000	alpine white	1,410.00
GROHE Sensia Arena Anti-theft screw for Sensia Arena shower toilet system, wall hung				GROHE Sensia Arena E-bidet unit for 39 354 SH0 for Sensia Arena shower toilet system, wall hung exchange set			
	14 976 000	alpine white	1,600.00		14 927 000		24.00
GROHE Sensia Arena E-bidet unit for 39 354 SH1 for Sensia Arena shower toilet system, wall hung exchange set				GROHE Sensia Arena Filter for Sensia Arena function model shower toilet system, wall hung			

GROHE SPARE PARTS FOR CERAMICS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	49 512 000		37.00		49 518 000		34.00
	Mounting set for counter top basins 39 337 000 39 337 00H 39 475 00H 39 476 00H 39 477 00H 39 478 00H for drop in basin 39 422 000, 39 479 00H for vessel basin 39 481 00H contains 2 pieces				Mounting set for undercounter basins 39 423 000, 39 480 00H contains 4 pieces		
	49 025 000	chrome	23.00		49 516 000		22.00
	Mounting set for half pedestal 39 426 000 39 201 000 39 325 000 contains 2 pieces				Mounting set for floor standing bidet/WC 39 428 000, 39 429 000, 39 430 000, 39 431 000, 39 432 000, 39 349 000, 39 329 000, 39 329 00H, 39 340 000, 39 340 00H, 39 339 000, 39 339 00H, 39 484 00H, 39 485 00H, 39 487 00H contains 2 pieces		
	49 018 000		7.50		49 021 000		7.10
	Buffer set for seat and lid for 39 435 000 contains 2 pieces for lid and 4 pieces for seat				Rubber sealing for close coupled WC and cistern 39 436 000 39 437 000 39 333 000 39 332 000 39 489 000 39 490 000		
	49 022 000	chrome	25.00		49 526 000	chrome	*
	Fixing bolt for close coupled WC and cistern 39 436 000 39 437 000 39 333 000 39 332 000 39 489 000 39 490 000				Dual flush push button for ceramic cistern 39 436 000 39 437 000 39 333 000 39 332 000		
	49 023 000		*		49 020 000		27.00
	Filling valve for close coupled cistern exposed bottom inlet 39 332 000 39 436 000 universal application				Filling valve for Euro Ceramic cistern for close-coupled cistern exposed side inlet 39 333 000 universal application		
	49 061 000		18.50		49 066 000		34.00
	Discharge valve for Bau Ceramic cistern for close coupled cistern exposed side inlet 39 436 000 39 437 000 Dual Flush universal application for ceramic lid hole Ø 50 mm				Discharge valve for Euro Ceramic cistern for close-coupled cisterns 39 332 000 39 333 000 Dual Flush universal application for ceramic lid hole Ø 50 mm		

* price upon request

GROHE SPARE PARTS FOR CERAMICS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	49 016 000		8.70		49 027 000		65.00
	Locking screw for Euro Ceramic close coupled WC 39 338 000 / 39 338 00H				Fixing set for Euro Ceramic wall hung bidet 220 mm 39 208 000, 39 208 00H		
	49 510 000		50.00		49 024 000		65.00
	Fixing set for Euro Ceramic wall hung WC 203 mm 39 328 000, 39 328 00H				Fixing set for Euro Ceramic compact wall hung WC 203 mm 39 206 000, 39 206 00H		
	49 509 000		59.00		49 528 000		35.00
	Fixing set for Cube Ceramic wall hung WC 178 mm 39 244 00H				Damper for Bau Ceramic WC seat with soft close left and right 39 493 000 contains 2 pieces		
	49 529 000	chrome	20.00		49 530 000	white	12.00
	Fixing set for Bau Ceramic seat and lid 39 493 000 39 492 000 contains 2 pieces				Buffer set for Bau Ceramic seat and lid 39 492 000 39 493 000 contains 2 pieces for lid and 4 pieces for seat		
	49 019 000	alpine white	7.20		49 522 000		62.00
	Locking screw for exposed ceramic cistern, side inlet 39 437 000 39 333 000				Mounting set for Euro Ceramic cistern 39 333 000 for back inlet installation		

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
00			08 201 000	711	60.00	12 433 000	715	32.00
00 798 000	714	29.00	08 565 000	734	3.80	12 435 000	745	50.00
01			08 791 000	711	7.80	12 436 000	542	246.00
01 285 00M	747	12.00	08 864 000	745	35.00	12 444 000	542	330.00
01 386 00M	747	10.50	08 864 DC0	745	24.00	12 448 000	542	598.00
02			08 915 000	737	39.00	12 465 000	722	53.00
02 201 000	724	3.30	10			12 662 000	722	12.00
02 210 00M	724	8.70	10 099 00M	719	4.90	12 693 000	722	24.00
02 276 000	750	4.60	11			12 693 DC0	722	70.00
02 277 000	750	4.00	11 003 000	716	18.00	12 901 00M	724	9.50
02 490 POM	719	12.50	11 006 000	716	18.00	13		
03			11 048 000	716	125.00	13 005 000	725	22.00
03 214 00M	747	3.20	11 049 000	716	125.00	13 017 000	725	30.00
03 758 000	748	56.00	11 083 000	716	26.00	13 028 000	725	23.00
04			11 086 000	716	23.00	13 034 000	725	33.00
04 853 00M	748	8.90	11 101 000	716	19.00	13 037 000	725	24.00
05			11 102 000	716	19.00	13 041 000	725	29.00
05 334 000	743	3.00	11 104 000	716	41.00	13 043 000	726	44.00
05 386 00M	720	9.20	11 105 000	716	40.00	13 049 000	725	39.00
06			11 118 000	716	22.00	13 051 000	725	23.00
06 048 000	748	11.00	11 148 000	718	27.00	13 052 000	725	24.00
06 106 000	737	44.00	11 309 000	718	69.00	13 057 000	725	25.00
06 170 000	716	7.10	11 330 000	718	89.00	13 070 000	725	28.00
06 179 000	717	96.00	11 504 000	717	49.00	13 071 000	725	23.00
06 185 000	717	31.00	11 505 000	717	49.00	13 072 000	725	23.00
06 186 000	717	125.00	11 507 000	718	85.00	13 073 000	725	25.00
06 188 000	717	79.00	11 508 000	718	84.00	13 076 000	725	25.00
06 329 000	748	*	11 541 000	718	31.00	13 077 000	725	28.00
06 427 000	721	8.80	11 542 000	718	31.00	13 080 000	537	195.00
06 428 000	721	13.50	11 544 000	718	78.00	13 084 000	725	23.00
06 706 000	719	12.50	11 545 000	718	78.00	13 108 000	725	37.00
06 707 000	719	9.50	12			13 137 000	537	226.00
06 765 000	744	*	12 000 00M	722	45.00	13 138 000	538	199.00
06 844 000	733	16.50	12 001 000	722	9.00	13 139 003	46	212.00
07			12 001 00M	722	16.00	13 139 AL3	46	340.00
07 000 000	711	90.00	12 004 000	722	30.00	13 139 DA3	46	317.00
07 002 00M	748	11.00	12 005 000	722	21.00	13 139 DC3	46	296.00
07 025 000	717	12.00	12 013 000	723	23.00	13 139 GL3	46	317.00
07 026 000	717	29.00	12 015 000	723	24.00	13 218 000	31	1,230.00
07 052 000	732	22.00	12 018 00M	723	34.00	13 220 000	730	17.00
07 146 000	716	8.00	12 023 000	722	21.00	13 252 000	163	*
07 147 000	718	12.00	12 030 000	723	54.00	13 254 000	163	*
07 150 000	718	21.00	12 036 000	723	294.00	13 257 000	156, 160	98.00
07 156 000	717	17.50	12 041 000	723	124.00	13 261 000	145	97.00
07 182 000	732	13.00	12 050 000	722	33.00	13 262 000	145	114.00
07 182 DC0	732	56.00	12 050 00M	722	56.00	13 263 000	730	23.00
07 182 G00	732	123.00	12 051 000	540, 722	61.00	13 263 DC0	730	43.00
07 240 000	739	27.00	12 058 000	722	16.50	13 264 000	32	269.00
07 264 00M	748	5.00	12 060 000	723	269.00	13 276 002	126	104.00
07 341 000	732	39.00	12 063 000	724	73.00	13 277 002	126	128.00
07 513 000	717	38.00	12 075 000	722	12.50	13 278 002	113	91.00
07 531 000	737	38.00	12 124 000	543	90.00	13 279 002	113	116.00
07 587 000	749	10.00	12 140 000	745	41.00	13 280 001	120	101.00
07 653 000	748	13.50	12 400 000	722	48.00	13 281 001	120	134.00
07 659 000	745	51.00	12 400 00M	722	94.00	13 299 000	22	285.00
07 800 000	711	275.00	12 407 000	724	160.00	13 299 A00	22	427.00
08			12 411 000	541, 722	202.00	13 299 AL0	22	455.00
08 065 00M	748	17.00	12 417 000	541	130.00	13 299 DC0	22	399.00
			12 420 000	541	122.00	13 301 000	22	1,350.00
			12 424 000	541	102.00	13 301 A00	22	*
			12 426 000	541	367.00	13 301 AL0	22	*
			12 428 000	542	243.00	13 301 DC0	22	*
			12 430 000	542	227.00	13 303 000	80	123.00
			12 432 000	542	232.00	13 303 AL0	80	175.00
						13 303 DC0	80	153.00
						13 304 000	80	138.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
13 317 000	31	724.00	14 912 000	560	227.00	19 408 AL1	99	292.00
13 341 000	55	211.00	14 913 000	755	507.00	19 408 BE1	99	267.00
13 341 IGO	55	274.00	14 914 000	561	87.00	19 408 DA1	99	268.00
13 378 000	538	94.00	14 915 000	755	1,060.00	19 408 DC1	99	251.00
13 380 000	538	103.00	14 916 000	755	612.00	19 408 DL1	99	286.00
13 383 001	64	205.00	14 917 000	755	135.00	19 408 EN1	99	286.00
13 383 DC1	64	287.00	14 918 000	755	940.00	19 408 GL1	99	268.00
13 390 000	156, 160	50.00	14 919 000	756	1,410.00	19 408 GN1	99	286.00
13 404 003	89	128.00	14 925 SH0	755	106.00	19 409 001	60	229.00
13 404 AL3	89	202.00	14 926 000	755	294.00	19 409 AL1	60	352.00
13 404 DC3	89	177.00	14 926 001	755	294.00	19 409 DC1	60	308.00
13 540 000	171	154.00	14 926 002	566, 755	294.00	19 470 000	718	68.00
13 900 000	727	6.40	14 927 000	756	24.00	19 571 002	123	237.00
13 907 000	729	*	14 928 000	564	24.00	19 571 003	131	204.00
13 911 000	724	23.00	14 929 000	565	24.00	19 571 LS3	131	293.00
13 915 000	730	13.50	14 930 000	755	24.00	19 573 002	110	204.00
13 925 000	730	13.00	14 933 000	756	24.00	19 575 001	117	198.00
13 926 000	729	10.00	14 936 000	565	35.00	19 576 002	120	616.00
13 927 000	728	8.00	14 937 000	755	941.00	19 577 001	63	765.00
13 927 G00	728	112.00	14 969 000	756	24.00	19 577 AL1	63	1,200.00
13 928 000	727	3.10	14 971 000	756	24.00	19 577 DC1	63	1,050.00
13 929 000	728	5.00	14 972 000	756	24.00	19 577 EN1	63	1,200.00
13 929 G00	728	78.00	14 974 000	756	71.00	19 578 001	103	729.00
13 929 L00	728	36.00	14 976 000	756	1,600.00	19 578 00A	103	643.00
13 930 000	728	8.20				19 578 A01	103	965.00
13 931 DC0	731	*	18			19 578 AL1	103	1,030.00
13 935 000	727	20.00	18 121 000	723	117.00	19 578 BE1	103	965.00
13 937 000	729	18.00	18 283 00M	750	23.00	19 578 DA1	103	965.00
13 941 000	728	4.80	18 349 000	142	31.00	19 578 DC1	103	900.00
13 941 DC0	728	35.00	18 541 000	75	30.00	19 578 DL1	103	1,030.00
13 943 000	729	10.00	18 608 001	245	44.00	19 578 EN1	103	1,030.00
13 950 000	727	3.10	18 700 000	248	36.00	19 578 GL1	103	967.00
13 952 000	728	5.00	18 862 000	723	53.00	19 578 GN1	103	1,030.00
13 954 000	727	10.00	18 904 001	170	54.00	19 590 000	32	172.00
13 955 000	728	6.60				19 781 000	19	685.00
13 959 000	727	12.00	19			19 781 A00	19	924.00
13 960 000	728	7.20	19 001 000	750	74.00	19 781 AL0	19	985.00
13 961 000	728	3.00	19 017 000	750	63.00	19 781 DC0	19	862.00
13 989 000	729	4.00	19 025 000	91, 180	58.00	19 783 000	19	772.00
13 994 000	729	13.00	19 069 003	44	82.00	19 783 A00	19	985.00
13 999 000	730	42.00	19 069 AL3	44	132.00	19 783 AL0	19	1,050.00
13 999 DC0	730	61.00	19 069 DA3	44	123.00	19 783 DC0	19	920.00
14			19 069 DC3	44	115.00	19 787 001	21	1,360.00
14 012 000	723	50.00	19 069 GL3	44	123.00	19 787 A01	21	2,030.00
14 013 000	723	92.00	19 088 003	44	82.00	19 787 AL1	21	2,170.00
14 014 000	305	46.00	19 088 AL3	44	132.00	19 787 DC1	21	1,900.00
14 015 000	269	*	19 088 DA3	44	123.00	19 796 000	23	167.00
14 047 000	305	46.00	19 088 DC3	44	*	19 796 A00	23	250.00
14 048 000	260, 721	134.00	19 088 GL3	44	123.00	19 796 AL0	23	267.00
14 053 00M	260	42.00	19 132 000	750	71.00	19 796 DC0	23	234.00
14 055 000	180, 260	141.00	19 287 003	36	354.00	19 798 000	22	233.00
14 056 000	260, 721	98.00	19 287 AL3	36	564.00	19 798 A00	22	349.00
14 057 000	261, 721	194.00	19 287 DA3	36	529.00	19 798 AL0	22	372.00
14 058 000	261, 721	130.00	19 287 DC3	36	494.00	19 798 DC0	22	326.00
14 077 XH0	16, 48	23.00	19 287 GL3	36	529.00	19 806 001	173	39.00
14 079 XH0	235, 287	16.00	19 309 000	28	658.00	19 807 001	173	39.00
14 114 00M	734	63.00	19 316 000	30	1,080.00	19 808 001	173	29.00
14 116 00M	734	41.00	19 332 000	750	33.00	19 809 001	173	29.00
14 117 00M	734	47.00	19 334 000	32	118.00	19 854 001	173	16.50
14 165 00M	398, 734	18.00	19 345 001	119	163.00	19 855 001	173	17.00
14 165 ENM	734	*	19 346 001	119	175.00	19 895 000	74	272.00
14 900 000	755	3,090.00	19 377 000	750	61.00	19 895 AL0	74	368.00
14 911 LD0	560	1,110.00	19 381 000	141	208.00	19 895 DC0	74	322.00
14 911 LK0	560	1,100.00	19 384 000	32	118.00	19 897 001	79	924.00
14 911 LP0	560	1,030.00	19 386 000	28	709.00	19 897 AL1	79	1,450.00
14 911 SH0	560	578.00	19 408 001	99	208.00	19 897 DC1	79	1,270.00
			19 408 A01	99	268.00	19 910 000	81	52.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
19 918 003	37	409.00	20 008 DA3	42	705.00	20 393 001	169	67.00
19 918 AL3	37	640.00	20 008 DC3	42	674.00	20 404 001	169	39.00
19 918 DA3	37	600.00	20 008 GL3	42	705.00	20 405 001	175	51.00
19 918 DC3	37	560.00	20 009 003	42	470.00	20 414 000	52	369.00
19 918 GL3	37	600.00	20 009 AL3	42	752.00	20 414 IG0	52	479.00
19 919 000	54	1,040.00	20 009 DA3	42	705.00	20 415 000	52	408.00
19 919 00A	54	*	20 009 DC3	42	658.00	20 415 IG0	52	531.00
19 919 IG0	54	1,350.00	20 009 GL3	42	705.00	20 417 000	51	447.00
19 922 003	45	1,060.00	20 021 003	41	235.00	20 417 IG0	51	655.00
19 922 AL3	45	1,690.00	20 021 AL3	41	376.00	20 421 000	152	64.00
19 922 DA3	45	1,590.00	20 021 DA3	41	353.00	20 422 000	157	63.00
19 922 DC3	45	1,480.00	20 021 DC3	41	329.00	20 474 000	154	165.00
19 922 GL3	45	1,590.00	20 021 GL3	41	353.00	20 575 000	161	49.00
19 923 003	45	1,070.00	20 025 000	549	222.00	21		
19 923 AL3	45	1,690.00	20 143 000	27	641.00	21 019 003	41	331.00
19 923 DA3	45	1,590.00	20 164 003	42	338.00	21 019 AL3	41	616.00
19 923 DC3	45	1,480.00	20 164 AL3	42	654.00	21 019 DA3	41	564.00
19 923 GL3	45	1,590.00	20 164 DA3	42	600.00	21 019 DC3	41	538.00
19 929 000	52	379.00	20 164 DC3	42	560.00	21 019 GL3	41	564.00
19 929 IG0	52	493.00	20 164 GL3	42	600.00	21 022 003	41	378.00
19 930 000	52	419.00	20 169 003	42	401.00	21 022 AL3	41	602.00
19 930 IG0	52	545.00	20 169 AL3	42	640.00	21 022 DA3	41	564.00
19 936 000	54	1,080.00	20 169 DA3	42	600.00	21 022 DC3	41	527.00
19 936 IG0	54	1,270.00	20 169 DC3	42	560.00	21 022 GL3	41	564.00
19 942 000	55	132.00	20 169 GL3	42	600.00	21 044 003	41	485.00
19 942 IG0	55	171.00	20 179 001	175, 478	101.00	21 044 AL3	41	828.00
19 944 000	55	95.00	20 186 001	169	65.00	21 044 DA3	41	776.00
19 944 IG0	55	123.00	20 187 000	140	177.00	21 044 DC3	41	724.00
19 952 000	91, 179	177.00	20 188 000	27	754.00	21 044 GL3	41	776.00
19 952 A00	179	224.00	20 189 000	28	564.00	21 094 001	170	102.00
19 952 AL0	91, 179	239.00	20 190 000	27	564.00	21 100 001	170	123.00
19 952 BE0	179	224.00	20 192 000	27	603.00	21 107 000	51	379.00
19 952 DA0	179	224.00	20 193 000	28	706.00	21 107 IG0	51	494.00
19 952 DC0	91, 179	209.00	20 201 000	178	104.00	21 255 001	175	156.00
19 952 DL0	179	239.00	20 201 AL0	178	144.00	21 257 001	175	123.00
19 952 EN0	179	239.00	20 201 DC0	178	126.00	21 337 001	170	75.00
19 952 GL0	179	224.00	20 202 000	178	116.00	21 338 001	175	99.00
19 952 GN0	179	239.00	20 203 000	178	94.00	21 375 001	169	112.00
19 954 000	180	18.00	20 205 000	178	93.00	21 390 001	169	158.00
19 965 001	64	607.00	20 208 002	122	226.00	22		
19 966 000	79	641.00	20 216 001	116	268.00	22 012 000	81	48.00
19 967 001	99	222.00	20 289 000	158	142.00	22 012 AL0	81	67.00
19 967 A01	99	302.00	20 296 001	98	257.00	22 012 DC0	81	59.00
19 967 AL1	99	329.00	20 299 001	98	249.00	22 013 000	81, 702	42.00
19 967 BE1	99	301.00	20 301 003	85	280.00	22 016 000	701	9.50
19 967 DA1	99	302.00	20 304 001	60	288.00	22 016 00M	701	49.00
19 967 DC1	99	282.00	20 342 000	18	621.00	22 017 00M	701	53.00
19 967 DL1	99	329.00	20 342 A00	18	929.00	22 018 000	699	5.00
19 967 EN1	99	323.00	20 342 AL0	18	991.00	22 018 00M	699	49.00
19 967 GL1	99	308.00	20 342 DC0	18	867.00	22 023 000	699	5.30
19 967 GN1	99	321.00	20 344 000	18	825.00	22 023 00M	699	51.00
19 968 000	105	204.00	20 344 A00	18	1,110.00	22 025 00M	699	51.00
19 968 LS0	105	265.00	20 344 AL0	18	1,180.00	22 029 000	700	4.70
19 969 000	105	234.00	20 344 DC0	18	1,030.00	22 031 000	700	5.40
19 969 LS0	105	279.00	20 346 000	18	643.00	22 032 000	700	5.10
19 970 002	151	52.00	20 346 A00	18	965.00	22 033 000	703	19.50
19 970 EN2	151	71.00	20 346 AL0	18	1,030.00	22 034 000	703	23.00
19 972 002	151	44.00	20 346 DC0	18	901.00	22 035 000	703	20.00
19 972 EN2	151	71.00	20 348 000	18	684.00	22 036 000	703	28.00
19 974 002	110	220.00	20 348 A00	18	1,030.00	22 037 000	698	8.00
19 976 001	103	450.00	20 348 AL0	18	1,090.00	22 037 A00	698	9.00
19 997 000	67	262.00	20 348 DC0	18	958.00	22 037 AL0	698	9.60
19 998 000	67	277.00	20 351 000	73	313.00	22 037 BE0	698	9.00
20			20 351 AL0	73	447.00	22 037 DA0	698	9.00
20 008 003	42	445.00	20 351 DC0	73	391.00	22 037 DC0	698	8.40
20 008 AL3	42	781.00	20 389 000	52	542.00			
			20 389 IG0	52	640.00			

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
22 037 DLO	698	9.60	23 119 AL0	21	3,630.00	23 341 000	159	100.00
22 037 EN0	698	9.60	23 119 DC0	21	3,180.00	23 356 000	152	85.00
22 037 GL0	698	9.00	23 124 002	147	137.00	23 372 002	167	92.00
22 037 GN0	698	9.60	23 125 000	138	181.00	23 373 20E	166	108.00
22 039 000	698	9.00	23 127 000	72	219.00	23 374 003	128, 166	121.00
22 039 A00	698	10.50	23 127 00E	72	220.00	23 374 20E	166	114.00
22 039 AL0	698	11.00	23 127 AL0	72	297.00	23 374 LS3	128, 166	154.00
22 039 BE0	698	10.50	23 127 DC0	72	260.00	23 376 00E	166	83.00
22 039 DA0	698	10.50	23 132 000	72	208.00	23 377 00E	166	114.00
22 039 DC0	698	9.70	23 132 00E	72	213.00	23 378 00E	166	83.00
22 039 DLO	698	11.00	23 135 000	73	251.00	23 379 001	164	153.00
22 039 EN0	698	11.00	23 135 00E	73	245.00	23 380 10E	165	140.00
22 039 GL0	698	10.50	23 135 AL0	73	356.00	23 381 10E	165	113.00
22 039 GN0	698	11.00	23 135 DC0	73	312.00	23 382 20E	165	145.00
22 041 000	698	5.70	23 137 000	72	168.00	23 384 20E	165	150.00
22 043 000	698	6.50	23 138 000	74	219.00	23 385 10E	165	113.00
22 045 000	699	6.90	23 138 AL0	74	297.00	23 387 20E	165	114.00
22 046 000	699	6.70	23 138 DC0	74	260.00	23 389 20E	165	145.00
22 052 000	700	9.60	23 140 000	75	290.00	23 390 00E	164	186.00
22 053 000	700	8.40	23 140 AL0	75	392.00	23 392 00E	164	181.00
22 939 000	701	20.00	23 140 DC0	75	*	23 393 10E	168	113.00
22 940 000	701	17.50	23 141 000	75	336.00	23 394 10E	168	106.00
22 958 00M	701	344.00	23 145 000	74	246.00	23 395 10E	168	89.00
23			23 145 AL0	74	*	23 396 00E	167	100.00
23 029 000	17	597.00	23 145 DC0	74	*	23 397 00E	167	97.00
23 029 A00	17	760.00	23 147 001	297	1,120.00	23 398 00E	139, 167	96.00
23 029 AL0	17	810.00	23 200 000	19, 74	241.00	23 403 000	26	740.00
23 029 DC0	17	709.00	23 200 002	19, 74	207.00	23 405 001	60	282.00
23 033 000	17	594.00	23 293 000	544	*	23 405 AL1	60	432.00
23 033 A00	17	760.00	23 294 000	544	183.00	23 405 DC1	60	378.00
23 033 AL0	17	810.00	23 296 001	59	262.00	23 406 000	73	300.00
23 033 DC0	17	709.00	23 296 AL1	59	405.00	23 406 AL0	73	413.00
23 037 002	121	130.00	23 296 DC1	59	354.00	23 406 DC0	73	362.00
23 039 002	121	100.00	23 303 000	51	360.00	23 409 000	78	669.00
23 043 003	122	161.00	23 303 IG0	51	466.00	23 425 000	105	193.00
23 048 003	126	697.00	23 310 000	51	358.00	23 425 LS0	105	251.00
23 049 002	108	168.00	23 310 IG0	51	411.00	23 427 000	105	207.00
23 051 002	108	95.00	23 313 000	51	475.00	23 427 LS0	105	274.00
23 054 003	109	188.00	23 313 IG0	51	545.00	23 428 000	105	283.00
23 055 002	110	228.00	23 315 000	53	391.00	23 428 LS0	105	380.00
23 058 003	297	624.00	23 315 IG0	53	462.00	23 429 000	37, 67	239.00
23 060 001	114	148.00	23 316 000	53	420.00	23 430 000	106	197.00
23 061 002	296	487.00	23 316 IG0	53	479.00	23 430 LS0	106	279.00
23 076 000	26	455.00	23 317 000	53	518.00	23 431 000	106	289.00
23 106 001	59	200.00	23 317 IG0	53	678.00	23 431 LS0	106	390.00
23 106 AL1	59	308.00	23 318 000	55	1,630.00	23 432 000	110	285.00
23 106 DC1	59	271.00	23 318 IG0	55	1,950.00	23 444 001	60	247.00
23 109 000	17	736.00	23 319 000	52	203.00	23 444 AL1	60	381.00
23 109 A00	17	944.00	23 322 001	147	113.00	23 444 DC1	60	333.00
23 109 AL0	17	1,010.00	23 323 001	147	104.00	23 445 000	72	233.00
23 109 DC0	17	881.00	23 324 001	148	103.00	23 445 AL0	72	313.00
23 112 000	17	630.00	23 325 000	138	130.00	23 445 DC0	72	274.00
23 112 A00	17	944.00	23 326 000	139	120.00	23 446 000	72	220.00
23 112 AL0	17	1,010.00	23 327 000	139	122.00	23 447 000	74	285.00
23 112 DC0	17	881.00	23 327 KW0	139	134.00	23 447 AL0	74	386.00
23 114 000	17	920.00	23 328 000	152	82.00	23 447 DC0	74	338.00
23 114 A00	17	1,170.00	23 329 000	152	74.00	23 448 002	109	180.00
23 114 AL0	17	1,250.00	23 330 000	152	76.00	23 449 002	109	180.00
23 114 DC0	17	1,090.00	23 331 000	154	80.00	23 450 001	115	163.00
23 117 000	19	671.00	23 332 000	154	59.00	23 451 001	115	144.00
23 117 A00	19	862.00	23 333 000	155	80.00	23 456 002	146	73.00
23 117 AL0	19	920.00	23 334 000	155	100.00	23 462 001	95	189.00
23 117 DC0	19	805.00	23 335 000	157	82.00	23 462 A01	95	245.00
23 119 000	21	2,580.00	23 336 000	157	77.00	23 462 AL1	95	266.00
23 119 001	21	2,270.00	23 337 000	157	74.00	23 462 BE1	95	244.00
23 119 A00	21	3,410.00	23 338 000	158	82.00	23 462 DA1	95	249.00
			23 340 000	158	79.00	23 462 DC1	95	228.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
26 161 001	388	21.00	26 420 000	294	793.00	26 481 A00	310	745.00
26 162 001	390	48.00	26 443 000	275	1,360.00	26 481 AL0	310	791.00
26 163 001	391	53.00	26 443 LS0	275	1,360.00	26 481 DC0	310	652.00
26 164 001	392	31.00	26 446 000	276	1,180.00	26 481 DL0	310	791.00
26 171 000	315	404.00	26 446 LS0	276	1,210.00	26 481 GN0	310	791.00
26 187 000	290	801.00	26 449 000	233, 277	125.00	26 481 LS0	310	625.00
26 223 001	300	591.00	26 450 000	308	467.00	26 483 000	311	96.00
26 224 001	300	411.00	26 450 LS0	308	467.00	26 484 000	311	96.00
26 240 000	297	349.00	26 455 000	329, 373	120.00	26 496 000	306	104.00
26 241 000	294	374.00	26 456 000	329, 373	117.00	26 507 000	90, 285	945.00
26 243 000	296	499.00	26 457 000	329, 373	120.00	26 507 A00	285	1,570.00
26 244 001	301	384.00	26 458 000	316, 373	199.00	26 507 AL0	90, 285	1,660.00
26 249 000	292	539.00	26 459 000	316, 373	198.00	26 507 BE0	285	1,570.00
26 250 000	273	1,360.00	26 460 000	316, 373	149.00	26 507 DA0	285	1,570.00
26 250 LS0	273	1,360.00	26 461 000	316, 373	157.00	26 507 DC0	90, 285	1,390.00
26 254 000	308	610.00	26 465 000	339	127.00	26 507 DL0	285	1,660.00
26 254 LS0	308	551.00	26 465 A00	339	207.00	26 507 EN0	285	1,660.00
26 256 000	313	618.00	26 465 AL0	339	219.00	26 507 GL0	285	1,570.00
26 257 000	313	499.00	26 465 BE0	339	207.00	26 507 GN0	285	1,660.00
26 259 000	33, 314	465.00	26 465 DA0	339	207.00	26 507 LS0	90, 285	1,040.00
26 264 001	276, 308	100.00	26 465 DC0	339	178.00	26 508 000	90, 285	945.00
26 305 001	301	387.00	26 465 DL0	339	219.00	26 508 A00	285	1,570.00
26 317 001	176	93.00	26 465 EN0	339	219.00	26 508 AL0	90, 285	1,660.00
26 328 000	395	64.00	26 465 GL0	339	207.00	26 508 DC0	90, 285	1,390.00
26 329 000	395	161.00	26 465 GN0	339	223.00	26 508 DL0	285	1,660.00
26 330 001	170	77.00	26 466 000	375	42.00	26 508 GN0	285	1,660.00
26 332 000	395	168.00	26 467 000	377	83.00	26 508 LS0	90, 285	1,090.00
26 333 000	395	75.00	26 468 000	330	127.00	26 509 000	286	820.00
26 334 000	400	17.91	26 469 000	324	426.00	26 510 000	286	954.00
26 335 000	400	19.99	26 471 000	320	1,630.00	26 513 000	369	49.00
26 346 000	400	22.08	26 472 000	325	439.00	26 544 000	340	67.00
26 352 000	396	33.00	26 473 000	327	389.00	26 544 LS0	340	67.00
26 353 000	396	36.00	26 473 EN0	327	662.00	26 545 EN0	341	*
26 354 000	396	39.00	26 474 000	327	317.00	26 546 000	341	144.00
26 355 ILO	396	28.00	26 474 BE0	327	508.00	26 547 000	342	145.00
26 356 ILO	397	30.00	26 474 EN0	327	539.00	26 547 EN0	342	*
26 357 000	397	69.00	26 474 ZB0	327	412.00	26 548 000	342	149.00
26 358 000	397	111.00	26 475 000	309	467.00	26 550 000	345	67.00
26 361 000	274	1,230.00	26 475 A00	309	707.00	26 551 LS0	345	67.00
26 361 LS0	274	1,210.00	26 475 AL0	309	751.00	26 552 000	345	68.00
26 362 LN0	307	29.00	26 475 BE0	309	707.00	26 552 EN0	345	*
26 363 000	291	706.00	26 475 DA0	309	707.00	26 553 000	349	84.00
26 366 001	332, 386	40.00	26 475 DC0	309	619.00	26 554 LS0	349	85.00
26 370 000	406	39.00	26 475 DL0	309	751.00	26 557 000	312	319.00
26 370 A00	406	55.00	26 475 EN0	309	751.00	26 558 000	312	325.00
26 370 AL0	406	59.00	26 475 GL0	309	707.00	26 559 000	312	325.00
26 370 DC0	406	48.00	26 475 GN0	309	751.00	26 560 000	312	325.00
26 370 DL0	406	59.00	26 475 LS0	309	581.00	26 561 000	323	266.00
26 370 GN0	406	59.00	26 477 000	309	442.00	26 561 LS0	323	346.00
26 373 001	266, 319	19,900.00	26 477 A00	309	707.00	26 562 000	323	266.00
26 374 000	269	1,070.00	26 477 AL0	309	751.00	26 562 LS0	323	346.00
26 376 001	266, 319	1,890.00	26 477 BE0	309	707.00	26 563 000	312	348.00
26 381 001	302	218.00	26 477 DA0	309	707.00	26 564 000	312	348.00
26 383 000	292	624.00	26 477 DC0	309	619.00	26 564 A00	312	646.00
26 384 000	288	750.00	26 477 DL0	309	751.00	26 564 AL0	312	680.00
26 385 000	277, 306	34.00	26 477 EN0	309	751.00	26 564 DC0	312	578.00
26 404 000	375	68.00	26 477 GL0	309	707.00	26 564 DL0	312	680.00
26 405 000	378	88.00	26 477 GN0	309	751.00	26 564 GN0	312	680.00
26 406 001	392	46.00	26 477 LS0	309	583.00	26 565 000	313	348.00
26 408 000	331, 394	82.00	26 479 000	310	492.00	26 566 000	313	348.00
26 409 000	331, 394	80.00	26 479 A00	310	745.00	26 566 A00	313	646.00
26 410 000	331, 394	82.00	26 479 AL0	310	791.00	26 566 AL0	313	680.00
26 411 000	317, 393	144.00	26 479 DC0	310	652.00	26 566 DC0	313	578.00
26 412 000	317, 393	144.00	26 479 DL0	310	791.00	26 566 DL0	313	680.00
26 413 000	317, 393	116.00	26 479 GN0	310	791.00	26 566 GN0	313	680.00
26 414 000	317, 393	121.00	26 479 LS0	310	638.00	26 567 000	324	290.00
26 418 000	293	491.00	26 481 000	310	492.00	26 567 LS0	324	377.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
26 568 000	324	290.00	26 638 000	389	55.00	27 151 000	405	100.00
26 568 LSO	324	377.00	26 639 000	392	38.00	27 174 001	282	1,300.00
26 569 000	323	260.00	26 640 000	311	526.00	27 180 000	306	40.00
26 569 EN0	323	442.00	26 641 000	323	485.00	27 206 000	411	20.00
26 570 000	324	283.00	26 642 000	311	548.00	27 217 000	336	*
26 570 EN0	324	481.00	26 643 000	322	508.00	27 220 000	370	42.00
26 574 000	340	68.00	26 644 000	323	485.00	27 221 000	369	59.00
26 574 A00	340	115.00	26 644 EN0	323	*	27 221 001	369	50.00
26 574 AL0	340	122.00	26 645 000	322	*	27 222 000	369	60.00
26 574 BE0	340	115.00	26 646 000	736	186.00	27 225 001	372	106.00
26 574 DA0	340	115.00	26 647 000	278	805.00	27 226 001	372	116.00
26 574 DC0	340	*	26 647 LSO	278	926.00	27 226 A01	372	153.00
26 574 DL0	340	122.00	26 648 000	279	805.00	27 226 AL1	372	167.00
26 574 EN0	340	122.00	26 648 LSO	279	926.00	27 226 BE1	372	156.00
26 574 GL0	340	115.00	26 649 000	280	805.00	27 226 DA1	372	156.00
26 574 GN0	340	122.00	26 652 000	280	805.00	27 226 DC1	372	156.00
26 574 LSO	340	68.00	26 657 000	280	926.00	27 226 DL1	372	167.00
26 575 000	341	145.00	26 781 001	172	82.00	27 226 EN1	372	163.00
26 576 LSO	341	144.00	26 788 001	176	107.00	27 226 GL1	372	153.00
26 577 LSO	342	145.00	26 790 10A	172	222.00	27 226 GN1	372	163.00
26 578 000	342	148.00	26 792 10A	176	166.00	27 227 001	371	117.00
26 578 LSO	343	148.00				27 230 001	371	92.00
26 579 LSO	343	149.00				27 231 001	370	110.00
26 580 000	344	112.00	27 032 001	283	994.00	27 232 001	370	112.00
26 580 LSO	344	112.00	27 055 000	402	44.00	27 237 000	330, 374	66.00
26 581 000	343	95.00	27 056 000	402	31.00	27 238 000	370	47.00
26 581 LSO	343	95.00	27 057 000	405	53.00	27 239 000	369	64.00
26 582 000	345	68.00	27 057 A00	405	73.00	27 239 001	369	49.00
26 582 A00	345	115.00	27 057 AL0	405	79.00	27 242 001	371	93.00
26 582 AL0	345	122.00	27 057 BE0	405	72.00	27 243 001	370	113.00
26 582 DC0	345	102.00	27 057 DA0	405	73.00	27 251 000	322	116.00
26 582 DL0	345	122.00	27 057 DC0	405	63.00	27 251 A00	322	157.00
26 582 GN0	345	122.00	27 057 DL0	405	79.00	27 251 AL0	322	167.00
26 582 LSO	345	68.00	27 057 EN0	405	79.00	27 251 BE0	322	157.00
26 583 000	346	144.00	27 057 GL0	405	73.00	27 251 DA0	322	157.00
26 584 000	346	145.00	27 057 GN0	405	79.00	27 251 DC0	322	137.00
26 584 LSO	346	145.00	27 057 LSO	405	64.00	27 251 DL0	322	167.00
26 585 000	346	145.00	27 058 000	284	624.00	27 251 EN0	322	167.00
26 585 EN0	346	*	27 062 000	329	212.00	27 251 GL0	322	157.00
26 586 000	347	148.00	27 065 000	329	168.00	27 251 GN0	322	167.00
26 586 LSO	347	148.00	27 067 000	329	135.00	27 252 000	321	98.00
26 587 000	347	149.00	27 068 000	329, 368	132.00	27 253 000	322	175.00
26 587 LSO	347	149.00	27 074 000	403	34.00	27 265 000	370	32.00
26 588 000	348	112.00	27 074 A00	403	48.00	27 265 00E	370	32.00
26 588 LSO	348	112.00	27 074 AL0	403	50.00	27 266 001	371	89.00
26 589 000	348	95.00	27 074 BE0	403	47.00	27 266 00E	371	90.00
26 589 LSO	348	95.00	27 074 DA0	403	48.00	27 267 001	372	94.00
26 590 000	349	85.00	27 074 DC0	403	59.00	27 271 000	321	455.00
26 591 000	349	171.00	27 074 DL0	403	50.00	27 272 000	358	101.00
26 592 000	350	172.00	27 074 EN0	403	50.00	27 273 001	358	245.00
26 592 LSO	350	172.00	27 074 GL0	403	48.00	27 274 000	359	117.00
26 593 000	350	176.00	27 074 GN0	403	50.00	27 276 000	355	86.00
26 594 000	351	177.00	27 074 LSO	403	42.00	27 276 LSO	355	76.00
26 594 LSO	350	177.00	27 075 000	403	34.00	27 277 001	357	188.00
26 602 000	352, 408	88.00	27 075 LSO	403	41.00	27 285 000	321	466.00
26 603 000	352, 408	92.00	27 076 000	406	53.00	27 286 000	320	1,970.00
26 603 A00	352, 408	184.00	27 076 LSO	406	63.00	27 296 001	293	664.00
26 603 AL0	352, 408	202.00	27 102 000	398	45.00	27 296 002	289	514.00
26 603 BE0	352, 408	184.00	27 129 000	355	112.00	27 320 000	412	138.00
26 603 DA0	352, 408	184.00	27 130 000	327	141.00	27 354 000	373	55.00
26 603 DC0	352, 408	166.00	27 134 000	326	126.00	27 355 000	372	100.00
26 603 DL0	352, 408	202.00	27 135 000	326	114.00	27 367 000	375	50.00
26 603 EN0	352, 408	202.00	27 136 001	359, 408	137.00	27 368 000	375	172.00
26 603 GL0	352, 408	184.00	27 137 000	400	22.08	27 369 000	375	81.00
26 603 GN0	352, 408	202.00	27 140 000	355	223.00	27 389 002	303	196.00
26 604 EN0	352	*	27 142 000	368	226.00	27 394 002	302	198.00
26 605 EN0	352	*	27 142 EN0	368	384.00	27 400 000	375	50.00

27

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
29 118 GL0	46, 227	635.00	29 153 LS0	225	546.00	30 269 DA0	458	327.00
29 118 GN0	227	677.00	29 156 LS0	225	621.00	30 269 DC0	458	304.00
29 119 000	47, 227	492.00	29 157 LS0	226	660.00	30 269 DL0	458	350.00
29 119 A00	227	691.00	29 158 LS0	226	385.00	30 269 GL0	458	327.00
29 119 AL0	47, 227	737.00	29 303 003	85	220.00	30 269 GN0	458	350.00
29 119 BE0	227	691.00	29 303 AL3	85	352.00	30 270 000	458	342.00
29 119 DA0	47, 227	691.00	29 303 DC3	85	308.00	30 270 A00	458	440.00
29 119 DC0	47, 227	645.00	29 306 003	85	239.00	30 270 AL0	458	471.00
29 119 DL0	227	737.00	29 307 003	88	744.00	30 270 DA0	458	444.00
29 119 EN0	227	737.00	29 307 AL3	88	1,190.00	30 270 DC0	458	440.00
29 119 GL0	47, 227	691.00	29 307 DC3	88	1,040.00	30 270 DL0	458	471.00
29 119 GN0	227	737.00	29 706 000	151	371.00	30 270 GL0	458	435.00
29 120 000	228	573.00	29 708 000	151	237.00	30 270 GN0	458	471.00
29 121 000	47, 228	531.00	29 800 000	263	26.00	30 273 001	466	245.00
29 121 A00	228	748.00	29 800 002	32, 81	20.00	30 273 DC1	466	319.00
29 121 AL0	47, 228	800.00	29 801 000	263	26.00	30 274 000	449	335.00
29 121 BE0	228	748.00	29 802 000	263	47.00	30 274 A00	449	391.00
29 121 DA0	47, 228	748.00	29 802 002	32, 56	39.00	30 274 AL0	449	419.00
29 121 DC0	47, 228	698.00	29 803 000	263	39.00	30 274 DA0	449	391.00
29 121 DL0	228	798.00	29 804 000	263	39.00	30 274 DC0	449	420.00
29 121 EN0	228	798.00	29 805 000	263	70.00	30 274 DL0	449	419.00
29 121 GL0	47, 228	748.00	29 805 002	32, 81	65.00	30 274 GN0	449	419.00
29 121 GN0	228	798.00	29 811 000	263	27.00	30 294 000	457	432.00
29 122 000	48, 229	306.00	29 813 000	263	46.00	30 294 A00	457	607.00
29 122 A00	229	456.00	29 904 LS0	230	649.00	30 294 AL0	457	651.00
29 122 AL0	48, 229	487.00				30 294 BE0	457	607.00
29 122 BE0	229	456.00				30 294 DA0	457	607.00
29 122 DA0	48, 229	456.00				30 294 DC0	457	576.00
29 122 DC0	48, 229	426.00	30 008 001	173	28.00	30 294 DL0	457	651.00
29 122 DL0	229	487.00	30 026 002	455	217.00	30 294 EN0	457	651.00
29 122 EN0	229	487.00	30 026 DC2	455	282.00	30 294 GL0	457	607.00
29 122 GL0	48, 229	456.00	30 034 000	177	*	30 294 GN0	457	651.00
29 122 GN0	229	487.00	30 036 000	177	*	30 305 000	472	164.00
29 123 000	223	450.00	30 037 000	177	*	30 305 DC0	472	214.00
29 123 A00	223	635.00	30 038 000	177	*	30 309 000	447	215.00
29 123 AL0	223	677.00	30 064 001	478	37.00	30 321 DG0	457	60.00
29 123 DC0	223	593.00	30 079 001	439	1,680.00	30 321 DP0	457	60.00
29 123 DL0	223	677.00	30 079 DC1	439	1,830.00	30 321 DU0	457	61.00
29 123 GN0	223	677.00	30 080 001	441	1,500.00	30 321 GE0	457	61.00
29 124 000	223	492.00	30 083 001	440	1,520.00	30 321 HG0	457	60.00
29 124 A00	223	691.00	30 083 A01	440	1,760.00	30 321 MW0	457	98.00
29 124 AL0	223	737.00	30 083 AL1	440	1,840.00	30 321 TY0	457	60.00
29 124 DC0	223	645.00	30 083 DA1	440	1,760.00	30 321 XC0	457	60.00
29 124 DL0	223	737.00	30 083 DC1	440	1,690.00	30 321 YF0	457	60.00
29 124 GN0	223	737.00	30 083 DL1	440	1,840.00	30 321 YR0	457	60.00
29 125 000	224	585.00	30 085 001	441	1,390.00	30 325 001	439	1,590.00
29 126 000	224, 266	531.00	30 085 A01	441	1,620.00	30 325 DC1	439	1,830.00
29 126 A00	224	748.00	30 085 AL1	441	1,690.00	30 327 001	440	1,470.00
29 126 AL0	224	798.00	30 085 DA1	441	1,620.00	30 327 A01	440	1,760.00
29 126 DC0	224	698.00	30 085 DC1	441	1,550.00	30 327 AL1	440	1,840.00
29 126 DL0	224	798.00	30 085 DL1	441	1,690.00	30 327 DA1	440	1,760.00
29 126 GN0	224	798.00	30 098 001	172, 477	34.00	30 327 DC1	440	1,690.00
29 127 000	225	324.00	30 189 000	460	279.00	30 327 DL1	440	1,840.00
29 127 A00	225	456.00	30 190 000	460	291.00	30 339 001	442	1,360.00
29 127 AL0	225	487.00	30 193 000	470	125.00	30 339 DC1	442	1,550.00
29 127 DC0	225	426.00	30 193 DC0	470	134.00	30 345 000	450	183.00
29 127 DL0	225	487.00	30 194 000	471	123.00	30 346 000	452	183.00
29 127 GN0	225	487.00	30 195 000	471	185.00	30 347 000	450	273.00
29 144 000	15	364.00	30 208 000	545	247.00	30 348 001	451	234.00
29 145 000	15	431.00	30 215 001	461	304.00	30 349 001	451	234.00
29 146 000	15	459.00	30 215 DC1	461	378.00	30 362 000	456	477.00
29 147 000	14	380.00	30 219 002	454	639.00	30 362 AL0	456	716.00
29 148 000	14	428.00	30 219 DC2	454	831.00	30 362 DC0	456	620.00
29 149 000	14	459.00	30 221 002	467	151.00	30 382 000	430	572.00
29 150 LS0	229	546.00	30 260 002	473	115.00	30 382 DC0	430	727.00
29 151 LS0	230	622.00	30 269 000	458	259.00	30 383 000	430	396.00
29 152 LS0	230	385.00	30 269 A00	458	328.00	30 384 000	431	525.00
			30 269 AL0	458	351.00			

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
30 385 000	430	374.00	31 454 DA1	424	2,070.00	31 613 000	448	355.00
30 386 000	432	502.00	31 454 DC1	424	1,980.00	31 613 A00	448	490.00
30 387 000	431	292.00	31 454 DL1	424	2,150.00	31 613 DA0	448	490.00
30 388 000	432	422.00	31 455 001	422	1,760.00	31 613 DC0	448	455.00
30 393 000	431	696.00	31 455 A01	422	2,070.00	31 615 000	457	423.00
30 484 001	172, 477	54.00	31 455 AL1	422	2,150.00	31 615 A00	457	591.00
30 978 000	549	139.00	31 455 DA1	422	*	31 615 AL0	457	633.00
			31 455 DC1	422	1,980.00	31 615 BE0	457	591.00
			31 455 DL1	422	2,150.00	31 615 DA0	457	591.00
			31 456 001	426	1,760.00	31 615 DC0	457	549.00
			31 456 DC1	426	1,980.00	31 615 DL0	457	633.00
			31 481 001	470	208.00	31 615 EN0	457	633.00
			31 482 003	467	215.00	31 615 GL0	457	591.00
			31 483 002	465	227.00	31 615 GN0	457	633.00
			31 483 DC2	465	264.00	31 639 AP0	499	190.83
			31 491 000	464	351.00	31 639 AT0	499	190.83
			31 491 DC0	464	464.00	31 640 AP0	499	240.83
			31 498 001	428	1,660.00	31 640 AT0	499	240.83
			31 498 A01	428	2,000.00	31 641 AP0	499	265.83
			31 498 AL1	428	2,080.00	31 641 AT0	499	265.83
			31 498 DA1	428	2,000.00	31 642 AP0	499	282.50
			31 498 DC1	428	1,910.00	31 642 AT0	499	282.50
			31 498 DL1	428	2,080.00	31 643 AP0	500	299.17
			31 509 002	474	123.00	31 643 AT0	500	299.17
			31 535 001	479	86.00	31 644 AP0	496	265.83
			31 536 001	479	86.00	31 644 AT0	496	265.83
			31 538 001	479	88.00	31 645 AP0	497	274.17
			31 539 000	425	2,020.00	31 645 AT0	497	274.17
			31 539 DC0	425	2,300.00	31 646 AP0	497	290.83
			31 541 000	423	1,990.00	31 646 AT0	497	290.83
			31 541 DC0	423	2,300.00	31 647 AP0	497	324.17
			31 543 000	427	2,000.00	31 647 AT0	497	324.17
			31 543 DC0	427	2,300.00	31 648 AP0	498	249.17
			31 552 SD1	492	80.83	31 648 AT0	498	249.17
			31 558 000	453	282.00	31 649 AP0	498	307.50
			31 558 AL0	453	*	31 649 AT0	498	307.50
			31 558 GN0	453	*	31 650 AP0	494	199.17
			31 562 SD1	491	149.99	31 650 AT0	494	199.17
			31 563 SD1	487	182.50	31 651 AP0	494	232.50
			31 564 SD1	491	145.83	31 651 AT0	494	232.50
			31 565 SD1	491	162.49	31 652 AP0	494	257.50
			31 566 SD0	489	133.33	31 652 AT0	494	257.50
			31 567 SD0	490	182.50	31 653 AP0	496	174.17
			31 568 SD0	489	174.17	31 653 AT0	496	174.17
			31 569 SD0	489	257.50	31 654 AP0	496	199.17
			31 570 SD0	490	265.83	31 654 AT0	496	199.17
			31 571 SD1	487	154.16	31 655 AP0	496	232.50
			31 572 SD1	488	190.83	31 655 AT0	496	232.50
			31 573 SD1	488	290.83	31 656 AP0	500	162.49
			31 574 AL0	485	815.83	31 656 AT0	500	162.49
			31 574 GN0	485	815.83	31 657 AP0	494	265.83
			31 574 SD1	485	199.17	31 657 AT0	494	265.83
			31 575 SD1	485	249.17	31 658 AP0	495	274.17
			31 576 SD1	485	224.17	31 658 AT0	495	274.17
			31 577 SD1	486	224.17	31 680 000	481	72.00
			31 578 SD1	486	182.50	31 688 000	480	81.00
			31 580 SD1	487	232.50	31 693 000	480	81.00
			31 581 SD1	483	715.83	31 696 000	480	108.00
			31 582 SD1	483	715.83	31 706 000	480	81.00
			31 583 SD1	483	482.50	31 713 000	480	108.00
			31 584 SD1	484	540.83	31 715 000	481	81.00
			31 585 SD1	484	715.83	31 719 SD0	493	104.16
			31 586 SD1	484	624.17	31 720 SD0	493	87.49
			31 587 SD0	490	182.50	31 721 000	432	422.00
			31 588 SD1	488	199.17	31 721 DC0	432	549.00
			31 593 002	454	502.00	31 722 000	432	251.00
			31 593 DC2	454	653.00	31 723 000	433	229.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
31 724 000	433	148.00	32 322 DC2	452	304.00	32 760 000	26	677.00
31 726 SD0	486	465.83	32 322 DL2	452	351.00	32 762 000	544	121.00
31 812 001	476	91.00	32 467 002	147	92.00	32 763 000	544	95.00
31 819 001	478	97.00	32 468 003	129	116.00	32 765 000	544	206.00
31 829 001	476	80.00	32 468 20E	122	122.00	32 766 000	544	253.00
31 831 001	476	89.00	32 469 20E	109	160.00	32 767 000	546	269.00
31 930 001	476	163.00	32 482 002	473	144.00	32 768 000	545	242.00
32			32 488 000	452	230.00	32 770 000	545	213.00
32 042 003	36	311.00	32 488 A00	452	262.00	32 771 000	546	271.00
32 042 AL3	36	578.00	32 488 AL0	452	281.00	32 772 000	546	245.00
32 042 DA3	36	529.00	32 488 DA0	452	262.00	32 773 000	546	283.00
32 042 DC3	36	505.00	32 488 DC0	452	244.00	32 774 000	546	311.00
32 042 GL3	36	529.00	32 488 DL0	452	281.00	32 775 000	546	295.00
32 043 003	36	269.00	32 534 002	473	97.00	32 776 000	545	216.00
32 043 AL3	36	489.00	32 546 001	463	*	32 778 000	545	225.00
32 043 DA3	36	459.00	32 553 002	455	343.00	32 779 000	545	254.00
32 043 DC3	36	428.00	32 553 DC2	455	445.00	32 780 000	547	100.00
32 043 GL3	36	459.00	32 612 003	82	186.00	32 783 000	547	118.00
32 067 000	452	283.00	32 612 AL3	82	289.00	32 784 000	547	114.00
32 108 003	37	352.00	32 612 DC3	82	253.00	32 786 000	475	123.00
32 108 AL3	37	654.00	32 618 003	84	290.00	32 787 000	475	123.00
32 108 DA3	37	600.00	32 618 AL3	84	448.00	32 788 000	550	229.00
32 108 DC3	37	572.00	32 618 DC3	84	392.00	32 789 000	550	219.00
32 108 GL3	37	600.00	32 628 001	96	201.00	32 790 000	550	309.00
32 109 001	59	188.00	32 628 A01	96	273.00	32 792 000	551	347.00
32 109 AL1	59	289.00	32 628 AL1	96	295.00	32 793 000	551	362.00
32 109 DC1	59	253.00	32 628 BE1	96	273.00	32 795 000	550	327.00
32 114 001	59	200.00	32 628 DA1	96	273.00	32 823 000	550	324.00
32 114 AL1	59	308.00	32 628 DC1	96	256.00	32 824 000	138	108.00
32 114 DC1	59	270.00	32 628 DL1	96	285.00	32 825 000	137	113.00
32 146 000	26	502.00	32 628 EN1	96	295.00	32 825 00E	137	114.00
32 147 000	28	430.00	32 628 GL1	96	274.00	32 826 000	29	838.00
32 154 002	167	73.00	32 628 GN1	96	286.00	32 827 00E	137	83.00
32 168 000	449	283.00	32 629 002	116	176.00	32 830 001	140	132.00
32 168 DC0	449	340.00	32 647 003	36	462.00	32 831 000	142	135.00
32 204 001	114	144.00	32 647 AL3	36	790.00	32 832 000	143	167.00
32 204 10E	114	144.00	32 647 DA3	36	741.00	32 837 000	141	112.00
32 206 10E	115	113.00	32 647 DC3	36	691.00	32 838 000	142	87.00
32 207 001	114	113.00	32 647 GL3	36	741.00	32 839 000	141	110.00
32 208 001	117	144.00	32 650 003	37	424.00	32 840 000	141	83.00
32 210 001	117	144.00	32 650 AL3	37	677.00	32 842 000	471	133.00
32 211 001	118	174.00	32 650 DA3	37	635.00	32 843 002	470	143.00
32 212 001	118	205.00	32 650 DC3	37	593.00	32 843 20E	470	142.00
32 213 001	119	148.00	32 650 GL3	37	635.00	32 843 DC2	470	179.00
32 214 001	120	162.00	32 652 003	37	462.00	32 846 000	29	777.00
32 221 002	473	102.00	32 652 AL3	37	790.00	32 847 000	143	244.00
32 224 002	473	144.00	32 652 DA3	37	741.00	32 870 000	548	20.00
32 230 002	468	125.00	32 652 DC3	37	691.00	32 871 000	548	28.00
32 240 10E	115	113.00	32 652 GL3	37	741.00	32 879 000	144	149.00
32 249 000	27	728.00	32 653 003	40	1,370.00	32 880 000	144	133.00
32 257 001	463	305.00	32 653 AL3	40	2,180.00	32 898 001	95	150.00
32 257 002	462	272.00	32 653 DA3	40	2,050.00	32 899 001	95	144.00
32 259 003	462	195.00	32 653 DC3	40	1,910.00	32 901 001	97	282.00
32 294 002	454	366.00	32 653 GL3	40	2,050.00	32 901 A01	97	363.00
32 294 DC2	454	475.00	32 659 001	466	157.00	32 901 AL1	97	395.00
32 321 002	451	242.00	32 661 003	464	178.00	32 901 BE1	97	363.00
32 321 A02	451	328.00	32 661 DC3	464	223.00	32 901 DA1	97	363.00
32 321 AL2	451	351.00	32 662 003	464	172.00	32 901 DC1	97	339.00
32 321 DA2	451	328.00	32 663 003	464	214.00	32 901 DL1	97	388.00
32 321 DC2	451	304.00	32 663 DC3	464	279.00	32 901 EN1	97	386.00
32 321 DL2	451	351.00	32 667 001	466	178.00	32 901 GL1	97	371.00
32 321 GN2	451	351.00	32 706 000	27	232.00	32 901 GN1	97	388.00
32 322 002	452	238.00	32 750 000	475	101.00	32 917 000	450	239.00
32 322 A02	452	328.00	32 752 000	475	101.00	32 917 A00	450	262.00
32 322 AL2	452	351.00	32 754 002	31	1,820.00	32 917 AL0	450	281.00
32 322 DA2	452	328.00	32 757 000	26	422.00	32 917 DA0	450	262.00
			32 759 000	26	411.00	32 917 DC0	450	244.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
32 917 DL0	450	281.00	33 565 LS3	132	154.00	34 143 003	133, 250	237.00
32 917 GN0	450	281.00	33 566 002	123	108.00	34 151 004	251	252.00
32 917 KS0	450	282.00	33 569 002	111	163.00	34 155 003	133, 250	301.00
32 918 000	450	283.00	33 577 003	86	225.00	34 169 001	243	299.00
32 918 00E	450	228.00	33 577 AL3	86	346.00	34 170 001	243	256.00
32 918 DC0	450	296.00	33 577 DC3	86	303.00	34 174 001	244	364.00
32 926 002	167	95.00	33 590 002	123	133.00	34 176 001	244	532.00
32 927 002	148	70.00	33 590 003	132	132.00	34 195 001	245	365.00
32 929 002	148	97.00	33 590 LS3	132	169.00	34 256 004	250	239.00
32 934 001	100	134.00	33 591 002	124	175.00	34 274 000	242	471.00
32 935 001	99	154.00	33 591 003	133	166.00	34 276 000	242	527.00
32 935 A01	99	213.00	33 591 LS3	133	215.00	34 281 001	245	434.00
32 935 AL1	99	227.00	33 592 20A	124	167.00	34 294 001	95	147.00
32 935 BE1	99	213.00	33 592 30A	134	160.00	34 464 001	244	406.00
32 935 DA1	99	213.00	33 624 001	100	215.00	34 469 001	243	336.00
32 935 DC1	99	227.00	33 624 A01	100	283.00	34 482 001	245	439.00
32 935 DL1	99	227.00	33 624 AL1	100	308.00	34 487 000	535	168.00
32 935 EN1	99	227.00	33 624 BE1	100	283.00	34 488 000	68, 75	361.00
32 935 GL1	99	213.00	33 624 DA1	100	283.00	34 491 000	246	353.00
32 935 GN1	99	227.00	33 624 DC1	100	265.00	34 497 000	68, 76	478.00
32 950 000	446	743.00	33 624 DL1	100	302.00	34 502 000	247	496.00
32 950 A00	446	879.00	33 624 EN1	100	302.00	34 508 000	247	428.00
32 950 AL0	446	942.00	33 624 GL1	100	283.00	34 509 000	246	329.00
32 950 DC0	446	817.00	33 624 GN1	100	302.00	34 558 000	149, 155	192.00
33			33 628 001	101	257.00	34 565 001	257	204.00
33 155 002	93	267.00	33 635 002	125	145.00	34 566 001	257	214.00
33 163 003	82	186.00	33 635 003	135	140.00	34 567 000	149, 155	250.00
33 178 20E	108	145.00	33 636 001	100	173.00	34 576 000	256	240.00
33 188 002	146	90.00	33 636 A01	100	230.00	34 665 000	536	391.00
33 190 002	108	167.00	33 636 AL1	100	247.00	34 666 000	538	347.00
33 190 20E	108	164.00	33 636 BE1	100	235.00	34 667 000	536	312.00
33 192 002	111	213.00	33 636 DA1	100	230.00	34 671 000	537	387.00
33 202 002	472	124.00	33 636 DC1	100	215.00	34 681 000	536	309.00
33 202 DC2	472	133.00	33 636 DL1	100	246.00	34 705 000	48, 65	1,300.00
33 241 003	85	186.00	33 636 EN1	100	246.00	34 706 000	30, 91	1,290.00
33 241 AL3	85	*	33 636 GL1	100	230.00	34 709 000	16	1,240.00
33 241 DC3	85	*	33 636 GN1	100	246.00	34 712 000	16	1,200.00
33 244 002	111	163.00	33 637 002	125	157.00	34 713 000	233	740.00
33 251 000	433	478.00	33 637 003	136	151.00	34 714 000	233	704.00
33 265 002	146	97.00	33 769 000	28	257.00	34 718 000	62, 86	333.00
33 281 002	472	119.00	33 770 001	463	217.00	34 719 000	61, 86	270.00
33 281 20E	472	97.00	33 770 002	462	227.00	34 720 000	234	409.00
33 281 DC2	472	126.00	33 771 001	463	260.00	34 721 000	234	351.00
33 300 002	149	122.00	33 772 002	462	205.00	34 726 000	239	540.00
33 302 20A	150	116.00	33 848 001	61	220.00	34 727 000	239	609.00
33 305 002	151	151.00	33 848 AL1	61	337.00	34 728 000	237	540.00
33 339 000	30	701.00	33 848 DC1	61	295.00	34 729 000	237	609.00
33 390 002	112	204.00	33 849 001	62	288.00	34 730 000	237	1,100.00
33 395 002	112	247.00	33 849 AL1	62	443.00	34 731 000	239	1,100.00
33 490 002	472	141.00	33 849 DC1	62	388.00	34 732 000	239	957.00
33 547 003	87	310.00	33 850 001	62	335.00	34 734 000	237	824.00
33 552 002	121	134.00	33 865 001	61	225.00	34 735 000	240	636.00
33 552 20E	121	131.00	33 865 AL1	61	347.00	34 741 000	70, 78	1,110.00
33 553 003	86	280.00	33 865 DC1	61	304.00	34 742 000	30, 231	1,110.00
33 553 AL3	86	433.00	33 912 000	475, 547	288.00	34 743 000	231	1,020.00
33 553 DC3	86	379.00	33 961 000	262, 547	79.00	34 744 000	231	873.00
33 555 002	149	101.00	33 962 000	262, 547	108.00	34 765 000	100, 117	178.00
33 556 002	150	131.00	33 963 000	262, 547	104.00	34 766 000	101, 118	231.00
33 557 003	129	103.00	33 964 000	262, 547	76.00	34 768 000	254	206.00
33 557 20E	122	108.00	33 965 000	262	*	34 769 000	255	211.00
33 558 003	127	122.00	33 966 000	262	*	34 776 000	252	188.00
33 558 LS3	127	158.00	33 975 004	467	156.00	34 779 000	252	244.00
33 561 002	121	160.00	33 977 002	468	145.00	34 783 000	252	216.00
33 561 003	128	153.00	33 982 002	468	174.00	34 784 000	253	220.00
33 565 002	123	134.00	34			35		
33 565 003	132	119.00	34 020 001	537	626.00	35 016 000	29	169.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
35 028 000	32, 45	137.00	36 413 000	510	644.00	37 132 000	664	31.00
35 034 000	405	219.00	36 414 000	511	875.00	37 133 000	664	95.00
35 085 000	541	1,200.00	36 415 000	514	576.00	37 135 000	665	8.20
35 087 000	541	1,290.00	36 416 001	514, 525	566.00	37 139 000	663	100.00
35 500 000	538, 539	250.00	36 421 000	520	409.00	37 141 000	663	96.00
35 600 000	14, 15	70.00	36 422 000	519	413.00	37 153 000	666	297.00
36			36 439 000	520	294.00	37 157 000	666	238.00
36 015 001	517	636.00	36 440 000	504	664.00	37 304 000	645	41.00
36 016 001	517	493.00	36 441 000	73, 504	681.00	37 311 K00	657	29.00
36 078 000	272	95.00	36 442 000	504	741.00	37 321 001	674	559.00
36 109 000	555	509.00	36 444 000	507	553.00	37 321 SD1	674	565.00
36 121 000	555	582.00	36 445 000	98, 507	516.00	37 321 SH1	674	557.00
36 122 000	555	249.00	36 446 000	507	494.00	37 324 001	675	559.00
36 133 000	728	16.00	36 447 000	508	701.00	37 324 SD1	675	554.00
36 207 001	517	560.00	36 451 000	154, 533	201.00	37 336 001	674	463.00
36 208 001	517	429.00	36 452 000	533	183.00	37 337 001	674	463.00
36 209 000	552	121.00	36 453 000	533	212.00	37 338 000	515, 675	134.00
36 233 000	552	785.00	36 454 000	521	830.00	37 339 000	678	128.00
36 249 000	552	757.00	36 455 000	521	808.00	37 342 000	678	152.00
36 264 001	505, 508	168.00	36 456 000	524	205.00	37 345 000	678	139.00
36 265 000	554	132.00	36 457 000	524	767.00	37 346 000	678	97.00
36 266 000	554	101.00	36 458 000	524	616.00	37 347 000	663	221.00
36 267 000	554	87.00	36 459 000	524	662.00	37 349 000	663	221.00
36 268 000	554	100.00	36 463 000	525	183.00	37 355 SH0	648	94.00
36 269 000	528	316.00	36 464 000	525	548.00	37 396 000	678	96.00
36 270 000	528	266.00	37			37 419 000	668	822.00
36 271 000	528	270.00	37 018 000	694	55.00	37 419 SD0	668	841.00
36 272 000	529	246.00	37 018 P00	694	56.00	37 421 000	672	477.00
36 273 000	530	383.00	37 018 SH0	694	30.00	37 426 000	672	405.00
36 274 000	529	287.00	37 035 000	679	12.50	37 427 000	672	348.00
36 309 000	272	237.00	37 036 000	679	20.00	37 428 000	673	296.00
36 315 000	523	479.00	37 037 000	679	19.50	37 489 000	657	6.60
36 316 000	554	36.00	37 038 000	679	17.50	37 494 PI0	653	71.00
36 317 000	553	286.00	37 039 000	679	17.50	37 497 PI0	654	50.00
36 318 000	553	311.00	37 040 000	679	23.00	37 498 PI0	653	70.00
36 319 000	553	513.00	37 042 000	680	15.00	37 501 PI0	652	55.00
36 320 000	553	449.00	37 043 000	679	32.00	37 502 000	652	25.00
36 321 000	553	321.00	37 044 000	679	18.00	37 503 000	514	768.00
36 322 001	553	121.00	37 048 000	666	324.00	37 504 000	515	946.00
36 325 001	519	450.00	37 059 000	671, 689	183.00	37 521 PI0	653	96.00
36 327 001	140, 519	367.00	37 060 000	671, 690	80.00	37 522 PI0	653	*
36 330 001	520	365.00	37 063 000	692	37.00	37 535 000	92, 684	69.00
36 331 001	519	326.00	37 063 SH0	692	52.00	37 535 A00	684	144.00
36 332 000	522	855.00	37 069 000	692	316.00	37 535 AL0	92, 684	144.00
36 333 000	522	724.00	37 078 PI0	654	86.00	37 535 BE0	684	144.00
36 334 SD0	522	438.00	37 085 PI0	654	55.00	37 535 DA0	684	144.00
36 335 SD0	522	378.00	37 086 PI0	654	*	37 535 DC0	92, 684	147.00
36 336 001	512, 523	289.00	37 088 PI0	654	61.00	37 535 DL0	684	144.00
36 337 001	512, 522	109.00	37 092 000	652	34.00	37 535 EN0	684	144.00
36 338 000	506, 509	103.00	37 093 000	652	50.00	37 535 GL0	684	144.00
36 339 001	513, 523	199.00	37 095 000	652	33.00	37 535 GN0	684	144.00
36 340 000	505, 509	60.00	37 099 K00	655	70.00	37 535 P00	684	69.00
36 341 000	505, 509	92.00	37 100 SH0	654	27.00	37 535 SH0	684	57.00
36 356 000	272	145.00	37 102 SH0	667	17.00	37 547 000	692	55.00
36 359 000	267	1,120.00	37 103 SH0	657	11.00	37 547 P00	692	68.00
36 360 000	268	958.00	37 104 K00	657	32.00	37 547 SH0	692	61.00
36 367 000	270	298.00	37 105 K00	657	32.00	37 576 000	644	203.00
36 371 000	270	645.00	37 107 000	664	96.00	37 578 001	644	203.00
36 376 000	523	469.00	37 108 000	664	90.00	37 601 000	684	85.00
36 384 000	529	545.00	37 112 000	664	124.00	37 601 A00	684	144.00
36 386 001	521	725.00	37 114 000	664	33.00	37 601 AL0	684	144.00
36 397 000	269	959.00	37 115 PI0	657, 752	10.00	37 601 BE0	684	144.00
36 407 001	505, 509	360.00	37 117 PI0	658, 752	9.90	37 601 DA0	684	144.00
36 409 000	510	530.00	37 119 000	658	3.00	37 601 DC0	684	144.00
36 410 000	512	607.00	37 125 000	658	8.10	37 601 DL0	684	144.00
36 412 000	513	688.00	37 131 000	637, 659	13.00	37 601 EN0	684	144.00
						37 601 GL0	684	144.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
37 601 GNO	684	144.00	38 573 SH0	689	66.00	38 779 000	636	156.00
37 601 P00	684	81.00	38 574 000	689	49.00	38 784 000	693	121.00
37 601 SH0	684	66.00	38 581 001	634	520.00	38 784 P00	693	117.00
37 624 000	92, 113	85.00	38 584 001	633	226.00	38 784 SD0	693	157.00
37 624 A00	684	144.00	38 587 000	634	330.00	38 784 SH0	693	118.00
37 624 AL0	92, 684	144.00	38 588 001	618	370.00	38 785 000	644	191.00
37 624 BE0	684	144.00	38 595 000	694	55.00	38 786 001	624	289.00
37 624 DA0	684	144.00	38 595 P00	694	60.00	38 787 000	675, 681	108.00
37 624 DC0	92, 684	144.00	38 595 SH0	694	27.00	38 796 000	691	73.00
37 624 DL0	684	144.00	38 597 001	628	226.00	38 803 001	624	282.00
37 624 EN0	684	144.00	38 599 001	631	*	38 804 000	693	120.00
37 624 GL0	684	144.00	38 618 000	621	289.00	38 804 P00	693	107.00
37 624 GN0	684	144.00	38 624 001	615	229.00	38 804 SH0	693	117.00
37 624 P00	684	82.00	38 625 001	627, 632	294.00	38 805 000	691	135.00
37 624 SH0	684	67.00	38 629 000	636	46.00	38 808 000	694	105.00
37 636 000	663	138.00	38 636 001	636	175.00	38 808 P00	694	93.00
37 751 001	675	464.00	38 642 001	642	162.00	38 808 SH0	694	84.00
37 761 000	690	56.00	38 643 001	641	209.00	38 809 000	685	512.00
37 762 SH0	648	93.00	38 661 000	649	165.00	38 813 001	607	238.00
37 791 SH0	648	132.00	38 672 SD0	689	126.00	38 821 000	686	209.00
37 965 000	685	54.00	38 675 001	617, 630	360.00	38 825 000	641	174.00
37 965 SH0	685	45.00	38 680 001	615	202.00	38 827 000	606	395.00
37 998 000	635	79.00	38 691 000	650	155.00	38 844 000	687	71.00
38			38 698 SD1	668	607.00	38 844 P00	687	72.00
38 338 000	637	10.00	38 699 001	668	519.00	38 844 SH0	687	63.00
38 340 001	633	238.00	38 703 000	644	*	38 845 KSO	686	249.00
38 372 SH0	648	*	38 714 000	661, 690	14.00	38 845 LSO	686	243.00
38 393 SD1	668	531.00	38 719 001	609	204.00	38 845 MFO	686	249.00
38 415 001	643	253.00	38 721 001	610	302.00	38 846 KSO	693	280.00
38 422 000	650	138.00	38 721 10A	610	*	38 846 LSO	693	280.00
38 445 SD0	692	106.00	38 722 001	610	282.00	38 857 000	694	118.00
38 488 000	690	*	38 723 001	640	204.00	38 857 P00	694	107.00
38 496 000	690	*	38 724 001	640	251.00	38 857 SH0	694	111.00
38 505 000	687	67.00	38 729 000	643	289.00	38 858 000	687	70.00
38 505 P00	687	76.00	38 732 000	687	75.00	38 858 P00	687	71.00
38 505 SH0	687	60.00	38 732 A00	687	124.00	38 858 SH0	687	62.00
38 506 000	687	76.00	38 732 AL0	687	124.00	38 860 000	607	309.00
38 506 P00	687	75.00	38 732 BE0	687	124.00	38 860 10A	607	*
38 506 SH0	687	68.00	38 732 BR0	687	124.00	38 861 000	688	73.00
38 517 001	625	223.00	38 732 DA0	687	126.00	38 862 000	688	68.00
38 519 001	622	339.00	38 732 DC0	687	121.00	38 862 P00	688	61.00
38 525 001	619	319.00	38 732 DL0	687	126.00	38 862 SD0	688	145.00
38 525 10A	620	*	38 732 EN0	687	124.00	38 862 SH0	688	49.00
38 526 000	620	344.00	38 732 GL0	687	126.00	38 863 000	650	108.00
38 526 10A	621	*	38 732 GN0	687	124.00	38 868 000	612	329.00
38 528 001	604	255.00	38 732 P00	687	60.00	38 868 10A	612	*
38 528 10A	604	*	38 732 SD0	687	164.00	38 882 000	691	9.00
38 536 001	614	295.00	38 732 SH0	687	64.00	38 885 000	608	376.00
38 539 001	614	185.00	38 733 000	636	29.00	38 888 000	608	376.00
38 541 000	628, 632	126.00	38 735 000	655	50.00	38 895 000	649	191.00
38 543 000	629	285.00	38 736 000	655	41.00	38 896 000	681	71.00
38 544 000	628	227.00	38 745 001	610	193.00	38 897 000	616	303.00
38 545 000	629	268.00	38 748 002	505, 508	446.00	38 915 KSO	685	940.00
38 546 000	627	119.00	38 750 001	606	330.00	38 915 LSO	685	799.00
38 553 001	628	266.00	38 759 SD0	631, 669	778.00	38 916 OA0	686	293.00
38 554 001	626	151.00	38 761 10A	611	*	38 929 000	608	243.00
38 557 001	626	115.00	38 764 001	612	262.00	38 934 SD0	631, 670	474.00
38 558 O0M	622, 625	23.00	38 765 000	686	65.00	38 947 000	613	281.00
38 559 001	632	196.00	38 765 P00	686	71.00	38 948 000	613	281.00
38 562 001	636	86.00	38 765 SH0	686	64.00	38 957 000	686	95.00
38 564 000	689	74.00	38 771 000	651, 690	37.00	38 987 000	649	98.00
38 564 SH0	689	66.00	38 772 001	611	329.00	38 994 000	618	337.00
38 565 000	689	69.00	38 772 10A	611	*	38 995 000	619	343.00
38 565 SH0	689	33.00	38 773 000	611	318.00	39		
38 573 000	689	74.00	38 775 001	607	231.00	39 002 000	605	352.00
38 573 P00	689	79.00	38 776 SD0	687	163.00	39 052 000	626	147.00
			38 778 000	669	630.00			

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
40 306 DC3	49	76.24	40 366 GL1	193	50.41	40 393 000	196, 200	21.00
40 306 GL3	49	81.66	40 366 GN1	193	53.74	40 394 001	191, 198	17.08
40 307 003	49	73.33	40 367 001	195	27.91	40 394 A01	191	25.83
40 307 AL3	49	116.66	40 367 A01	195	41.66	40 394 AL1	191, 198	27.49
40 307 DA3	49	108.33	40 367 AL1	195	44.58	40 394 BE1	191	25.83
40 307 DC3	49	104.16	40 367 BE1	195	41.66	40 394 DA1	191	25.83
40 307 GL3	49	108.33	40 367 DA1	195	41.66	40 394 DC1	191, 198	24.16
40 308 003	50	120.83	40 367 DC1	195	38.74	40 394 DL1	191	27.49
40 308 AL3	50	190.83	40 367 DL1	195	44.58	40 394 EN1	191, 205	27.49
40 308 DA3	50	182.50	40 367 EN1	195	44.58	40 394 GL1	191	25.83
40 308 DC3	50	165.83	40 367 GL1	195	41.66	40 394 GN1	191	27.49
40 308 GL3	50	182.50	40 367 GN1	195	44.58	40 402 000	482	*
40 309 003	50	116.66	40 368 001	191, 198	5.74	40 404 001	435	59.16
40 309 AL3	50	182.50	40 369 001	191	21.24	40 405 000	434	29.58
40 309 DA3	50	174.17	40 369 A01	191	31.66	40 407 001	196	66.24
40 309 DC3	50	162.49	40 369 AL1	191	33.74	40 407 DC1	196	91.66
40 309 GL3	50	*	40 369 BE1	191	31.66	40 412 001	435	141.66
40 312 003	50	37.49	40 369 DA1	191	31.66	40 421 001	194	33.33
40 312 AL3	50	59.99	40 369 DC1	191	29.58	40 421 A01	194	50.41
40 312 DA3	50	56.24	40 369 DL1	191	33.74	40 421 AL1	194	53.74
40 312 DC3	50	52.49	40 369 EN1	191	33.74	40 421 BE1	194	50.41
40 312 GL3	50	56.24	40 369 GL1	191	31.66	40 421 DA1	194	50.41
40 313 003	50	82.49	40 369 GN1	191	33.74	40 421 DC1	194	47.08
40 313 AL3	50	133.33	40 371 001	192	37.49	40 421 DL1	194	53.74
40 313 DA3	50	124.99	40 371 A01	192	55.83	40 421 EN1	194	53.74
40 313 DC3	50	116.66	40 371 AL1	192	59.58	40 421 GL1	194	50.41
40 313 GL3	50	124.99	40 371 BE1	192	55.83	40 421 GN1	194	53.74
40 314 003	50	162.49	40 371 DA1	192	55.83	40 422 000	436	67.49
40 314 AL3	50	265.83	40 371 DC1	192	52.08	40 423 000	437	99.99
40 314 DA3	50	249.17	40 371 DL1	192	59.58	40 424 000	437	83.33
40 314 DC3	50	232.50	40 371 EN1	192	59.58	40 430 001	435	108.33
40 314 GL3	50	249.17	40 371 GL1	192	55.83	40 432 000	443	25.41
40 339 000	34	116.66	40 371 GN1	192	59.58	40 434 001	436	33.74
40 340 000	35	190.83	40 372 001	191, 198	6.99	40 437 000	434	29.58
40 341 000	34	174.17	40 374 001	196	34.58	40 438 001	443	162.49
40 342 000	34	174.17	40 374 A01	196	51.66	40 444 001	192	26.66
40 344 001	197	108.33	40 374 AL1	196	54.99	40 444 DC1	192	37.49
40 344 DC1	197	149.99	40 374 BE1	196	51.66	40 444 EN1	192	42.91
40 363 000	34	190.83	40 374 DA1	196	51.66	40 447 001	192	26.24
40 364 001	194	11.66	40 374 DC1	196	48.33	40 447 DC1	192	36.66
40 364 A01	194	17.08	40 374 DL1	196	54.99	40 447 EN1	192	41.66
40 364 AL1	194	18.33	40 374 EN1	196	54.99	40 448 001	191	39.16
40 364 BE1	194	17.08	40 374 GL1	196	51.66	40 448 DC1	191	54.58
40 364 DA1	194	17.08	40 374 GN1	196	54.99	40 448 EN1	191	62.49
40 364 DC1	194	16.24	40 385 001	196	21.24	40 452 000	434	26.00
40 364 DL1	194	18.33	40 385 A01	196	31.66	40 457 001	203	20.83
40 364 EN1	194	18.33	40 385 AL1	196	33.74	40 459 001	202	24.16
40 364 GL1	194	17.08	40 385 BE1	196	31.66	40 460 001	202	16.66
40 364 GN1	194	18.33	40 385 DA1	196	31.66	40 461 001	203	9.99
40 365 001	192	21.24	40 385 DC1	196	29.58	40 462 001	203	87.49
40 365 A01	192	31.66	40 385 DL1	196	33.74	40 463 001	203	27.08
40 365 AL1	192	33.74	40 385 EN1	196	33.74	40 493 000	24	224.17
40 365 BE1	192	31.66	40 385 GL1	196	31.66	40 493 A00	24	340.83
40 365 DA1	192	31.66	40 385 GN1	196	33.74	40 493 AL0	24	365.83
40 365 DC1	192	29.58	40 386 001	193	42.08	40 493 DC0	24	315.83
40 365 DL1	192	33.74	40 386 A01	193	63.33	40 494 000	24	349.17
40 365 EN1	192	33.74	40 386 AL1	193	67.49	40 494 A00	24	515.83
40 365 GL1	192	31.66	40 386 BE1	193	63.33	40 494 AL0	24	557.50
40 365 GN1	192	33.74	40 386 DA1	193	63.33	40 494 DC0	24	482.50
40 366 001	193	33.33	40 386 DC1	193	58.74	40 496 000	24	190.83
40 366 A01	193	50.41	40 386 DL1	193	67.49	40 496 A00	24	282.50
40 366 AL1	193	53.74	40 386 EN1	193	67.49	40 496 AL0	24	299.17
40 366 BE1	193	50.41	40 386 GL1	193	63.33	40 496 DC0	24	265.83
40 366 DA1	193	50.41	40 386 GN1	193	67.49	40 497 000	24	215.83
40 366 DC1	193	47.08	40 392 000	196, 200	26.00	40 497 A00	24	315.83
40 366 DL1	193	53.74	40 392 AL0	200	*	40 497 AL0	24	340.83
40 366 EN1	193	53.74	40 392 DC0	196, 200	36.00	40 497 DC0	24	299.17

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
40 498 000	25	87.49	40 565 A00	732	103.00	40 688 DL1	193	49.16
40 498 A00	25	133.33	40 565 AL0	732	110.00	40 688 EN1	193	49.16
40 498 AL0	25	141.66	40 565 DC0	732	96.00	40 688 GL1	193	45.83
40 498 DC0	25	124.99	40 575 001	435	273.00	40 688 GN1	193	49.16
40 499 000	25	182.50	40 576 000	436	100.00	40 689 001	195	24.99
40 499 A00	25	274.17	40 578 000	435	*	40 689 A01	195	37.49
40 499 AL0	25	*	40 585 001	202	16.66	40 689 AL1	195	39.99
40 499 DC0	25	257.50	40 621 000	435	26.00	40 689 BE1	195	37.49
40 500 000	25	299.17	40 621 DC0	435	*	40 689 DA1	195	37.49
40 500 A00	25	449.17	40 623 001	200	26.66	40 689 DC1	195	34.99
40 500 AL0	25	474.17	40 623 AL1	200	42.91	40 689 DL1	195	39.99
40 500 DC0	25	415.83	40 623 DC1	200	37.49	40 689 EN1	195	39.99
40 503 000	24	265.83	40 624 001	199	53.74	40 689 GL1	195	37.49
40 503 A00	24	399.17	40 624 AL1	199	87.49	40 689 GN1	195	39.99
40 503 AL0	24	432.50	40 624 DC1	199	75.41	40 691 001	435	75.83
40 503 DC0	24	374.17	40 625 000	58	137.49	40 694 000	436	16.66
40 504 000	24	274.17	40 625 EN0	58	224.17	40 709 000	453	*
40 504 A00	24	407.50	40 625 IGO	58	182.50	40 711 001	429	1,200.00
40 504 AL0	24	432.50	40 626 000	57	133.33	40 754 001	199	33.74
40 504 DC0	24	382.50	40 626 IGO	57	174.17	40 755 001	198	33.33
40 507 001	200	32.08	40 627 000	57	174.17	40 756 001	198	44.99
40 507 AL1	200	51.66	40 627 IGO	57	224.17	40 757 001	200	91.66
40 507 DC1	200	44.99	40 628 000	57	162.49	40 758 001	201	145.83
40 508 001	198	27.91	40 628 IGO	57	215.83	40 766 000	188	52.49
40 508 AL1	198	44.58	40 629 000	57	182.50	40 767 000	189	99.99
40 508 DC1	198	38.74	40 629 EN0	57	290.83	40 768 000	188	149.99
40 509 001	199	42.49	40 629 IGO	57	240.83	40 775 001	196	65.41
40 509 AL1	199	68.33	40 630 000	57	112.49	40 775 DC1	196	91.66
40 509 DC1	199	59.58	40 630 EN0	57	182.50	40 775 EN1	196	104.16
40 510 001	199	38.33	40 630 IGO	57	145.83	40 776 001	197	83.33
40 510 AL1	199	61.24	40 631 000	57	53.33	40 776 DC1	197	116.66
40 510 DC1	199	53.74	40 631 IGO	57	69.16	40 777 001	201	81.66
40 511 001	199	16.24	40 632 000	58	190.83	40 778 001	201	116.66
40 511 AL1	199	25.83	40 632 IGO	58	249.17	40 781 000	189	80.41
40 511 DC1	199	22.49	40 633 000	58	124.99	40 782 000	189	27.91
40 512 001	199	141.66	40 633 EN0	58	199.17	40 783 000	188	24.58
40 512 AL1	199	224.17	40 633 IGO	58	162.49	40 784 000	189	37.08
40 512 DC1	199	199.17	40 652 001	205	21.24	40 791 001	50, 186	5.16
40 513 001	200	55.41	40 652 EN1	205	33.74	40 791 KS1	50, 186	5.16
40 513 AL1	200	87.49	40 653 001	205	33.33	40 793 001	194	47.91
40 513 DC1	200	77.91	40 653 EN1	205	53.74	40 793 DC1	194	67.08
40 514 001	200	57.49	40 654 001	206	57.49	40 794 001	194	57.49
40 514 AL1	200	91.66	40 654 EN1	206	91.66	40 794 DC1	194	80.41
40 514 DC1	200	80.41	40 655 001	205	21.24	40 797 001	195	149.99
40 535 000	482	44.16	40 655 EN1	205	33.74	40 799 001	195	38.33
40 535 A00	482	66.24	40 656 001	206	11.66	40 799 DC1	195	53.74
40 535 AL0	482	70.41	40 656 EN1	206	18.33	40 800 001	194	112.49
40 535 BE0	482	66.24	40 657 001	206	24.99	40 800 A01	194	170.83
40 535 DA0	482	66.24	40 657 EN1	206	39.99	40 800 AL1	194	182.50
40 535 DC0	482	61.66	40 658 001	206	34.58	40 800 BE1	194	170.83
40 535 DL0	482	70.41	40 658 EN1	206	54.99	40 800 DA1	194	170.83
40 535 GL0	482	66.24	40 659 001	207	37.49	40 800 DC1	194	158.33
40 535 GN0	482	70.41	40 659 EN1	207	59.99	40 800 DL1	194	182.50
40 536 000	482	39.58	40 660 001	206	112.49	40 800 EN1	194	182.50
40 536 DC0	482	55.41	40 660 EN1	206	182.50	40 800 GL1	194	170.83
40 537 000	482	48.33	40 663 001	203	47.08	40 800 GN1	194	182.50
40 537 DC0	482	67.91	40 664 001	204	37.49	40 802 001	193	57.49
40 537 ZB0	482	67.91	40 666 000	271	897.00	40 802 A01	193	87.49
40 547 001	435	59.16	40 684 000	453	75.00	40 802 AL1	193	91.66
40 553 000	482	54.99	40 684 DC0	453	*	40 802 BE1	193	87.49
40 553 DC0	482	77.08	40 687 000	436	29.58	40 802 DA1	193	87.49
40 554 002	421	1,570.00	40 688 001	193	30.83	40 802 DC1	193	80.41
40 564 000	91, 733	274.00	40 688 A01	193	45.83	40 802 DL1	193	91.66
40 564 A00	733	336.00	40 688 AL1	193	49.16	40 802 EN1	193	91.66
40 564 AL0	91, 733	358.00	40 688 BE1	193	45.83	40 802 GL1	193	87.49
40 564 DC0	91, 733	314.00	40 688 DA1	193	45.83	40 802 GN1	193	91.66
40 565 000	732	83.00	40 688 DC1	193	42.91	40 804 000	189	274.17

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
40 805 000	188	46.24	41 027 GLO	182	67.49	41 056 DLO	184	116.66
40 806 000	188	30.83	41 027 GNO	182	72.08	41 056 ENO	184	116.66
40 807 000	189	154.16	41 028 000	182	44.99	41 056 GLO	184	108.33
40 808 000	190	137.49	41 028 A00	182	67.49	41 056 GNO	184	116.66
40 809 000	190	108.33	41 028 AL0	182	72.08	41 057 000	184	83.33
40 824 000	732	20.00	41 028 BE0	182	67.49	41 058 000	184	91.66
40 830 001	442	705.00	41 028 DA0	182	67.49	41 058 A00	184	141.66
40 831 001	442	776.00	41 028 DC0	182	62.91	41 058 AL0	184	149.99
40 841 001	442	115.00	41 028 DL0	182	72.08	41 058 BE0	184	141.66
40 843 000	437	54.99	41 028 EN0	182	72.08	41 058 DA0	184	141.66
40 846 001	197	104.16	41 028 GLO	182	67.49	41 058 DC0	184	129.16
40 847 001	201	133.33	41 028 GNO	182	72.08	41 058 DL0	184	149.99
40 848 000	434	8.33	41 029 000	182	21.66	41 058 EN0	184	149.99
40 848 AL0	434	*	41 030 000	703	42.00	41 058 GLO	184	141.66
40 848 DLO	434	*	41 031 000	704	43.00	41 058 GNO	184	149.99
40 848 GNO	434	*	41 033 000	704	67.00	41 059 000	184	99.99
40 848 SDO	434	12.49	41 035 000	182	50.41	41 059 A00	184	149.99
40 849 000	437	15.83	41 035 A00	182	75.41	41 059 AL0	184	158.33
40 855 000	444	52.08	41 035 AL0	182	80.83	41 059 BE0	184	149.99
40 857 000	190	108.33	41 035 BE0	182	75.41	41 059 DA0	184	149.99
40 865 000	188	37.08	41 035 DA0	182	75.41	41 059 DC0	184	137.49
40 867 000	190	*	41 035 DC0	182	70.41	41 059 DL0	184	158.33
40 868 000	190	33.33	41 035 DL0	182	80.83	41 059 EN0	184	158.33
40 870 000	190	9.99	41 035 EN0	182	80.83	41 059 GLO	184	149.99
40 899 000	560, 564	37.00	41 035 GLO	182	75.41	41 059 GNO	184	158.33
40 911 000	637, 645	14.00	41 035 GNO	182	80.83	41 063 000	185	80.83
40 918 000	190	*	41 036 000	182	28.74	41 063 A00	185	120.83
40 919 SDO	443	14.99	41 037 000	183	12.49	41 063 AL0	185	129.16
40 920 000	437	21.24	41 038 000	183	59.58	41 063 BE0	185	120.83
40 949 000	638, 645	21.00	41 038 A00	183	87.49	41 063 DA0	185	120.83
40 950 000	638, 645	16.00	41 038 AL0	183	95.83	41 063 DC0	185	112.49
40 951 000	50, 186	50.00	41 038 BE0	183	87.49	41 063 DL0	185	129.16
40 951 A00	186	*	41 038 DA0	183	87.49	41 063 EN0	185	129.16
40 951 AL0	50, 186	*	41 038 DC0	183	83.33	41 063 GLO	185	120.83
40 951 BE0	186	*	41 038 DL0	183	95.83	41 063 GNO	185	129.16
40 951 DA0	50, 186	*	41 038 EN0	183	95.83	41 064 000	185	55.83
40 951 DC0	50, 186	67.00	41 038 GLO	183	87.49	41 064 A00	185	83.33
40 951 DL0	186	*	41 038 GNO	183	95.83	41 064 AL0	185	87.49
40 951 EN0	186, 746	66.00	41 039 000	183	16.24	41 064 BE0	185	83.33
40 951 GLO	50, 186	*	41 039 A00	183	24.16	41 064 DA0	185	83.33
40 951 GNO	186	*	41 039 AL0	183	25.83	41 064 DC0	185	77.91
40 952 000	746	33.00	41 039 BE0	183	24.16	41 064 DL0	185	87.49
40 954 000	87	100.00	41 039 DA0	183	24.16	41 064 EN0	185	87.49
40 980 000	444	265.83	41 039 DC0	183	22.49	41 064 GLO	185	83.33
40 981 000	444	265.83	41 039 DL0	183	25.83	41 064 GNO	185	87.49
40 982 000	444	282.50	41 039 EN0	183	25.83	41 066 000	185	199.17
40 983 000	444	282.50	41 039 GLO	183	24.16	41 066 A00	185	299.17
40 984 000	445	42.91	41 039 GNO	183	25.83	41 066 AL0	185	315.83
40 986 SDO	500	31.66	41 040 000	704	81.00	41 066 BE0	185	299.17
40 993 000	186	43.00	41 043 000	704	90.00	41 066 DA0	185	299.17
40 994 000	183	38.00	41 049 000	183	27.08	41 066 DC0	185	274.17
41			41 049 A00	183	40.41	41 066 DL0	185	315.83
41 001 000	707	27.00	41 049 AL0	183	43.33	41 066 EN0	185	315.83
41 007 000	705	27.00	41 049 BE0	183	40.41	41 066 GLO	185	299.17
41 010 000	704	29.00	41 049 DA0	183	40.41	41 066 GNO	185	315.83
41 015 000	704	60.00	41 049 DC0	183	37.91	41 067 000	185	44.99
41 020 000	705	86.00	41 049 DL0	183	43.33	41 067 A00	185	67.49
41 022 000	706	85.00	41 049 EN0	183	43.33	41 067 AL0	185	72.08
41 027 000	182	44.99	41 049 GLO	183	40.41	41 067 BE0	185	67.49
41 027 A00	182	67.49	41 049 GNO	183	43.33	41 067 DA0	185	67.49
41 027 AL0	182	72.08	41 050 000	705	91.00	41 067 DC0	185	62.91
41 027 BE0	182	67.49	41 056 000	184	72.08	41 067 DL0	185	72.08
41 027 DA0	182	67.49	41 056 A00	184	108.33	41 067 EN0	185	72.08
41 027 DC0	182	62.91	41 056 AL0	184	116.66	41 067 GLO	185	67.49
41 027 DL0	182	72.08	41 056 BE0	184	108.33	41 067 GNO	185	72.08
41 027 EN0	182	72.08	41 056 DA0	184	108.33	41 068 000	186	35.83
			41 056 DC0	184	99.99	41 068 A00	186	54.16

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
41 068 AL0	186	57.49	42 242 000	661	9.80	43 122 000	752	27.00
41 068 BE0	186	54.16	42 253 000	652	54.00	43 193 000	692	279.00
41 068 DA0	186	54.16	42 265 000	656	159.00	43 247 000	752	99.00
41 068 DC0	186	50.41	42 271 00M	655	66.00	43 248 000	752	137.00
41 068 DL0	186	57.49	42 297 PI0	652	56.00	43 310 000	681	62.00
41 068 EN0	186	57.49	42 300 000	661	17.00	43 352 000	657	7.20
41 068 GL0	186	54.16	42 302 000	752	66.00	43 405 000	753	57.00
41 068 GN0	186	57.49	42 302 SH0	752	69.00	43 422 000	753	120.00
41 069 000	186	72.08	42 303 000	752	67.00	43 451 000	753	19.00
41 069 A00	186	108.33	42 303 SH0	752	72.00	43 486 000	656	23.00
41 069 AL0	186	116.66	42 304 000	752	56.00	43 506 000	753	4.00
41 069 BE0	186	108.33	42 304 P00	752	82.00	43 533 000	753	*
41 069 DA0	186	108.33	42 304 SH0	752	52.00	43 535 000	659, 753	3.90
41 069 DC0	186	99.99	42 305 000	752	62.00	43 536 000	654	4.30
41 069 DL0	186	116.66	42 305 P00	752	85.00	43 537 000	652	23.00
41 069 EN0	186	116.66	42 305 SH0	752	49.00	43 540 000	660, 753	4.80
41 069 GL0	186	108.33	42 315 000	659, 753	8.30	43 542 000	659	7.00
41 069 GN0	186	116.66	42 320 000	655	42.00	43 544 000	660, 753	11.00
41 070 000	703	36.00	42 327 000	623, 658	17.00	43 545 000	659	19.00
41 073 000	703	29.00	42 333 000	622, 658	20.00	43 617 000	638, 669	87.00
41 076 000	186	91.66	42 383 000	711	78.00	43 714 000	754	38.00
41 076 A00	186	133.33	42 384 000	711	74.00	43 722 000	660, 754	7.30
41 076 AL0	186	145.83	42 388 000	506, 509	47.00	43 733 000	655	4.10
41 076 BE0	186	133.33	42 393 000	506, 509	45.00	43 734 000	660	4.00
41 076 DA0	186	133.33	42 394 000	736	168.00	43 735 000	660	2.60
41 076 DC0	186	124.99	42 397 000	637	20.00	43 745 000	660, 754	5.30
41 076 DL0	186	145.83	42 408 000	527	17.00	43 758 00M	655, 754	25.00
41 076 EN0	186	145.83	42 429 000	269	114.00	43 770 00M	661	8.00
41 076 GL0	186	133.33	42 459 000	560	57.00	43 813 000	555, 712	160.00
41 076 GN0	186	145.83	42 464 000	526, 531	*	43 818 000	681	4.20
41 077 000	187	133.33	42 471 000	736	212.00	43 897 000	746	50.00
41 077 A00	187	199.17	42 475 000	736	138.00	43 907 PI0	653	74.00
41 077 AL0	187	215.83	42 572 00M	734	12.50	43 908 000	656	25.00
41 077 BE0	187	199.17	42 573 SD0	740	91.00	43 959 000	555	57.00
41 077 DA0	187	199.17	42 574 SD0	740	53.00	43 976 000	661	3.20
41 077 DC0	187	190.83	42 575 SD0	740	36.00	43 977 000	671, 689	431.00
41 077 DL0	187	215.83	42 576 SD0	740	18.00	43 981 000	712	112.00
41 077 EN0	187	215.83	42 577 SD0	740	46.00	43 982 000	712	192.00
41 077 GL0	187	199.17	42 578 SD0	740	28.00	43 996 000	666	204.00
41 077 GN0	187	215.83	42 579 SD0	741	24.00	43 997 000	666	236.00
41 082 000	703	59.00	42 580 SD0	740	13.00	45		
41 110 000	705	46.00	42 586 SD0	740	13.50	45 023 000	749	3.20
41 125 000	707	28.00	42 587 SD0	740	13.50	45 044 000	749	15.00
41 126 000	707	53.00	42 588 SD0	740	8.60	45 048 000	737	41.00
41 130 000	705	59.00	42 589 SD0	740	7.70	45 052 000	749	14.00
41 133 000	705	47.00	42 590 SD0	741	7.70	45 080 000	719	12.50
41 154 000	704	56.00	42 593 000	662, 753	28.00	45 081 000	719	12.50
41 190 000	704	53.00	42 595 SD0	741	16.00	45 120 000	535	13.50
41 230 000	707	34.00	42 713 000	711	174.00	45 123 000	720	4.60
41 231 000	707	42.00	42 717 000	711	316.00	45 124 000	719	19.00
41 238 000	707	27.00	42 740 000	753	144.00	45 144 000	719	8.60
41 239 000	707	25.00	42 764 00M	753	19.00	45 180 000	719	27.00
41 263 000	701	23.00	42 766 000	637	7.20	45 186 000	720	7.50
41 270 000	707	35.00	42 773 000	659	11.00	45 202 000	263, 721	7.10
41 275 000	707	74.00	42 774 000	656	56.00	45 203 000	263, 721	14.00
41 816 000	706	23.00	42 775 000	754	5.20	45 258 000	719	17.00
41 818 000	706	25.00	42 824 000	625	700.00	45 282 000	745	11.00
41 827 000	707	19.00	42 886 000	552, 736	23.00	45 314 000	549	29.00
42			42 901 000	667	383.00	45 316 000	549	36.00
42 041 000	665	148.00	42 902 000	667	498.00	45 342 000	717	16.50
42 075 000	661	6.00	42 946 000	623, 658	26.00	45 346 000	717	28.00
42 137 000	656	29.00	42 982 000	712	62.00	45 363 000	745	7.00
42 177 00M	518, 527	3.10	42 985 000	712	57.00	45 388 000	21, 30	122.00
42 216 000	638	17.50	43			45 459 000	410	14.50
42 229 000	736	108.00	43 040 000	681	32.00	45 484 000	739	36.00
42 233 000	656	10.00	43 056 000	752	5.30	45 562 000	469	82.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
45 605 000	719	5.20	46 575 000	742	79.00	47 217 000	713	61.00
45 650 IP0	745	33.00	46 575 DC0	742	104.00	47 220 000	713	102.00
45 654 000	750	1.60	46 576 000	742	43.00	47 238 000	737	28.00
45 656 XX0	745	12.00	46 580 000	710	42.00	47 262 000	715	145.00
45 704 000	531, 535	15.50	46 590 000	742	55.00	47 282 000	713	192.00
45 869 000	717	23.00	46 592 000	742	*	47 310 000	713	109.00
45 882 000	717	25.00	46 627 000	721	95.00	47 327 000	723	23.00
45 883 000	717	25.00	46 686 000	551	31.00	47 349 000	713	80.00
45 885 000	717	38.00	46 687 000	551	35.00	47 364 000	715	71.00
45 888 000	717	48.00	46 688 000	548	24.00	47 373 000	734	82.00
45 899 000	744	15.00	46 689 000	548	24.00	47 379 000	713	465.00
45 900 000	744	8.00	46 710 000	742	58.00	47 386 000	714	199.00
45 914 XE0	365, 410	4.00	46 711 000	729	18.00	47 439 000	714	82.00
45 937 000	751	10.00	46 717 000	434	217.00	47 450 000	713	81.00
45 951 000	716	18.00	46 731 000	742	67.00	47 483 000	714	48.00
45 956 000	716	17.00	46 739 000	748	18.50	47 532 000	714	388.00
45 964 000	716	7.50	46 739 EN0	748	12.00	47 533 000	535	41.00
45 966 000	716	17.50	46 757 000	742	15.00	47 565 000	713	293.00
45 967 000	716	17.50	46 765 000	729	12.00	47 569 000	542	557.00
45 968 000	716	19.00	46 769 000	742	40.00	47 574 000	713	157.00
45 969 000	716	19.00	46 837 000	728	16.00	47 598 000	714	354.00
45 970 000	719	8.40	46 837 DC0	728	31.00	47 600 000	714	283.00
45 971 001	401	9.16	46 837 G00	728	17.00	47 657 000	713	484.00
45 973 001	401	10.83	46 857 000	742	56.00	47 658 000	713	984.00
45 978 000	717	17.00	46 857 DC0	742	103.00	47 727 000	272	29.00
45 984 001	22, 31	452.00	46 858 000	742	19.50	47 780 000	525	129.00
45 992 001	401	12.49	46 858 DC0	742	72.00	47 790 000	260	50.00
46			46 863 000	710	15.00	47 837 000	270	67.00
46 048 000	710	45.00	46 882 00M	559	53.00	47 867 000	271	67.00
46 056 000	737	26.00	46 883 00M	560	98.00	47 868 000	271	67.00
46 058 000	737	50.00	46 884 000	559	80.00	47 877 000	271	67.00
46 077 000	747	26.00	46 895 000	730	6.80	47 885 000	714	43.00
46 090 000	747	15.50	46 895 DC0	730	37.00	47 910 000	271	54.00
46 092 000	739	38.00	46 901 000	67, 106	63.00	47 979 000	540	19.00
46 103 000	726	74.00	46 907 000	710	43.00	47 994 000	540	6.20
46 104 000	739	29.00	46 920 000	737	37.00	48		
46 173 IE0	741	77.00	46 920 DC0	737	64.00	48 021 000	750	7.00
46 173 KH0	741	94.00	46 925 000	742	13.00	48 051 000	374, 410	7.00
46 174 000	739	35.00	46 925 DC0	742	56.00	48 053 000	305	97.00
46 242 000	749	7.90	46 943 000	721	393.00	48 054 000	305	74.00
46 243 000	749	11.50	46 944 001	564	188.00	48 099 000	745	18.00
46 246 000	742	47.00	46 947 000	737	43.00	48 159 000	727	9.10
46 246 SD0	742	130.00	46 947 DC0	737	48.00	48 159 DC0	727	31.00
46 249 000	748	11.50	46 956 000	743	*	48 166 000	751	20.00
46 257 000	548	*	46 956 DC0	743	53.00	48 177 000	745	38.00
46 259 000	548	22.00	46 963 000	710	22.00	48 177 AL0	745	118.00
46 277 000	551, 710	9.30	46 977 00M	565	43.00	48 177 EN0	745	102.00
46 278 000	551, 710	73.00	46 978 000	565	*	48 189 000	727	19.00
46 308 000	710	17.00	46 978 001	565	91.00	48 190 000	727	18.00
46 312 IE0	741	51.00	46 979 000	565	*	48 191 000	727	18.00
46 312 KH0	741	66.00	46 989 000	711	39.00	48 194 000	730	21.00
46 312 LC0	741	54.00	46 999 000	743	46.00	48 194 DC0	730	43.00
46 312 SD0	741	82.00	46 999 DC0	743	87.00	48 196 000	730	50.00
46 312 UU0	741	101.00	47			48 196 DC0	730	60.00
46 315 000	743	27.00	47 010 000	713	93.00	48 213 000	736	163.00
46 322 000	739	19.00	47 012 000	713	148.00	48 277 000	734	33.00
46 338 000	743	17.00	47 019 000	713	162.00	48 279 000	744	21.00
46 345 000	748	17.00	47 024 000	714	286.00	48 279 AL0	744	59.00
46 374 000	710	44.00	47 025 000	713	206.00	48 293 000	739	43.00
46 375 000	710	10.00	47 050 000	714	82.00	48 297 000	711	44.00
46 386 000	710	124.00	47 111 000	713	174.00	48 333 000	744	45.00
46 409 000	710	35.00	47 167 000	714	45.00	48 343 000	730	31.00
46 429 K00	747	15.00	47 175 000	242, 245	104.00	48 343 DC0	730	48.00
46 436 000	749	31.00	47 186 000	714	94.00	48 348 000	271, 277	30.00
46 519 000	743	46.00	47 189 000	734	53.00	48 349 000	277, 304	88.00
46 558 000	710	30.00				48 350 000	277, 304	113.00

DISCOVER THE WORLD OF GROHE

If you're looking for ideas or solutions for your bathroom and kitchen, the **GROHE Media APP** is where you will find your inspiration. With a new name and a fresh new look for March 2019, this app puts all the latest content from GROHE – magazines, videos, books and brochures – at your fingertips. This is just a small selection of what the world of GROHE has to offer: the perfect addition to your GROHE home.

GET IT HERE



VISIT US ONLINE AND FOLLOW US ON SOCIAL MEDIA

FACEBOOK [grohe.enjoywater](#) | INSTAGRAM [grohe_global](#)
TWITTER [grohe](#) | YOUTUBE [grohe](#) | PINTEREST [grohe](#)



System requirements

iPhone with iOS 11.0 or higher / smart phone with Android 6.0 or higher. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

LIXIL MAKES BETTER HOMES

A REALITY FOR EVERYONE, EVERYWHERE.

A better home is made up of surprisingly simple things – baths to escape in after a long day; kitchens that unleash creativity; toilets that provide cleanliness and comfort; doors and windows that connect you with the world outside; showers and faucets to experience water in new ways; interiors and exteriors that bring spaces to life.


Born through a merger of five of Japan's most successful building materials and housing companies, we draw on our long Japanese heritage to create world-leading technology and innovative, high quality products that transform homes. Since then, we've brought together some of the most trusted names in our industry from around the world and are now home to brands including American Standard and GROHE. Today, we're made up of over 70,000 employees in more than 150 countries worldwide. What differentiates LIXIL isn't just what we do or where we do it. It's how and why we do it.

We innovate with meaningful designs that improve how people live, like the smart Ecocarot wall tiles which control odors and humidity. We experiment with leading designers and new thinkers to develop products like the GROHE Sense Guard, which quickly detects water leakages in the home. We adapt our technologies to give access for all, as we did with the SATO range of products, which save lives daily. Finally, we have a responsible business model that enables us to tackle widespread global issues such as our commitment to providing 100 million people with access to safe sanitation by 2020.

› **WE ARE PROUD THAT OUR PRODUCTS TOUCH THE LIVES OF MORE THAN ONE BILLION PEOPLE EVERY DAY, BUT THERE IS POTENTIAL TO DO SO MUCH MORE.**



Visit us:



QUALITY

*"No.1 most trusted brand
in the sanitary industry" –
Wirtschaftswoche, 2017*



TECHNOLOGY

*"Top 50 companies
to change the world" –
Fortune Magazine, 2017*



DESIGN

*Over 400 design awards
won since 2003*



SUSTAINABILITY

*CSR Award winner of the
German Government, 2017*

PLEASE CONTACT OUR LOCAL OFFICES BELOW:

Grohe AG Reprezenanță
Strada Nicolae Iorga nr. 13,
Corp B, etaj 2
RO - 010432 București
Romania
Tel.: +40 21 212 50 50
Fax: +40 21 212 50 48
info-ro@grohe.com
www.grohe.ro

Grohe Adria d.o.o.
Štefanovečka 10
HR - 10000 Zagreb
Croatia
Tel.: +385 (0)1 29 11 470
Fax: +385 (0)1 29 10 962
adria-hr@grohe.com
www.grohe.hr
www.grohe.si
www.grohe.rs

Grohe Hungary Kft
Záhony utca 7.,
A épület II. emelet
H - 1031 Budapest
Hungary
Tel: +36 1 238 8045
info-hu@grohe.com
www.grohe.hu

GROHE AG
Representative Office Bulgaria
81 B, Bulgaria Blvd., floor 8,
office 21
1404 Sofia
Bulgaria
Tel: +359 (0) 2 / 971 99 59
grohe-bulgaria@grohe.com
www.grohe.bg

Grohe AG
Feldmühleplatz 15
D - 40545 Düsseldorf
Germany