

Inspiration

BRICK | STONE





Everlasting beauty

Although design and architectural trends are subject to constant change, two things will remain unchanged: emotional attachment to the past and classic elegance. They bring timeless character and charm to every arrangement, now in a modern and fresh way. We invite you to the world of tiles inspired by the natural beauty of stone and exceptional atmosphere of handmade brick.

Timeless style, original design and attention to every detail – our collections will complement a modern facade or original terrace and enliven the interior space of your dream house. Diverse and unique character of every arrangement enables you to create according to your imagination.

We are proud to present our projects where classical beauty and modern design are combined.



TABLE OF CONTENTS

NEW

- 6 **Cerros**
- 14 **Macro**
- 22 **Rapid**
- 30 **Saltstone**
- 36 **Torstone**

BRICK

- 46 **Piatto**
- 58 **Foggia**
- 64 **Loft Brick**
- 70 **Retro Brick**
- 76 **Cottage**
- 82 **Rott**
- 86 **Burgundy**
- 90 **Brown**
- 94 **Gobi**
- 98 **Country Cherry**
- 102 **Alaska / Dakota**
- 104 **Nevada / Montana / Colorado**
- 106 **Grey**
- 108 **Cream**
- 110 **Sand**
- 112 **Nero**
- 114 **Cherry**
- 116 **Honey**
- 118 **Brown**
- 120 **Graphite**

STONE

- 122 **Kallio**
- 128 **Aragon**
- 134 **Canella**
- 138 **Zebrina**
- 142 **Autumn Leaf / Atacama**
- 146 **Kalahari**
- 150 **Dark Gobi / Steel**
- 152 **Mocca / Cream**
- 154 **Ecrú / Cappuccino**
- 156 **Coral / Rhodonite**
- 158 **Agate / Nephrite**
- 160 **Onyx / Zircon**
- 162 **Pyrite / Tourmaline**
- 164 **Aragonite / Topaz**
- 166 **Jasper / Limonite**

- 168 **Technical instructions**
- 170 **Tile description**
- 170 **Tables**



7,4 x 30
60 x 60



Design cohesion

CERROS

Thanks to the Cerros tiles, creating a cohesive and harmonious interior and exterior designs will be a true pleasure. A wall adorned with the 7,4x30 cm, stone-inspired brick tiles will be a perfect match for the 60x60 cm base tiles from the same collection.

 - facade tile
  - floor tile
  - frost resistance
  - clinker



WALL
 CERROS BIANCO 7,4x30
 FLOOR
 CERROS BIANCO 60x60



WALL
CERROS GRYS 7,4x30
FLOOR
CERROS GRAFIT 60x60





WALL
CERROS GRAFIT 7,4x30
FLOOR
LISTRIA MARRONE 17,5x80



Cerros bianco facade tile
5902510809089 7,4 x 30 cm




Cerros gryz facade tile
5902510809102 7,4 x 30 cm



Cerros grafit facade tile
5902510809126 7,4 x 30 cm



Cerros bianco universal tile
5902510808525 60 x 60 cm



Cerros gryz universal tile
5902510808549 60 x 60 cm



Cerros grafit universal tile
5902510808563 60 x 60 cm

Packaging

Dimensions [cm]	7,4x30x0,9	60x60x0,85
Pieces in the box	22	4
m ² in the box	0,48	1,44
Box weight [kg]	9,6	28,08

- tile thickness
 - non-slip qualities
 - abrasion class
 - number of graphic patterns
 - textured surface

7,4 x 30
60 x 60



Modern minimalism

MACRO

A brick wall and a floor finished with the 60x60 cm tiles from the Macro collection in shades of gray, will fit perfectly in industrial and modern designs. The tiles will also work well in classic spaces and those channeling a vintage style.

 - facade tile
  - floor tile
  - frost resistance
  - clinker



WALL
 MACRO GRYS 7,4x30
 FLOOR
 MACRO GRYS 60x60



WALL
MACRO BIANCO 7,4x30
FLOOR
MACRO GRAFIT 60x60





WALL
 MACRO GRYS 7,4x30
 LISTRIA MARRONE 17,5x80



WALL
 MACRO GRAFIT 7,4x30





Macro bianco facade tile
5902510808945

7,4 x 30 cm



Macro grys facade tile
5902510808969

7,4 x 30 cm




Macro grafit facade tile
5902510808983

7,4 x 30 cm




Macro bianco universal tile
5902510808389

60 x 60 cm



Macro grys universal tile
5902510808402

60 x 60 cm



Macro grafit universal tile
5902510808426

60 x 60 cm

Packaging

Dimensions [cm]	7,4x30x0,9	60x60x0,85
Pieces in the box	22	5
m ² in the box	0,48	1,44
Box weight [kg]	9,6	28,08

- tile thickness - non-slip qualities - abrasion class - number of graphic patterns - textured surface

7,4 x 30
60 x 60



Tones of gray

RAPID

Some time ago, brick was primarily used for facades; today it's an important element of design that ideally combines aesthetic and functional values of arrangements. Brick-like tiles imitating stone present themselves superbly in the living room – they will make the room feel tasteful and elegant.

 - facade tile
  - floor tile
  - frost resistance
  - clinker



WALL
 RAPID BEIGE 7,4x30
 FLOOR
 RAPID BEIGE 60x60



WALL
RAPID BIANCO 7,4x30
FLOOR
RAPID GRYS 60x60



WALL
RAPID GRYS 7,4x30



WALL
RAPID BROWN 7,4x30
FLOOR
AVIONA BEIGE 17,5x80





Rapid bianco facade tile
5902510809003

7,4 x 30 cm



Rapid grys facade tile
5902510809027

7,4 x 30 cm



Rapid beige facade tile
5902510809041

7,4 x 30 cm




Rapid brown facade tile
5902510809065

7,4 x 30 cm




Rapid bianco universal tile
5902510808440

60 x 60 cm




Rapid grys universal tile
5902510808464

60 x 60 cm



Rapid beige universal tile
5902510808488

60 x 60 cm



Rapid brown universal tile
5902510808501

60 x 60 cm

Packaging

Dimensions [cm]	7,4x30x0,9	60x60x0,85
Pieces in the box	22	4
m ² in the box	0,48	1,44
Box weight [kg]	9,6	28,08




14,8x30



Timeless façade

SALTSTONE

The representative function of the building belongs to the façade, so it's beneficial to make it aesthetic, timeless and durable. Therefore, when designing a façade, it's definitely worth choosing tiles from the Saltstone collection, inspired by the tarazzo stone.

 - facade tile
  - frost resistance
  - clinker



WALL
 SALTSTONE BIANCO 14,8x30
 FLOOR
 GRAPIA NOCE 17,5x80



WALL
SALTSTONE GRYS 14,8x30
FLOOR
LISTRIA SABBIA 17,5x80



WALL
SALTSTONE GRAFIT 14,8x30



Saltstone bianco facade stone
5902510809348 14,8 x 30 cm



Saltstone grys facade stone
5902510809362 14,8 x 30 cm



Saltstone grafit facade stone
5902510809386 14,8 x 30 cm

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	8,9

☞ - tile thickness ☞40 - number of graphic patterns ☞ - textured surface




14,8x30



Design with character

TORSTONE

Thanks to the variety of tile shades in the Torstone collection, it doesn't take any effort to find those that will perfectly fit your design. You can also add decorative elements to the base tiles, which will liven up the space and give it character with their patchwork accents.

 - facade tile
  - frost resistance
  - clinker



WALL
 TORSTONE BEIGE 14,8x30
FLOOR
 LISTRIA SABBIA 17,5x80



WALL
TORSTONE BIANCO 14,8x30
TORSTONE BIANCO DECOR 14,8x30
FLOOR
LISTRIA SABBIA 17,5x80



WALL
TORSTONE BROWN 14,8x30



WALL
TORSTONE GRYS 14,8x30
TORSTONE GRYS DECOR 14,8x30
FLOOR
AVIONA BROWN 17,5x80





WALL
TORSTONE GRAFIT 14.8x30





Torstone bianco facade stone 14,8 x 30 cm
5902510809140



Torstone bianco decor 14,8 x 30 cm
5902510809249



Torstone grys facade stone 14,8 x 30 cm
5902510809201



Torstone grys decor 14,8 x 30 cm
5902510809300



Torstone beige facade stone 14,8 x 30 cm
5902510809164



Torstone beige decor 14,8 x 30 cm
5902510809263




Torstone grafit facade stone 14,8 x 30 cm
5902510809225



Torstone grafit decor 14,8 x 30 cm
5902510809324



Torstone brown facade stone 14,8 x 30 cm
5902510809188




Torstone brown decor 14,8 x 30 cm
5902510809287

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	8,9

✂ - tile thickness ✂₄₀ - number of graphic patterns ✂ - textured surface




30 x 32
 30 x 30
 7,4 x 30



Synonym of beauty


PIATTO

As a result of the wide range of Piatto colours it is possible to combine this collection with every architectural style. This collection will change the facade into the most important element of the house and enliven interiors and terraces by giving them a touch of modern charm and creating a fabulous atmosphere.

 - facade tile
  - floor tile
  - frost resistance
  - clinker



FLOOR
 PIATTO RED 30x30



FLOOR
PIATTO ANTRACYT 30x30




WALL
PIATTO HONEY 7,4x30







WALL
PIATTO GRIS 7,4x30



Piatto red facade tile 7,4 x 30 cm
5901779371344



Piatto honey facade tile 7,4 x 30 cm
5901779371320



Piatto red universal tile 30 x 30 cm
5901779370293



Piatto honey universal tile 30 x 30 cm
5901779370231



Piatto red step tread tile 30 x 30 cm
5901779370453



Piatto red corner step tread tile 30 x 30 cm
5903263447566



Piatto honey step tread tile 30 x 30 cm
5901779370392



Piatto honey corner step tread tile 30 x 30 cm
5903263448709



Piatto red V-shape step tread 30 x 32/5 cm
5902510806842



Piatto honey V-shape step tread 30 x 32/5 cm
5902510806781


Packaging

Dimensions [cm]	7,4x30x0,9	30x30x0,9	30x32/5x0,9
Pieces in the box	22	8	4
m ² in the box	0,48	0,72	-
Box weight [kg]	9,6	15,44	12

☞ - tile thickness ☞ R9 - non-slip qualities ☞ - abrasion class ☞ 54 - number of graphic patterns ☞ - textured surface




Piatto sand facade tile 7,4 x 30 cm
5901779371306



Piatto antracyt facade tile 7,4 x 30 cm
5901779371405




Piatto gris facade tile 7,4 x 30 cm
5901779371368



Piatto terra facade tile 7,4 x 30 cm
5901779371382



Piatto sand universal tile 30 x 30 cm
5901779370255




Piatto antracyt universal tile 30 x 30 cm
5901779370279



Piatto gris universal tile 30 x 30 cm
5901779370194




Piatto terra universal tile 30 x 30 cm
5901779370217




Piatto sand step tread tile 30 x 30 cm
5901779370439



Piatto sand corner step tread tile 30 x 30 cm
5903263448730



Piatto antracyt step tread tile 30 x 30 cm
5901779370477



Piatto antracyt corner step tread tile 30 x 30 cm
5903263445593



Piatto gris step tread tile 30 x 30 cm
5901779370415



Piatto gris corner step tread tile 30 x 30 cm
5903263448631



Piatto terra step tread tile 30 x 30 cm
5903263447702



Piatto terra corner step tread tile 30 x 30 cm
5903263448686



Piatto sand V-shape step tread 30 x 32/5 cm
5902510806828



Piatto antracyt V-shape step tread 30 x 32/5 cm
5902510806866



Piatto gris V-shape step tread 30 x 32/5 cm
5902510806804




Piatto terra V-shape step tread 30 x 32/5 cm
5902510806767

Packaging

Dimensions [cm]	7,4x 30x0,9	30x30x0,9	30x32/5x0,9
Pieces in the box	22	8	4
m ² in the box	0,48	0,72	-
Box weight [kg]	9,6	15,44	12

☞ - tile thickness 🦶 - non-slip qualities 🦶 - abrasion class 🦶 - number of graphic patterns 🦶 - textured surface

6,5x24,5




Monochromatic elegance

FOGGIA

The Foggia collection presents the industrial version of elegance. The tiles, available in black, white and universal grey, enchant everyone with their satin finish and irregular edges.

- facade tile - frost resistance - clinker



WALL
FOGGIA BIANCO 6,5x24,5



WALL
FOGGIA GRIS 6,5x24,5



WALL
FOGGIA NERO 6,5x24,5



Foggia bianco facade tile
5901779371900 6,5 × 24,5 cm



Foggia gris facade tile
5901779371924 6,5 × 24,5 cm




Foggia nero facade tile
5901779371917 6,5 × 24,5 cm

Packaging

Dimensions [cm]	6,5x24,5x0,8
Pieces in the box	38
m ² in the box	0,6
Box weight [kg]	10,5

✂ - tile thickness 🏠 - textured surface




6,5x24,5



Detail with history


LOFT BRICK

This collection of wall tiles was created for loft and industrial interiors. With a delightful pattern of old brick combined with a variety of colours inspired by oriental spices, the collection will also work perfectly in facades.

 - facade tile
  - frost resistance
  - clinker



WALL
LOFT BRICK CARDAMOM 6,5x24,5



WALL
LOFT BRICK CHILI 6,5x24,5



WALL
LOFT BRICK MASALA 6,5x24,5



WALL
LOFT BRICK PEPPER 6,5x24,5




Loft Brick curry facade tile 6,5 x 24,5 cm
5901779372112



Loft Brick masala facade tile 6,5 x 24,5 cm
5901779372082




Loft Brick salt facade tile 6,5 x 24,5 cm
5901779372075



Loft Brick chili facade tile 6,5 x 24,5 cm
5901779372105



Loft Brick pepper facade tile 6,5 x 24,5 cm
5901779372099



Loft Brick cardamom facade tile 6,5 x 24,5 cm
5901779372129

Packaging

Dimensions [cm]	6,5x24,5x0,8
Pieces in the box	38
m ² in the box	0,6
Box weight [kg]	10,54

✦ - tile thickness ✦₅₆ - number of graphic patterns ✦ - textured surface




6,5x24,5



Sophisticated design

RETRO BRICK

The Retro Brick collection indulges us with subtle colours and lovely tonal transitions. The original combination of old brick and warm tints will result in a unique and sophisticated design.

 - facade tile  - frost resistance  - clinker



WALL
RETRO BRICK PEPPER 6,5x24,5





WALL
RETRO BRICK MASALA 6,5x24,5



Retro Brick curry facade tile
5901779371979 6,5 x 24,5 cm



Retro Brick masala facade tile
5901779371948 6,5 x 24,5 cm



Retro Brick salt facade tile
5901779371931 6,5 x 24,5 cm



Retro Brick chili facade tile
5901779371962 6,5 x 24,5 cm



Retro Brick pepper facade tile
5901779371955 6,5 x 24,5 cm



Retro Brick cardamom facade tile
5901779371986 6,5 x 24,5 cm

Packaging

Dimensions [cm]	6,5x24,5x0,8
Pieces in the box	38
m ² in the box	0,6
Box weight [kg]	10,5

✂ - tile thickness ✂₅₆ - number of graphic patterns ✂ - textured surface



30 x 32
30 x 30



Non-urban allure

COTTAGE

The Cottage collection has been designed to make the most effective use of your garden space. Square floor elements will perfectly complement the design of an enchanting terrace with stairs that lead directly to the garden.

 - floor tile  - frost resistance  - clinker






FLOOR
COTTAGE MASALA 30x30




FLOOR
COTTAGE CHILI 30x30



Cottage masala
universal tile
30 x 30 cm
5901779372433



Cottage masala
step tread tile
30 x 30 cm
5901779371252



Cottage masala
corner step tread tile
30 x 30 cm
5901779372662




Cottage masala
V-shape step tread
30 x 32/5 cm
5901779370668



Cottage chili
universal tile
30 x 30 cm
5901779372457



Cottage chili
step tread tile
30 x 30 cm
5901779371214




Cottage chili
corner step tread tile
30 x 30 cm
5901779372556




Cottage chili
V-shape step tread
30 x 32/5 cm
5901779370682



Cottage salt
universal tile
30 x 30 cm
5901779372426




Cottage salt
step tread tile
30 x 30 cm
5901779371290



Cottage salt
corner step tread tile
30 x 30 cm
5901779372822




Cottage salt
V-shape step tread
30 x 32/5 cm
5901779370651



Cottage cardamom
universal tile
30 x 30 cm
5901779372471



Cottage cardamom
step tread tile
30 x 30 cm
5901779371191




Cottage cardamom
corner step tread tile
30 x 30 cm
5901779372402




Cottage cardamom
V-shape step tread
30 x 32/5 cm
5901779370705



Cottage curry
universal tile
30 x 30 cm
5901779372464



Cottage curry
step tread tile
30 x 30 cm
5901779371238




Cottage curry
corner step tread tile
30 x 30 cm
5901779372570




Cottage curry
V-shape step tread
30 x 32/5 cm
5901779370699



Cottage pepper
universal tile
30 x 30 cm
5901779372440



Cottage pepper
step tread tile
30 x 30 cm
5901779371276



Cottage pepper
corner step tread tile
30 x 30 cm
5901779372686



Cottage pepper
V-shape step tread
30 x 32/5 cm
5901779370675

Packaging

Dimensions [cm]	30x30x0,9	30x32/5x0,9
Pieces in the box	8	4
m ² in the box	0,72	-
Box weight [kg]	15,44	12

☞ - tile thickness ☞_{R10} - non-slip qualities ☞ - abrasion class ☞₁₂ - number of graphic patterns


30 x 32
30 x 30
14,8 x 35
14,8 x 30
13,5 x 24,5
10 x 20
6,5 x 24,5

ROTT





Rott smooth facade tile 6,5 x 24,5 cm
5903263449515




Rott rustic facade tile 6,5 x 24,5 cm
5903263449522




Rott smooth shaded facade tile 6,5 x 24,5 cm
5903263449546



Rott rustic shaded facade tile 6,5 x 24,5 cm
5903263449539




Rott universal rustic tile 30 x 30 cm
5903263445425



Rott window sill tile




Rott V-shape step tread 30 x 32/5 cm
5901779370514




Rott floor tile 30 x 30 cm
5903263445241



14,8 x 30 cm
5903263446538



Rott step tread tile 30 x 30 cm
5903263445616



Rott corner step tread tile 30 x 30 cm
5903263445814

Packaging

Dimensions [cm]	6,5x24,5x0,65	6,5x24,5x0,65 (rustic)	30x30x0,9	30x30x1,1	14,8x30x1,1	30x30x1,1 (step tread)	30x32/5x1,1	14,8x35x1,3	14,8x30x1,3	13,5x24,5x1,3	10x20x1,3
Pieces in the box	32	32	8	8	16	8	4	11	11	20	25
m ² in the box	0,5	0,5	0,72	0,72	0,71	-	-	-	-	-	-
Box weight [kg]	7,5	6,8	14,2	17,6	17,9	17,6	12	16,5	15,3	20,7	15,7

☞ - tile thickness ☞_{R10} - non-slip qualities ☞ - abrasion class ☞ - textured surface

30 x 32
30 x 30
14,8 x 35
14,8 x 30
13,5 x 24,5
10 x 20
6,5 x 24,5

BURGUNDY





Burgundy smooth facade tile 6,5 x 24,5 cm
5903263449553




Burgundy rustic facade tile 6,5 x 24,5 cm
5903263449577



Burgundy V-shape step tread 30 x 32/5 cm
5901779370637



Burgundy smooth shaded facade tile 6,5 x 24,5 cm
5903263449560




Burgundy rustic shaded facade tile 6,5 x 24,5 cm
5903263449584




Burgundy floor tile 30 x 30 cm
5903263445258



14,8 x 30 cm
5903263446545



Burgundy universal rustic tile 30 x 30 cm
5903263445432



Burgundy window sill tile 1,3



14,8 x 35 cm
5903263447108




14,8 x 30 cm
5903263444039




13,5 x 24,5 cm
5903263444015



10 x 20 cm
5903263444022



Burgundy step tread tile 30 x 30 cm
5903263445623



Burgundy corner step tread tile 30 x 30 cm
5903263445821

Packaging

Dimensions [cm]	6,5x24,5x0,65	6,5x24,5x0,65 (rustic)	30x30x0,9	30x30x1,1	14,8x30x1,1	30x30x1,1 (step tread)	30x32/5x1,1	14,8x35x1,3	14,8x30x1,3	13,5x24,5x1,3	10x20x1,3
Pieces in the box	32	32	8	8	16	8	4	11	11	20	25
m ² in the box	0,5	0,5	0,72	0,72	0,71	-	-	-	-	-	-
Box weight [kg]	7,5	6,8	14,2	17,6	17,9	17,6	12	16,5	15,3	20,7	15,7

☞ - tile thickness ☞ R10 - non-slip qualities ☞ - abrasion class ☞ - textured surface

30 x 30
14,8 x 35
14,8 x 30
13,5 x 24,5
10 x 20
6,5 x 24,5

BROWN






FLOOR
BROWN 30x30




Brown smooth facade tile 6,5 × 24,5 cm
5903263449683




Brown universal rustic tile 30 × 30 cm
5903263445487




Brown rustic facade tile 6,5 × 24,5 cm
5903263449690




Brown floor tile 30 × 30 cm
5903263445302




14,8 × 30 cm
5903263446576



Brown window sill tile 1,3
5903263447580 5903263440437 5903263442011 5903263441977



Brown step tread tile 30 × 30 cm
5903263445678



Brown corner step tread tile 30 × 30 cm
5903263445876

Packaging

Dimensions [cm]	6,5×24,5×0,65	6,5×24,5×0,65 (rustic)	30×30×0,9	30×30×1,1	14,8×30×1,1	30×30×1,1 (step tread)	14,8×35×1,3	14,8×30×1,3	13,5×24,5×1,3	10×20×1,3
Pieces in the box	32	32	8	8	16	8	11	11	20	25
m ² in the box	0,5	0,5	0,72	0,72	0,71	-	-	-	-	-
Box weight [kg]	7,5	6,8	14,2	17,6	17,9	17,6	16,5	15,3	20,7	15,7

☞ - tile thickness ☞_{R10} - non-slip qualities ☞ - abrasion class ☞ - textured surface

30 x 32
30 x 30
14,8 x 30
6,5 x 24,5

GOBI






FLOOR
GOBI 30x30




Gobi rustic facade tile
5903263449768 6,5 × 24,5 cm




Gobi universal rustic tile
5903263445456 30 × 30 cm



5903263445647
Gobi step tread tile 30 × 30 cm



5903263445845
Gobi corner step tread tile 30 × 30 cm



5903263445272
Gobi floor tile 30 × 30 cm



5903263446583
14,8 × 30 cm



Gobi V-shape step tread
5901779370576 30 × 32/5 cm

Packaging

Dimensions [cm]	6,5x24,5x0,65 (rustic)	30x30x0,9	30x30x1,1	14,8x30x1,1	30x30x1,1 (step tread)	30x32/5x1,1
Pieces in the box	32	8	8	16	8	4
m ² in the box	0,5	0,72	0,72	0,71	-	-
Box weight [kg]	6,8	14,2	17,6	17,7	17,6	12

- tile thickness
 - non-slip qualities
 - abrasion class
 - textured surface

30 x 32
30 x 30
14,8 x 30
6,5 x 24,5

COUNTRY CHERRY






WALL
COUNTRY CHERRY 6,5x24,5




Country Cherry smooth facade tile 6,5 × 24,5 cm
5903263449805




Country Cherry universal rustic tile 30 × 30 cm
5903263445500




Country Cherry rustic facade tile 6,5 × 24,5 cm
5903263449782



Country Cherry floor tile 30 × 30 cm
5903263445326




14,8 × 30 cm
5903263446613



Country Cherry V-shape step tread 30 × 32/5 cm
5901779370590



Country Cherry step tread tile 30 × 30 cm
5903263445708



Country Cherry corner step tread tile 30 × 30 cm
5903263445906

Packaging

Dimensions [cm]	6,5x24,5x0,65	6,5x24,5x0,65 (rustic)	30x30x0,9	30x30x1,1	14,8x30x1,1	30x30x1,1 (step tread)	30x32/5x1,1
Pieces in the box	32	32	8	8	16	8	4
m ² in the box	0,5	0,5	0,72	0,72	0,71	-	-
Box weight [kg]	7,5	6,8	14,2	17,6	17,9	17,6	12

- tile thickness
 - non-slip qualities
 - abrasion class
 - textured surface

ALASKA

Packaging

Dimensions [cm]	6,5x24,5x0,65 (rustic)
Pieces in the box	32
m ² in the box	0,5
Box weight [kg]	6,8



Alaska rustic facade tile
5903263449652

6,5 × 24,5 cm

0,65



WALL
ALASKA 6,5x24,5

DAKOTA

Packaging

Dimensions [cm]	6,5x24,5x0,65 (rustic)
Pieces in the box	32
m ² in the box	0,5
Box weight [kg]	6,8



Dakota rustic facade tile
5903263449607

6,5 × 24,5 cm

0,65



WALL
DAKOTA 6,5x24,5

NEVADA

Packaging

Dimensions [cm]	6,5x24,5x0,65 (rustic)
Pieces in the box	32
m ² in the box	0,5
Box weight [kg]	6,8



Nevada rustic facade tile
5903263449621 6,5 × 24,5 cm

MONTANA

Packaging

Dimensions [cm]	6,5x24,5x0,65 (rustic)
Pieces in the box	32
m ² in the box	0,5
Box weight [kg]	6,8



Montana rustic facade tile
5903263449638 6,5 × 24,5 cm

COLORADO

Packaging

Dimensions [cm]	6,5x24,5x0,65 (rustic)
Pieces in the box	32
m ² in the box	0,5
Box weight [kg]	6,8



Colorado rustic facade tile
5903263449614 6,5 × 24,5 cm




WALL
NEVADA 6,5x24,5



WALL
COLORADO 6,5x24,5

6,5 x 24,5

GREY



Grey glazed facade tile
5901779371788 6,5 x 24,5 cm

Packaging

Dimensions [cm]	6,5x24,5x0,65
Pieces in the box	32
m ² in the box	0,5
Box weight [kg]	7,5

 - facade tile
  - frost resistance
  - clinker
  - tile thickness



6,5 x 24,5

CREAM



Cream smooth facade tile
5903263449720

6,5 x 24,5 cm



Cream rustic facade tile
5903263449737

6,5 x 24,5 cm

Packaging

Dimensions [cm]	6,5x24,5x0,65	6,5x24,5x0,65 (rustic)
Pieces in the box	32	32
m ² in the box	0,5	0,5
Box weight [kg]	7,5	6,8

 - facade tile
  - frost resistance
  - clinker
  - tile thickness
  - textured surface



6,5 x 24,5

SAND



Sand smooth facade tile
5903263449669

6,5 x 24,5 cm



Sand rustic facade tile
5903263449676

6,5 x 24,5 cm

Packaging

Dimensions [cm]	6,5x24,5x0,65	6,5x24,5x0,65 (rustic)
Pieces in the box	32	32
m ² in the box	0,5	0,5
Box weight [kg]	7,5	6,8

- facade tile

- frost resistance

- clinker


- tile thickness

- textured surface




14,8 x 35
 14,8 x 30
 13,5 x 24,5
 10 x 20
 6,5 x 24,5

NERO



Nero glazed facade tile
 5903263449706 6,5 x 24,5 cm



Packaging


Dimensions [cm]	6,5x24,5x0,65	14,8x35x1,3	14,8x30x1,3	13,5x24,5x1,3	10x20x1,3
Pieces in the box	32	11	11	20	25
m ² in the box	0,5	-	-	-	-
Box weight [kg]	7,5	16,5	15,3	20,7	15,7

🏠 - facade tile ❄️ - frost resistance ⚙️ - clinker 📏 - tile thickness




14,8 x 35
 14,8 x 30
 13,5 x 24,5
 10 x 20
 6,5 x 24,5

CHERRY



Cherry glazed facade tile
 5903263449829 6,5 x 24,5 cm



Cherry glazed window sill tile

Packaging

Dimensions [cm]	6,5x24,5x0,65	14,8x35x1,3	14,8x30x1,3	13,5x24,5x1,3	10x20x1,3
Pieces in the box	32	11	11	20	25
m ² in the box	0,5	-	-	-	-
Box weight [kg]	7,5	16,5	15,3	20,7	15,7

🏠 - facade tile ❄️ - frost resistance ⚙️ - clinker 📏 - tile thickness



14,8 x 35
 14,8 x 30
 13,5 x 24,5
 10 x 20
 6,5 x 24,5


HONEY



Honey glazed facade tile
 5903263449850

6,5 x 24,5 cm

☼ 0,65



Packaging


Dimensions [cm]	6,5x24,5x0,65	14,8x35x1,3	14,8x30x1,3	13,5x24,5x1,3	10x20x1,3
Pieces in the box	32	11	11	20	25
m ² in the box	0,5	-	-	-	-
Box weight [kg]	7,5	16,5	15,3	20,7	15,7

☼ - facade tile ☼ - frost resistance ⚡ - clinker ☼ - tile thickness




14,8 x 35
 14,8 x 30
 13,5 x 24,5
 10 x 20
 6,5 x 24,5

BROWN



Brown glazed facade tile
 5903263449836 6,5 x 24,5 cm



Brown glazed window sill tile
 5903263447115 5903263441946 5903263441953 5903263441960

Packaging

Dimensions [cm]	6,5x24,5x0,65	14,8x35x1,3	14,8x30x1,3	13,5x24,5x1,3	10x20x1,3
Pieces in the box	32	11	11	20	25
m ² in the box	0,5	-	-	-	-
Box weight [kg]	7,5	16,5	15,3	20,7	15,7

🏠 - facade tile ❄️ - frost resistance ⚙️ - clinker 📏 - tile thickness




14,8 x 30
 13,5 x 24,5
 10 x 20
 6,5 x 24,5

GRAPHITE



Graphite glazed facade tile
 5903263449867 6,5 x 24,5 cm



Graphite glazed window sill tile
 5903263441786 14,8 x 30 cm
 5903263441694 13,5 x 24,5 cm
 5903263441854 10 x 20 cm

Packaging

Dimensions [cm]	6,5x24,5x0,65	14,8x30x1,3	13,5x24,5x1,3	10x20x1,3
Pieces in the box	32	11	20	25
m ² in the box	0,5	-	-	-
Box weight [kg]	7,5	15,3	20,7	15,7

🏠 - facade tile ❄️ - frost resistance ⚙️ - clinker 📏 - tile thickness



15x45



Spectacular colours

KALLIO

The Kallio collection responds to the needs of modern architecture. It attracts attention with its cut stone pattern and original colours. It will be ideal for living rooms but can also be used successfully in facades.

- facade tile - frost resistance - clinker



WALL
KALLIO AMBER 15x45



WALL
KALLIO CREAM 15x45



WALL
KALLIO RUST 15x45



WALL
KALLIO TERRA 15x45




Kallio cream facade stone
5901779373768 15 x 45 cm



Kallio marengo facade stone
5901779373737 15 x 45 cm



Kallio amber facade stone
5901779373775 15 x 45 cm



Kallio rust facade stone
5901779373720 15 x 45 cm



Kallio terra facade stone
5901779373751 15 x 45 cm



Kallio tar facade stone
5901779373690 15 x 45 cm

Packaging

Dimensions [cm]	15x45x0,9
Pieces in the box	9
m ² in the box	0,6
Box weight [kg]	10,87

✂ - tile thickness ✂ - number of graphic patterns ✂ - textured surface

15x45



Mediterranean vibes

ARAGON

Aragon collection was inspired by a Mediterranean style. When used in facades, it will captivate everyone with light and subtle colours, matt finishing and distinct natural texture.

- facade tile - frost resistance - clinker



WALL
ARAGON BEIGE 15x45





Aragon sand facade stone 15 × 45 cm
5903263448846



Aragon marengo facade stone 15 × 45 cm
5903263448877



Aragon savanna facade stone 15 × 45 cm
5903263448853



Aragon brick* facade stone 15 × 45 cm
5903263448822



Aragon beige facade stone 15 × 45 cm
5903263448860



Aragon desert* facade stone 15 × 45 cm
5903263448808



Aragon forest facade stone 15 × 45 cm
5903263448839



Aragon natura* facade stone 15 × 45 cm
5903263448815

Packaging

Dimensions [cm]	15x45x0,9
Pieces in the box	9
m ² in the box	0,6
Box weight [kg]	10,88

* This product is only available on export markets.

✂ - tile thickness ✂5 - number of graphic patterns 🏠 - textured surface


30 x 49



Wonderful detail

CANELLA

The Canella collection enchants us with its mixture of subtle colours. It will enliven the texture of any wall or facade and will fit perfectly into modern architecture as well as traditional style homes.

 - facade tile  - frost resistance  - clinker



WALL
CANELLA DARK 30x49



WALL
CANELLA DESERT 30x49



Canella desert facade stone 30 × 49 cm
5903263446804



Canella terra facade stone 30 × 49 cm
5903263446798



Canella diuna facade stone 30 × 49 cm
5903263447498



Canella dark facade stone 30 × 49 cm
5903263446781



Canella natura facade stone 30 × 49 cm
5903263446811



Canella steel facade stone 30 × 49 cm
5903263447511



Canella ginger facade stone 30 × 49 cm
5903263447504

Packaging

Dimensions [cm]	30x49x1
Pieces in the box	6
m ² in the box	0,88
Box weight [kg]	15,6

✂ - tile thickness ✂ - number of graphic patterns ✂ - textured surface




17,5 x 60



Natural mosaic

ZEBRINA

The Zebrina collection has been created with a view to create a daring design. Contrasting colour combinations combined with structural surface will enliven living room spaces, kitchen arrangements and terrace zones.

 - facade tile
  - frost resistance
  - clinker



WALL
ZEBRINA FOREST 17,5x60



WALL
ZEBRINA WOOD 17,5x60



Zebrina marengo facade stone 17,5 x 60 cm
5903263446637



Zebrina pastel facade stone 17,5 x 60 cm
5903263446644



Zebrina forest facade stone 17,5 x 60 cm
5903263446614



Zebrina wood facade stone 17,5 x 60 cm
5903263446691



Zebrina beige facade stone 17,5 x 60 cm
5903263446682



Zebrina rust facade stone 17,5 x 60 cm
5903263446657

Packaging

Dimensions [cm]	17,5x60x0,9
Pieces in the box	8
m ² in the box	0,84
Box weight [kg]	15,8

✦ - tile thickness ✦₅ - number of graphic patterns ✦ - textured surface

30 x 32
30 x 30
14,8 x 30
6,5 x 24,5

AUTUMN LEAF & ATACAMA





WALL
ATACAMA 6,5x24,5




Autumn Leaf CER 3 facade stone 14,8 x 30 cm
5903263447252




Autumn Leaf universal rustic tile 30 x 30 cm
5903263445470



Atacama rustic facade tile 6,5 x 24,5 cm
5903263449751



Autumn Leaf floor tile 30 x 30 cm
5903263445296




Autumn Leaf 14,8 x 30 cm tile
5903263446606



Autumn Leaf V-shape step tread 30 x 32/5 cm
5901779370538



Autumn Leaf step tread tile 30 x 30 cm
5903263445654



Autumn Leaf corner step tread tile 30 x 30 cm
5903263445852

Packaging

Dimensions [cm]	6,5x24,5x0,65 (rustic)	14,8x30x0,9	30x30x0,9	30x30x1,1	14,8x30x1,1	30x30x1,1 (step tread)	30x32/5x1,1
Pieces in the box	32	12	8	8	16	8	4
m ² in the box	0,5	0,53	0,72	0,72	0,71	-	-
Box weight [kg]	6,8	9,54	14,2	17,6	17,9	17,6	12

- tile thickness
 - non-slip qualities
 - abrasion class
 - textured surface


30 x 30
14,8 x 30
6,5 x 24,5

KALAHARI






WALL
KALAHARI 6,5x24,5




Kalahari CER 4 facade stone 14,8 x 30 cm
5903263447269




Kalahari universal rustic tile 30 x 30 cm
5903263445463



Kalahari rustic facade tile 6,5 x 24,5 cm
5903263449775




5903263445289
Kalahari floor tile



5903263446590



5903263445661
Kalahari step tread tile



5903263445869
Kalahari corner step tread tile

Packaging

Dimensions [cm]	6,5x24,5x0,65 (rustic)	14,8x30x1,1	30x30x0,9	30x30x1,1	14,8x30x1,1	30x30x1,1 (step tread)
Pieces in the box	32	12	8	8	16	8
m ² in the box	0,5	0,53	0,72	0,72	0,71	-
Box weight [kg]	6,8	9,54	14,2	17,6	17,9	17,6


- tile thickness - non-slip qualities - abrasion class - textured surface

DARK GOBI CER 5

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Dark Gobi CER 5 facade stone 14,8 x 30 cm
5903263447276



WALL
DARK GOBI CER 5 14,8x30

STEEL CER 7


14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Steel CER 7 facade stone 14,8 x 30 cm
5903263447290



WALL
STEEL CER 7 14,8x30

MOCCA CER 8

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Mocca CER 8 facade stone 14,8 x 30 cm
5903263447306



CREAM CER 9

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Cream CER 9 facade stone 14,8 x 30 cm
5903263447313



ECRU CER 10

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Ecrú CER 10 facade stone 14,8 x 30 cm
5903263447320



WALL
ECRU CER 10 14,8x30

CAPPUCINO CER 11

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Cappucino CER 11 facade stone 14,8 x 30 cm
5903263447337



WALL
CAPPUCINO CER 11 14,8x30

CORAL CER 21

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Coral CER 21 facade stone
5903263447344 14,8 x 30 cm



RHODONITE CER 22

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Rhodonite CER 22 facade stone
5903263447351 14,8 x 30 cm



AGATE CER 23

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Agate CER 23 facade stone 14,8 x 30 cm
5903263447368



WALL
AGATE CER 23 14,8x30

NEPHRITE CER 25

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Nephrite CER 25 facade stone 14,8 x 30 cm
5903263447382



WALL
NEPHRITE CER 25 14,8x30

ONYX CER 26

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Onyx CER 26 facade stone 14,8 x 30 cm
5903263447399



WALL
ONYX CER 26 14,8x30

ZIRCON CER 27

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Zircon CER 27 facade stone 14,8 x 30 cm
5903263447405



WALL
ZIRCON CER 27 14,8x30

PYRITE CER 28

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Pyrite CER 28 facade stone 14,8 x 30 cm
5903263447412



WALL
PYRITE CER 28 14,8x30

TOURMALINE CER 29

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Tourmaline CER 29 facade stone 14,8 x 30 cm
5903263447429



WALL
TOURMALINE CER 29 14,8x30

ARAGONITE CER 30


14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Aragonite CER 30 facade stone 14,8 x 30 cm
5903263447436




WALL
ARAGONITE CER 30 14,8x30

TOPAZ CER 31

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Topaz CER 31 facade stone 14,8 x 30 cm
5903263447443




WALL
TOPAZ CER 31 14,8x30

JASPER CER 32

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Jasper CER 32 facade stone 14,8 x 30 cm
5903263447450



WALL
JASPER CER 32 14,8x30

LIMONITE CER 33


14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m ² in the box	0,53
Box weight [kg]	9,54



Limonite CER 33 facade stone 14,8 x 30 cm
5903263447467



WALL
LIMONITE CER 33 14,8x30



V-SHAPE

V-shaped tiles – curved step treads are manufactured using the innovative double firing method, which makes them even more resistant to external conditions. Additionally, we have reinforced the strategic points of the tile with a special composite which fills the grooves on the back side of the tile. The V-shape series complements our range of floor tiles.


SIMPLIFIED INSTRUCTIONS

Before starting to install curved step treads, it is important to prepare the appropriate substrate, backing and insulation layers. During the installation of our products use selected and high performance materials. Flexible adhesives for frost resistant tiles, flexible sealants for expansion joints and flexible grouts should be used. This applies particularly to outdoor installation of the tiles.

Following the installation instructions and material-related guidelines guarantees many years of trouble-free use. It is possible to use our products on stairs or roofed/open-air terraces, where surfaces are exposed to precipitation, temperature fluctuations and mechanical stress.

When installed properly, our tiles guarantee safe usage on both stairs and terraces.


03



Cut and fitted elements

Prepare the riser (cut properly from the base tile). For the step tread bend (at the edge of the step), use durable elastic material of equal thickness (2–5 mm). See Figure 4.

04



Durable elastic materials

Durable elastic materials, such as polyurethane compounds used to fill expansion joints, eliminate the potential forces and movements that result from the natural thermal expansion of various building materials.

01



Proper preparation of the substrate

Requirements – the substrate should be level, stable, dry and free of dirt. In order to improve adhesion it may be necessary to prime it (it is particularly important in case of absorbent surfaces). For outdoor applications, it is also important to insulate the substrate against moisture. We recommend solutions suggested by the construction chemicals manufacturer.

02



Bonding

Apply the adhesive to the prepared substrate. We recommend class C2 tile adhesive, with enhanced adhesion and flexibility parameters. It is also important to make at least a 2% slope towards the drainage direction, which is crucial in outdoor applications. Spread the mortar to cover the tile adhesive surface and the substrate.


05



Installation instructions

Both the stair tread tile and the riser should be coated with the adhesive. It is also necessary to fill the bend of the stair tread nose with adhesive, before bonding. The recommended sequence is first to install the stair tread tile, followed by the riser tile.


06



Grouting

Repeat the above steps while installing the remaining step treads. Grout the tiles once the mortar has set. The recommended flexible grout gap is min. 5 mm.


TILES DESCRIPTION


 Non-slip qualities

 Abrasion class


 Floor tile

 Facade tile

 Textured surface

 Tile thickness

 Frost resistance

 7 Number of graphic patterns

Within one collection, our tiles have over 60 different graphics to avoid the so-called stamp effect (i.e. unintentional repetition of a pattern on a small surface).













DIMENSIONS AND PACKAGING

	Dimensions [cm]	Pieces in the box	m ² in the box	m ² / pcs on a pallet	Boxes on a pallet	Frost resistance
FACADE TILE	6,5x24,5x0,8	38	0,60	68,40	114	✓
	6,5x24,5x0,65	32	0,50	84,00	168	
	7,4x30x0,9	22	0,48	46,08	96	
RUSTIC FACADE TILE	6,5x24,5x0,65	32	0,50	84,00	168	✓
FLOOR TILE	14,8x30x1,1	16	0,71	42,60	60	✓
	30x30x1,1	8	0,72	46,08	64	
	30x30x0,9	8	0,72	51,84	72	
	60x60x0,85	4	1,44	43,20	30	
STEP TREAD TILE	30x30x1,1	8	—	512 pcs	64	✓
CORNER STEP TREAD TILE	30x30x1,1	8	—	512 pcs	64	✓
V-SHAPE STEP TREAD	30x32/5x1,1	4	—	204 pcs	51	✓
	30x32/5x0,9	4	—	204 pcs	51	
WINDOW SILL	10x20x1,3	25	—	2100 pcs	84	✓
	13,5x24,5x1,3	20	—	1200 pcs	60	
	14,8x30x1,3	11	—	880 pcs	80	
	14,8x35x1,3	11	—	935 pcs	85	
FACADE STONE	14,8x30x0,9	12	0,53	53,00	100	✓
	15x45x0,9	9	0,60	66,00	110	
	30x49x1	6	0,88	45,76	52	
	17,5x60x0,9	8	0,84	53,76	64	

TECHNICAL PROPERTIES AND STANDARDS

VALUES ACCORDING TO THE STANDARD
PN - EN 14411:2013-04 ANNEX H AND DECLARED – CLINKER

DIMENSIONS AND SURFACE FLATNESS		NOMINAL DIMENSION N	
		7 cm ≤ N < 15	N ≥ 15 cm
tests according to PN-EN ISO 10545-2	length	± 0,9 mm	± 0,6% and max ± 2,0 mm
	width	± 0,9 mm	± 0,6% and max ± 2,0 mm
	thickness	± 0,5 mm	± 5% and max ± 0,5 mm
	deflection from the straight angle	± 0,75 mm	± 0,5% and max ± 2,0 mm
	surface flatness	± 0,75 mm	± 0,5% and max ± 2,0 mm

	PHYSICAL PROPERTIES	REQUIREMENTS	MEAN VALUE ACHIEVED
	Water absorption, tests according to PN-EN ISO 10545-3	0,5% < E ≤ 3%	0,5% < E ≤ 2,6%
	Breaking force, tests according to PN-EN ISO 10545-4	for thickness < 7,5 mm – ≥ 700 N for thickness ≥ 7,5 mm – ≥ 1100 N	850 N 2000 N
	Flexural strength, tests according to PN-EN ISO 10545-4	> 30 N/mm ²	≥ 38 N/mm ²
	Abrasion resistance, tests according to PN-EN ISO 10545-7	according to the manufacturer's declaration	cl. 3 – 5
	Frost resistance, tests according to PN-EN ISO 10545-12	required	resistant
	Chemical resistance, tests according to PN-EN ISO 10545-13, – to acids and bases of low concentration, – to acids and bases of high concentration, – to household agents/water pool salts	according to the manufacturer's classification – min. B	– LA – HA – A
	Non-slip qualities, tests according to DIN 51130 + complementary procedures	according to the manufacturer's declaration	smooth and rustic surface – R9
	Release of lead and cadmium PN-EN ISO 10545-15	requirements of the Commission directive 2005/31/EC ≤ 0,2 mg/l for lead ≤ 0,02 mg/l for cadmium	Lead < 0,1 mg/dm ³ Cadmium < 0,02 mg/dm ³
	Natural radioactivity ITB 455/2010	no requirements	below regulatory safety limits
	Resistance to staining PN-EN ISO 10545-14	min. 3 cl.	cl. 5
	Crazing resistance, tests according to PN-EN ISO 10545-11	required	resistant
	Thermal shock resistance, test according to PN-EN ISO 10545-9	required	resistant

This catalogue does not constitute an offer as defined in the Civil Code provisions. The actual appearance of tiles may differ from that presented in the pictures contained herein.

All rights reserved © CERRAD Sp. z o.o. 2021.

HELD CERTIFICATES: compliance with PN-EN 14411:2013-04; for safety  ; EN ISO 9001; EN ISO 14001.



CERRAD Ltd.

Radomska Street 49 B
27-200 Starachowice, Poland
phone +48 800 237 723
office@cerrad.com
www.cerrad.com